

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
14 February 2002 (14.02.2002)

PCT

(10) International Publication Number
WO 02/12242 A2

(51) International Patent Classification⁷: **C07D 487/04**,
471/04, A61K 31/4162, 31/437, A61P 35/00, 25/00, 31/12
// (C07D 487/04, 231:00, 209:00) (C07D 471/04, 231:00,
221:00)

(21) International Application Number: PCT/EP01/08639

(22) International Filing Date: 25 July 2001 (25.07.2001)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
09/635,914 10 August 2000 (10.08.2000) US

(71) Applicant (*for all designated States except US*): **PHAR-**
MACIA & UPJOHN S.P.A. [IT/IT]; Via Robert Koch, 1.2,
I-20152 Milan (IT).

(72) Inventors; and

(75) Inventors/Applicants (*for US only*): **FANCELLI**,
Daniele [IT/IT]; Via Montecuccoli, 8, I-20147 Milan (IT).
PITTALA', **Valeria** [IT/IT]; Via Delfico 24/2, I-20155
Milan (IT). **VARASI**, **Mario** [IT/IT]; Via Moncucco,
24/A, I-20142 Milan (IT).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU,
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU,
CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,
GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,
LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW,
MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK,
SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA,
ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM,
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian
patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European
patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE,
IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF,
CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD,
TG).

Published:

— *without international search report and to be republished
upon receipt of that report*

*For two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.*

(54) Title: BICYCLO-PYRAZOLES ACTIVE AS KINASE INHIBITORS, PROCESS FOR THEIR PREPARATION AND PHAR-
MACEUTICAL COMPOSITIONS COMPRISING THEM

(57) Abstract: Bicyclo-pyrazole compounds of formula (I), as herein defined, are useful for treating diseases linked to dysregulated protein kinases.



WO 02/12242 A2

BICYCLO-PYRAZOLES ACTIVE AS KINASE INHIBITORS, PROCESS FOR
THEIR PREPARATION AND PHARMACEUTICAL COMPOSITIONS
5 COMPRISING THEM

The present invention relates to pyrazole derivatives
active as kinase inhibitors and, more in particular, it
relates to bicyclo-pyrazole derivatives, to a process for
10 their preparation, to pharmaceutical compositions
comprising them and to their use as therapeutic agents,
particularly in the treatment of diseases linked to
dysregulated protein kinases.

The malfunctioning of protein kinases (PKs) is the hallmark
15 of numerous diseases. A large share of the oncogenes and
proto-oncogenes involved in human cancers code for PKs. The
enhanced activities of PKs are also implicated in many
non-malignant diseases, such as benign prostate
hyperplasia, familial adenomatosis, polyposis, neuro-
20 fibromatosis, psoriasis, vascular smooth cell proliferation
associated with atherosclerosis, pulmonary fibrosis,
arthritis glomerulonephritis and post-surgical stenosis and
restenosis.

PKs are also implicated in inflammatory conditions and in
25 the multiplication of viruses and parasites. PKs may also
play a major role in the pathogenesis and development of
neurodegenerative disorders.

For a general reference to PKs malfunctioning or
dysregulation see, for instance, Current Opinion in
30 Chemical Biology 1999, 3, 459 - 465.

It is an object of the invention to provide compounds which
are useful in therapy as agents against a host of diseases
caused by a dysregulated protein kinase activity.

It is another object to provide compounds which are endowed with multiple protein kinase inhibiting activity.

The present inventors have now discovered that bicyclo-pyrazoles are endowed with multiple protein kinase
5 inhibiting activity and are thus useful in therapy in the treatment of diseases associated with disregulated protein kinases.

More specifically, the bicyclo-pyrazoles of this invention are useful in the treatment of a variety of cancers
10 including, but not limited to: carcinoma such as bladder, breast, colon, kidney, liver, lung, including small cell lung cancer, esophagus, gall-bladder, ovary, pancreas, stomach, cervix, thyroid, prostate, and skin, including squamous cell carcinoma; hematopoietic tumors of lymphoid
15 lineage, including leukemia, acute lymphocytic leukemia, acute lymphoblastic leukemia, B-cell lymphoma, T-cell-lymphoma, Hodgkin's lymphoma, non-Hodgkin's lymphoma, hairy cell lymphoma and Burkett's lymphoma; hematopoietic tumors of myeloid lineage, including acute and chronic myelogenous
20 leukemias, myelodysplastic syndrome and promyelocytic leukemia; tumors of mesenchymal origin, including fibrosarcoma and rhabdomyosarcoma; tumors of the central and peripheral nervous system, including astrocytoma, neuroblastoma, glioma and schwannomas; other tumors,
25 including melanoma, seminoma, teratocarcinoma, osteosarcoma, xeroderma pigmentosum, keratocanthomas, thyroid follicular cancer and Kaposi's sarcoma.


Due to the key role of PKs in the regulation of cellular proliferation, these bicyclo-pyrazoles are also useful in
30 the treatment of a variety of cell proliferative disorders such as, for instance, benign prostate hyperplasia, familial adenomatosis, polyposis, neuro-fibromatosis, psoriasis, vascular smooth cell proliferation associated with atherosclerosis, pulmonary fibrosis, arthritis
35 glomerulonephritis and post-surgical stenosis and restenosis.

The compounds of the invention can be useful in the treatment of Alzheimer's disease, as suggested by the fact that cdk5 is involved in the phosphorylation of tau protein (J. Biochem., 117, 741-749, 1995).

- 5 The compounds of this invention, as modulators of apoptosis, may also be useful in the treatment of cancer, viral infections, prevention of AIDS development in HIV-infected individuals, autoimmune diseases and neurodegenerative disorders.
- 10 The compounds of this invention may be useful in inhibiting tumor angiogenesis and metastasis.
- The compounds of the invention are useful as cyclin dependent kinase (cdk) inhibitors and also as inhibitors of other protein kinases such as, for instance, protein kinase
- 15 C in different isoforms, Met, PAK-4, PAK-5, ZC-1, STLK-2, DDR-2, Aurora 1, Aurora 2, Bub-1, PLK, Chk1, Chk2, HER2, raf1, MEK1, MAPK, EGF-R, PDGF-R, FGF-R, IGF-R, VEGF-R, PI3K, weel kinase, Src, Abl, Akt, ILK, MK-2, IKK-2, Cdc7, Nek, and thus be effective in the treatment of diseases
- 20 associated with other protein kinases.

Accordingly, the present invention provides a method for treating a mammal, including humans, suffering from a disease caused by and/or associated with an altered protein

25 kinase activity, by administering to said mammal in need thereof a therapeutically effective amount of a bicyclo-pyrazole compound of formula (I):



wherein

R and R₁, being the same or different, are independently a hydrogen atom or an optionally substituted group selected from R', -COR', -COOR', -CONHR', -CONR'R'', -NH-C(=NH)NHR',
5 -C(=NH)NHR', -SO₂R', -SO₂NHR' or -SO₂NR'R''; wherein R' and R'', the same or different, are independently selected from hydrogen or optionally further substituted straight or branched C₁-C₆ alkyl, aryl, C₃-C₆ cycloalkyl and aryl C₁-C₆ alkyl or R' and R'' taken together form a C₄-C₆ alkylene
10 chain;

R_a, R_b, R_c and R_d, being the same or different, are independently selected among hydrogen, optionally further substituted straight or branched C₁-C₆ alkyl, aryl, aryl C₁-C₆ alkyl or -CH₂OR' groups, wherein R' is as above defined,
15 or R_a and R_b and/or R_c and R_d, taken together with the carbon atom to which they are bonded, form an optionally substituted C₃-C₆ cycloalkyl group;

m and n, each independently, represents 0 or an integer from 1 to 2, provided that m + n is lower than, or equal
20 to, 2 ($m + n \leq 2$);

or a pharmaceutically acceptable salt thereof.

In a preferred embodiment of the method described above, the disease caused by an altered protein kinase activity is selected from the group consisting of cancer, cell
25 proliferative disorders, Alzheimer's disease, viral infections, auto-immune diseases and neurodegenerative disorders.

Specific types of cancer that may be treated include carcinoma, squamous cell carcinoma, hematopoietic tumors of
30 myeloid or lymphoid lineage, tumors of mesenchymal origin, tumors of the central and peripheral nervous system, melanoma, seminoma, teratocarcinoma, osteosarcoma, xeroderma pigmentosum, keratocanthomas, thyroid follicular cancer and Kaposi's sarcoma.

35 In another preferred embodiment of the method described above, the cell proliferative disorder is selected from the


group consisting of benign prostate hyperplasia, familial adenomatosis polyposis, neuro-fibromatosis, psoriasis, vascular smooth cell proliferation associated with atherosclerosis, pulmonary fibrosis, arthritis
 5 glomerulonephritis and post-surgical stenosis and restenosis.

In addition, the method object of the present invention, also provides tumor angiogenesis and metastasis inhibition. A limited number of bicyclic derivatives structurally
 10 related to the compounds of formula (I) are known in the art.

See, as an example, Gadekar, Sheekrishna M. et al. in J. Med. Chem.; 1968, 11(3), 616-618; which discloses bicyclic derivatives, not showing any kinase inhibitory activity,
 15 characterized by the presence of a nitrogen substituent in position 1.

The 1-unsubstituted bicyclo-pyrazole derivatives of formula (I) object of the present invention, on the contrary, are novel compounds, obtainable through a new and extremely
 20 versatile solid-phase combinatorial process, that is also comprised within the scope of the invention.

The present invention thus provides a bicyclo-pyrazole compound of formula (I):



25

wherein

R and R₁, being the same or different, are independently a hydrogen atom or an optionally substituted group selected

from R', -COR', -COOR', -CONHR', -CONR'R", -NH-C(=NH)NHR',
-C(=NH)NHR', -SO₂R', -SO₂NHR' or -SO₂NR'R"; wherein R' and
R", the same or different, are independently selected from
hydrogen or optionally further substituted straight or
5 branched C₁-C₆ alkyl, aryl, C₃-C₆ cycloalkyl or aryl C₁-C₆
alkyl or R' and R" taken together form a C₄-C₆ alkylene
chain;

Ra, Rb, Rc and Rd, being the same or different, are
independently selected among hydrogen, optionally further
10 substituted straight or branched C₁-C₆ alkyl, aryl, aryl C₁-
C₆ alkyl or -CH₂OR' groups, wherein R' is as above defined,
or Ra and Rb and/or Rc and Rd, taken together with the
carbon atom to which they are bonded, form an optionally
substituted C₃-C₆ cycloalkyl group;

15 m and n, each independently, represent 0 or an integer from
1 to 2, provided that m + n is lower than, or equal to, 2
(m + n ≤ 2);

and the pharmaceutically acceptable salt thereof.

20 Object of the invention is also to provide a compound of
formula (I) or a pharmaceutically acceptable salt thereof
for use as a medicament.


The invention also provides the use of a compound of
formula (I) or a pharmaceutically acceptable salt thereof
25 in the manufacture of a medicament for treating a patient
suffering from a disease caused by and/or associated with
an altered protein kinase activity.

The compounds of formula (I), object of the present
invention may have asymmetric carbon atoms and may
30 therefore exist either as racemic admixtures or as
individual optical isomers.

Accordingly, all the possible isomers and their admixtures
and of both the metabolites and the pharmaceutically
acceptable bio-precursors (otherwise referred to as pro-
35 drugs) of the compounds of formula (I), as well as any

therapeutic method of treatment comprising them, are also within the scope of the present invention.

In addition to the above, as will be readily appreciated, the unsubstituted ring nitrogen pyrazoles in the compounds
5 of the invention are known to rapidly equilibrate, in solution, as admixtures of both tautomers:



Accordingly, in the present invention, where only one tautomer is indicated for the compounds of formula (I), the
10 other, (Ia), is also within the scope of the present invention, unless specifically noted otherwise.

As used herein, unless otherwise specified, with the term straight or branched C₁-C₆ alkyl, either as such or as arylalkyl, we intend a group such as, for instance, methyl,
15 ethyl, n.propyl, isopropyl, n.butyl, isobutyl, sec-butyl, tert-butyl, n.pentyl, n.hexyl and the like. Preferably it is a C₁-C₄ alkyl, e.g. methyl, ethyl, n.propyl, isopropyl, n.butyl, isobutyl, sec-butyl, tert-butyl.

When R' and R'' taken together form a C₄-C₆ alkylene chain, they with the nitrogen atom to which they are linked preferably form a piperidino or pyrrolidino group.
20

With the term C₃-C₆ cycloalkyl group we intend cyclopropyl, cyclobutyl, cyclopentyl, and cyclohexyl.

With the term aryl, either as such or as arylalkyl group,
25 we intend a mono-, bi- or poly- either carbocyclic as well as heterocyclic hydrocarbon with from 1 to 4 ring moieties, either fused or linked to each other by single bonds,

wherein at least one of the carbocyclic or heterocyclic rings is aromatic.

Not limiting examples of aryl groups are, for instance, phenyl, indanyl, biphenyl, α - or β -naphthyl, fluorenyl, 5 9,10-dihydroanthracenyl, pyridyl, pyrazinyl, pyrimidinyl, pyridazinyl, indolyl, imidazolyl, imidazopyridyl, 1,2-methylenedioxyphenyl, thiazolyl, isothiazolyl, pyrrolyl, pyrrolyl-phenyl, furyl, phenyl-furyl, benzotetrahydrofuranyl, oxazolyl, isoxazolyl, pyrazolyl, 10 chromenyl, thienyl, benzothienyl, isoindolinyl, benzoimidazolyl, tetrazolyl, tetrazolylphenyl, pyrrolidinyl-tetrazolyl, isoindolinyl-phenyl, quinolinyl, isoquinolinyl, 2,6-diphenyl-pyridyl, quinoxalinyl, pyrazinyl, phenyl-quinolinyl, benzofurazanyl, 1,2,3- 15 triazolyl, 1-phenyl-1,2,3-triazolyl, and the like.

Clearly, as above indicated, aryl groups may also refer to aromatic carbocyclic or heterocyclic rings, further fused or linked to non aromatic heterocyclic rings, typically 5 to 7 membered heterocycles.

20 With the term 5 to 7 membered heterocycle, hence encompassing aromatic heterocycles also referred to as aryl groups, we further intend a saturated or partially unsaturated 5 to 7 membered carbocycle wherein one or more carbon atoms are replaced by heteroatoms such as nitrogen, 25 oxygen and sulphur.

Examples of 5 to 7 membered heterocycles, optionally benzocondensed or further substituted, are 1,3-dioxolane, pyran, pyrrolidine, pyrroline, imidazolidine, pyrazolidine, pyrazoline, piperidine, piperazine, morpholine, 30 tetrahydrofuran, azabicyclononane and the like.

According to the above meanings provided to R, R₁, R', R'', Ra, Rb, Rc, and Rd, any of the above groups may be further optionally substituted, in any of the free positions, by one or more groups, for instance 1 to 6 groups, selected 35 from: halogen, nitro, oxo groups (=O), carboxy, cyano,

alkyl, perfluorinated alkyl, alkenyl, alkynyl, cycloalkyl, aryl, heterocyclyl, amino groups and derivatives thereof such as, for instance, alkylamino, dialkylamino, arylamino, diarylamino, ureido, alkylureido or arylureido; 5 carbonylamino groups and derivatives thereof such as, for instance, formylamino, alkylcarbonylamino, alkenylcarbonylamino, arylcarbonylamino, alkoxycarbonylamino, sulfonamido, alkylsulfonamido and arylsulfonamido, hydroxy groups and derivatives thereof 10 such as, for instance, alkoxy, aryloxy, alkylcarbonyloxy, arylcarbonyloxy, cycloalkenyloxy or alkylideneaminooxy; carbonyl groups and derivatives thereof such as, for instance, alkylcarbonyl, arylcarbonyl, alkoxycarbonyl, aryloxycarbonyl, cycloalkyloxycarbonyl, aminocarbonyl, 15 alkylaminocarbonyl, dialkylaminocarbonyl; sulfurated derivatives such as, for instance, alkylthio, arylthio, alkylsulphonyl, arylsulphonyl, alkylsulphinyl, arylsulphinyl, arylsulphonyloxy, aminosulfonyl, alkylaminosulphonyl or dialkylaminosulphonyl. In their 20 turn, whenever appropriate, each of the above substituents may be further substituted by one or more of the aforementioned groups.

Pharmaceutically acceptable salts of the compounds of formula (I) are the acid addition salts with inorganic or 25 organic, e.g. nitric, hydrochloric, hydrobromic, sulphuric, perchloric, phosphoric, acetic, trifluoroacetic, propionic, glycolic, lactic, oxalic, malonic, malic, maleic, tartaric, citric, benzoic, cinnamic, mandelic, methanesulphonic, isethionic and salicylic acid, as well as the salts with 30 inorganic or organic bases, e.g. alkali or alkaline-earth metals, especially sodium, potassium, calcium or magnesium hydroxides, carbonates or bicarbonates, acyclic or cyclic amines, preferably methylamine, ethylamine, diethylamine, triethylamine or piperidine.

35 Preferred compounds of the invention are the compounds of formula (I) wherein R is -COR' or -CONHR' and R₁ is R',

-COR', -CONHR', -CONR'R", -SO₂R', -SO₂NHR' or -SO₂NR'R", wherein R' and R", the same or different, are selected from hydrogen or optionally substituted straight or branched C₁-C₆ alkyl, aryl, C₃-C₆ cycloalkyl and aryl C₁-C₆ alkyl or R' and R" taken together form a C₄-C₆ alkylene chain; Ra and Rb, the same or different, are selected from hydrogen or straight or branched C₁-C₃ alkyl or, taken together with the carbon atom to which they are bonded, Ra and Rb form a C₃-C₆ cycloalkyl group; Rc and Rd are both hydrogen atoms; m is 0 or 1; n is 0 or 1.

Another class of preferred compounds of the invention are the compounds of formula (I) wherein R is -COR' or -CONHR' and R₁ is R', -COR', -CONHR', -CONR'R", -SO₂R', -SO₂NHR' or -SO₂NR'R", wherein R' and R", the same or different, are selected from hydrogen or optionally substituted straight or branched C₁-C₆ alkyl, aryl, C₃-C₆ cycloalkyl and aryl C₁-C₆ alkyl or R' and R" taken together form a C₄-C₆ alkylene chain; Ra is hydrogen; Rb is a -CH₂OR' group wherein R' is as defined above; Rc and Rd are both hydrogen atoms; m is 0 or 1; n is 0.

Another class of preferred compounds of the invention are the compounds of formula (I) wherein R is -COR' or -CONHR' and R₁ is R', -COR', -CONHR', -CONR'R", -SO₂R', -SO₂NHR' or -SO₂NR'R", wherein R' and R", the same or different, are selected from hydrogen or optionally substituted straight or branched C₁-C₆ alkyl, aryl, C₃-C₆ cycloalkyl and aryl C₁-C₆ alkyl or R' and R" taken together form a C₄-C₆ alkylene chain; Ra, Rb, Rc and Rd are all hydrogen atoms; m and n are both 0.

Most preferred compounds of the invention are the compounds of formula (I) wherein R is -COR' or -CONHR' and R₁ is R', -COR', -CONHR', -CONR'R" or -SO₂R', wherein R' and R", the same or different, are selected from hydrogen or optionally substituted straight or branched C₁-C₆ alkyl, aryl, C₃-C₆

cycloalkyl and aryl C₁-C₆ alkyl or R' and R" taken together form a C₄-C₆ alkylene chain; Ra and Rb, the same or different, are selected from hydrogen or straight or branched C₁-C₃ alkyl or, taken together with the carbon atom
5 to which they are bonded, Ra and Rb form a C₃-C₆ cycloalkyl group; Rc and Rd are both hydrogen atoms; m is 1; n is 0.

Most preferred compounds of the invention are the compounds of formula (I) wherein R is -COR' or -CONHR' and R₁ is R',
10 -COR', -CONHR', -CONR'R" or -SO₂R', wherein R' and R", the same or different, are selected from hydrogen or optionally substituted straight or branched C₁-C₆ alkyl, aryl, C₃-C₆ cycloalkyl and aryl C₁-C₆ alkyl or R' and R" taken together form a C₄-C₆ alkylene chain; Ra and Rb, the same or
15 different, are selected from hydrogen or straight or branched C₁-C₃ alkyl or, taken together with the carbon atom to which they are bonded, Ra and Rb form a C₃-C₆ cycloalkyl group; Rc and Rd are both hydrogen atoms; m is 0; n is 1.

20 Most preferred compounds of the invention are also the compounds of formula (I) wherein R is -COR' or -CONHR' and R₁ is R', -COR', -CONHR', -CONR'R", -SO₂R', -SO₂NHR' or -SO₂NR'R", wherein R' and R", the same or different, are selected from hydrogen or optionally substituted straight
25 or branched C₁-C₆ alkyl, aryl, C₃-C₆ cycloalkyl and aryl C₁-C₆ alkyl or R' and R" taken together form a C₄-C₆ alkylene chain; m and n are both 0; each of Ra and Rb independently is hydrogen or C₁-C₄ alkyl or Ra and Rb, taken together with the carbon atom to which they are bonded form a C₃-C₆
30 cycloalkyl ring; and Rc and Rd are hydrogen.

Most preferred compounds of the invention are also the compounds of formula (I) wherein R is -COR' or -CONHR' and R₁ is R', -COR', -CONHR', -CONR'R", -SO₂R', -SO₂NHR' or
35 -SO₂NR'R", wherein R' and R", the same or different, are selected from hydrogen or optionally substituted straight

or branched C₁-C₆ alkyl, aryl, C₃-C₆ cycloalkyl and aryl C₁-C₆ alkyl or R' and R" taken together form a C₄-C₆ alkylene chain; m and n are both 0; Ra, Rb, Rc and Rd are hydrogen.

5 Specific, not limiting, examples of compounds of the invention, whenever appropriate in the form of pharmaceutically acceptable salts, are the following:

1. N-{5-phenylacetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}phenylacetamide;
- 10 2. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}phenylacetamide;
3. N-benzyl-N' -{3-phenylacetamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
4. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}phenylacetamide;
- 15 5. N-ethyl-N' -{3-phenylacetamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
6. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-(phenyl)phenylacetamide;
- 20 7. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphtylacetamide;
8. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-furan-2-carboxamide;
9. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-5-chlorothiophene-2-carboxamide;
- 25 10. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-6-chloronicotinamide;
11. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-benzofuran-2-carboxamide;
- 30 12. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;
13. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
14. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-piperonylamide;
- 35

15. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-[2-methyl-5-phenyl-furan-3-carboxamide];
16. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-(quinoline-6-carboxamide);
- 5 17. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-[5-(4-chlorophenyl)furan-2-carboxamide];
18. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
19. N-{5-benzensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
- 10 20. N-{5-benzoyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
21. N-{5-(1-naphthalene)sulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
- 15 22. N-{5-(1-naphtoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
23. N-{5-phenylacetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
24. N-phenyl-N'-{3-(4-tertbutyl-benzamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
- 20 25. N-isopropyl-N'-{3-(4-tertbutyl-benzamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
26. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;
- 25 27. N-{5-benzoyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;
28. N-{5-(1-naphtoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;
29. N-isopropyl-N'-{3-(4-phenoxy-benzamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
- 30 30. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-[2-(2-naphtyl)propionamide];
31. N-isopropyl-N'-{3-piperonylcarboxamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
- 35 32. N-cyclohexyl-N'-{3-(4-tertbutyl-benzamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;

33. N-ethyl-N'-{3-(4-tertbutyl-benzamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
34. N-(2,6-diethylphenyl)-N'-{3-(4-tertbutyl-benzamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
- 5 35. N-cyclohexyl-N'-{3-(2-ethyl-butyramido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
36. N-(2,6-diethylphenyl)-N'-{3-piperonylcarboxamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
37. N-2-methoxyphenyl-N'-{3-(2-naphthalen-2-yl-propionamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
- 10 38. N-(1-phenyl)ethyl-N'-{3-(2-naphthalen-2-yl-propionamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
39. N-{5-phenylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-naphthalen-2-yl)-propionamide;
- 15 40. N-(2,5-dimethylphenyl)-N'-{3-(4-tertbutyl-benzamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
41. N-(2,5-dimethylphenyl)-N'-{3-(2-ethyl-butyramido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
42. N-(4-fluorobenzyl)-N'-{3-(2-ethyl-butyramido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
- 20 43. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
44. N-2-chlorophenyl-N'-{3-(2-naphthalen-2-yl-propionamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
- 25 45. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-(2-naphthyl)propionamide;
46. N-{5-(3-methyl-butanoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;
47. N-{5-(2-phenyl-thiazol-4-yl)acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;
- 30 48. N-{5-(2-thienyl-acetyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
49. N-{5-(3-pyridinyl-acetyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
- 35 50. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;

51. N-{5-(2-methylpropyl)carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
52. N-{5-(2-phenyl-thiazol-4-yl)acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
- 5 53. N-{5-(2-thienyl)acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;
54. N-{5-(benzo[1,3]dioxol-5-yl)acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-methylbutanamide;
55. N-{5-(1-naphthalene)sulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopropylcarboxamide;
- 10 56. N-{5-(2-methoxyphenyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-naphthalen-2-yl)-propionylamide;
57. N-{5-(2-furoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-naphthalen-2-yl)-propionylamide;
- 15 58. N-{5-[5-(1-morfolinomethyl)furan-2-carbonyl]-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
59. N-{5-{4-[2-(1-pyrrolidinyl)ethoxy]phenyl}acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
60. N-{5-(1-H-benzotriazole-5-carbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
- 20 61. N-{5-(pirrole-3-carbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
62. N-{5-{4-[2-oxo-2-(1-pyrrolidinyl)ethoxy]phenyl}acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;
- 25 63. N-{5-(4-methylsulfonamido-phenyl)acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;
64. N-{5-[2-(6-oxo-1(6H)-pyridazinyl)acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;
65. N-{5-(3-carbamoylmethoxy-phenyl)acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;
- 30 66. N-{5-(4-carbamoylmethoxy-phenyl)acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;
67. N-{5-[4-(1-pirrolidinyl)phenyl]acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;
- 35 68. N-{5-carbamoyloxyacetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;

69. N-{5-{4-[2-(4-methylpiperazin-2-yl)ethoxy]phenyl}acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;
70. N-{5-{4-[2-(1-pyrrolidinyl)ethoxy]phenyl}acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;
71. N-{5-{4-[2-oxo-2-(1-pyrrolidinyl)ethoxy]phenyl}acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
72. N-{5-(4-methylsulfonamido-phenyl)acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
73. N-{5-(pyridine-3-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl)-4-tertbutylbenzamide;
74. N-{5-(pyridine-3-carbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
75. N-{5-(pyridine-4-carbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
76. N-{5-(2-methyl-pyridine-3-carbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
77. N-{5-(2-thiomethyl-pyridine-3-carbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
78. N-{5-(pyrazine-2-carbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
79. N-{5-(3-furoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;
80. N-{5-(2-thenoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;
81. N-{5-(7-methoxy-benzofuran-2-carbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
82. N-{5-(benzofuran-2-carbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
83. N-{5-(2-furoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
84. N-{5-(3-furoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
85. N-{5-(2-furoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;

86. N-{5-(3-thenoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
87. N-{5-(quinoxaline-2-carbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;
- 5 88. N-{5-(2-thienyl)acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
89. N-{5-(quinoline-6-carbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
90. N-{5-(3-furoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;
- 10 4-phenoxybenzamide;
91. N-{5-(pyrazine-2-carbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;
92. N-{5-[2-(6-oxo-1(6H)-pyridazinyl)acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl]-4-tertbutylbenzamide;
- 15 93. N-{5-(4-carbamoylmethoxy-phenyl)acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
94. N-{5-carbamoyloxyacetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
95. N-{5-[4-[2-(4-methylpiperazin-2-yl)ethoxy]phenyl]acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
- 20 yl)-4-tertbutylbenzamide;
96. N-{5-(2-methylsulfonamidothiazole-4-carbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
97. N-{5-(benzofuran-2-carbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;
- 25 c]pyrazol-3-yl}-4-phenoxybenzamide;
98. N-{5-(pyridine-2-carbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;
99. N-{5-(2-methyl-pyridine-3-carbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;
- 30 100. N-{5-(quinoline-4-carbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;
101. N-{5-[4-(1-pyrrolidin-2-on)benzoyl]-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
102. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
- 35 yl}-4-tertbutylbenzamide;

103. N-n-butyl-N'-{3-(2-naphthalen-2-yl-propionamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
104. N-isopropyl-N'-{3-(2-naphthalen-2-yl-propionamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
- 5 105. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphtylpropionamide;
106. N-{5-ethoxycarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-naphthalen-2-yl)-propionamide;
107. N-{5-(3-methylbutyroyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-naphthalen-2-yl)-propionylamide;
- 10 108. N-{5-aminocarbonylmethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-naphthalen-2-yl)-propionamide;
109. N-{5-(pyrrol-3-ylcarbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-naphthalen-2-yl)-propionamide;
- 15 110. N-{5-ethoxycarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
111. N-{5-isopentyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
112. N-butyl-N'-{3-(4-tertbutyl-benzamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
- 20 113. N-{5-(indol-2-yl)carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
114. N-{5-(1-methyl-indol-3-yl)acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
- 25 115. N-{5-[4-(1-imidazolylmethyl)benzoyl]-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;
116. N-{5-[4-(1-imidazolylmethyl)benzoyl]-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;
117. N-{5-[4-(1-pyrrolidin-2-on)benzoyl]-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;
- 30 118. N-{5-(2-morfolinomethyl-5-furoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;
119. N-{5-(5-acetylamino-2-furoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-naphthalen-2-yl)-propionamide;

120. N-{5-(4-methyl-piperazin-1-yl)acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-naphthalen-2-yl)-propionamide;
121. N-{5-(piperidin-1-yl)acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-naphthalen-2-yl)-propionamide;
122. N-{5-(pyrrolidin-1-ylcarbonyl)methyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-naphthalen-2-yl)-propionamide;
123. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-(4-pyrrolidin-1-yl)phenylacetamide;
124. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-((4-pyrrolidin-1-yl)phenyl)propionamide;
125. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-(4-(2-oxo-pyrrolidin-1-yl)phenyl)acetamide;
126. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-(4-(2-oxo-pyrrolidin-1-yl)phenyl)propionamide;
127. N-2-methoxyphenyl-N'-{2-[4-(2-oxo-pyrrolidin-1-yl)phenyl]-propionamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
128. N-2,4-difluorophenyl-N'-{2-[4-(2-oxo-pyrrolidin-1-yl)phenyl]-propionamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
129. N-(1-phenyl)ethyl-N'-{2-[4-(2-oxo-pyrrolidin-1-yl)phenyl]-propionamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
130. N-2-methoxyphenyl-N'-{2-(4-pyrrolidin-1-yl-phenyl)-propionamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
131. N-2,4-difluorophenyl-N'-{2-(4-pyrrolidin-1-yl-phenyl)-propionamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
132. N-(1-phenyl)ethyl-N'-{2-(4-pyrrolidin-1-yl-phenyl)-propionamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
133. N-{5-phenylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-(4-pyrrolidin-1-yl-phenyl)-propionamide;
134. N-2-methoxyphenyl-N'-{[4-(2-oxo-pyrrolidin-1-yl)-phenyl]-acetamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;

135. N-2-chlorophenyl-N'-{ [4-(2-oxo-pyrrolidin-1-yl)-phenyl]-acetamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
136. N-(1-phenyl)ethyl-N'-{ [4-(2-oxo-pyrrolidin-1-yl)-phenyl]-acetamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
137. N-n-butyl-N'-{ [4-(2-oxo-pyrrolidin-1-yl)-phenyl]-acetamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
138. N-{5-phenylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-(2-oxo-pyrrolidin-1-yl)-phenyl-acetamide;
139. N-n-butyl-N'-{2-[4-(2-oxo-pyrrolidin-1-yl)phenyl]-propionamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
140. N-{5-phenylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-[4-(2-oxo-pyrrolidin-1-yl)-phenyl]-propionamide;
141. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-(2-oxo-pyrrolidin-1-yl)-phenyl-acetamide;
142. N-n-butyl-N'-{2-(4-pyrrolidin-1-yl-phenyl)-propionamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
143. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-(4-pyrrolidin-1-yl-phenyl)-propionamide;
144. N-2-methoxyphenyl-N'-{ (4-pyrrolidin-1-yl-phenyl)-acetamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
145. N-2-chlorophenyl-N'-{ (4-pyrrolidin-1-yl-phenyl)-acetamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
146. N-(1-phenyl)ethyl-N'-{ (4-pyrrolidin-1-yl-phenyl)-acetamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
147. N-n-butyl-N'-{ (4-pyrrolidin-1-yl-phenyl)-acetamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
148. N-{5-phenylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-(4-pyrrolidin-1-yl-phenyl)-acetamide;
149. N-ethyl-N'-{ [4-(2-oxo-pyrrolidin-1-yl)-phenyl]-acetamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
150. N-i-propyl-N'-{ [4-(2-oxo-pyrrolidin-1-yl)-phenyl]-acetamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
151. N-{5-(2-furoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-(2-oxo-pyrrolidin-1-yl)-phenyl-acetamide;

152. N-{5-(2-methoxyphenyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-(2-oxo-pyrrolidin-1-yl)-phenyl-acetamide;
153. N-{5-aminocarboylmethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-(2-oxo-pyrrolidin-1-yl)-phenyl-acetamide;
- 5 154. N-i-propyl-N'-{(4-pyrrolidin-1-yl-phenyl)-acetamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
155. N-ethyl-N'-{(4-pyrrolidin-1-yl-phenyl)-acetamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
156. N-{5-aminocarbonylmethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-(4-pyrrolidin-1-yl-phenyl)-acetamide;
- 10 157. N-{5-(3-methylbutyroyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-(2-oxo-pyrrolidin-1-yl)-phenyl-acetamide;
158. N-n-butyl-N'-{3-(naphth-2-yl)acetamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
- 15 159. N-n-butyl-N'-{3-(3-methyl-phenyl)acetamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
160. N-n-butyl-N'-{3-(3-fluoro-phenyl)acetamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
161. N-n-butyl-N'-{3-(3-pyridyl)acetamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
- 20 162. N-n-butyl-N'-{3-(bicyclo[4.2.0]octa-1,3,5-triene-7-carboxamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
163. N-n-butyl-N'-{3-phenoxyacetamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
- 25 164. N-n-butyl-N'-{3-(4-methyl-phenyl)acetamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
165. N-n-butyl-N'-{3-(4-fluoro-phenyl)acetamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
166. N-n-butyl-N'-{3-(3,4-difluoro-phenyl)acetamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
- 30 167. N-n-butyl-N'-{3-(4-trifluoromethoxy-phenyl)acetamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
168. N-n-butyl-N'-{3-(2-methyl-phenyl)acetamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
- 35 169. N-n-butyl-N'-{3-(2-bromo-phenyl)acetamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;

170. N-n-butyl-N'-{3-(2,5-difluoro-phenyl)acetamido}-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
171. N-n-butyl-N'-{3-(4-(pyrrolidin-1-yl)-carbonylmethyloxy)-phenyl)acetamido}-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
172. N-n-butyl-N'-{3-(3-(aminocarbonylmethyloxy)-phenyl)acetamido}-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
173. N-n-butyl-N'-{3-(pyrid-4-yl-acetamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
174. N-n-butyl-N'-{3-(4-(morpholin-1-yl)-phenyl)acetamido}-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
175. N-n-butyl-N'-{3-(2-fluoro-phenyl)acetamido}-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
176. N-n-butyl-N'-{3-(3,5-difluoro-phenyl)acetamido}-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
177. N-n-butyl-N'-{3-(6-oxo-6H-pyridazin-1-yl)acetamido}-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
178. N-{5-picolinoyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-(2-oxo-oxazolidin-3-yl)-phenyl-acetamide;
179. N-{5-(thien-2-yl)acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-(2-oxo-oxazolidin-3-yl)-phenyl-acetamide;
180. N-{5-(2-furoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-(2-oxo-oxazolidin-3-yl)-phenyl-acetamide;
181. N-{5-ethoxyacetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-(2-oxo-oxazolidin-3-yl)-phenyl-acetamide;
182. N-{5-(3-methyl-butyroyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-(2-oxo-oxazolidin-3-yl)-phenyl-acetamide;
183. N-{5-butyroyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-(2-oxo-oxazolidin-3-yl)-phenyl-acetamide;
184. N-isopropyl-N'-{3-[4-(2-oxo-oxazolidin-3-yl)-phenyl-acetamido)]-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
185. N-(n-butyl)-N'-{3-[4-(2-oxo-oxazolidin-3-yl)-phenyl-acetamido)]-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
186. N-{5-ethoxycarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-(2-oxo-oxazolidin-3-yl)-phenyl-acetamide;

187. N-isopropyl-N'-{3-[2-(3-oxo-3,4,4a,8a-tetrahydro-2H-benzo[1,4]oxazin-6-yl)acetamido]-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
188. N-isopropyl-N'-{3-(3-bromo-benzamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
189. N-{5-benzensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-bromobenzamide;
190. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-[4-(1-pyrrolidin-2-one)benzamide];
191. N-ethyl-N'-{3-(3-bromo-benzamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea
192. N-{5-(8-quinoline)sulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-toluic amide;
193. N-phenyl-N'-{3-(3-bromo-benzamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
194. N-{5-phenylacetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-bromobenzamide;
195. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-bromobenzamide;
196. N-isopropyl-N'-{3-[4-(1-pyrrolidin-2-on)benzamido]-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
197. N-{5-(8-quinoline)carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-toluic amide;
198. N-{5-(1-naphthalene)sulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenylbenzamide;
199. N-{5-(1-naphtoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenylbenzamide;
200. N-{5-(1-naphtoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;
201. N-phenyl-N'-{3-(4-phenyl-benzamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
202. N-{5-phenylacetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenylbenzamide;
203. N-{5-(1-naphthalene)sulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-toluic amide;

204. N-{5-(1-naphtoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-toluic amide;
205. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-phenoxybenzamide;
- 5 206. N-[5-(4-chloro-2,5-difluorobenzoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl]-2-(2-naphthyl)acetamide;
207. N-{5-[tert-butyl carboxylate]-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-(2-naphthyl)acetamide;
208. N-{5-[(1-methylcyclopropyl)carbonyl]-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-(2-naphthyl)acetamide;
- 10 209. N-[5-(cyclobutylcarbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl]-2-(2-naphthyl)acetamide;
210. N-[5-(2-fluorobenzoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl]-2-(2-naphthyl)acetamide;
- 15 211. N-[5-(pyridin-3-ylcarbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl]-2-(2-naphthyl)acetamide;
212. N-{5-[(2,2,3,3-tetramethylcyclopropyl)carbonyl]-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-(2-naphthyl)acetamide;
213. N-[5-(2,4,5-trifluorobenzoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl]-2-(2-naphthyl)acetamide;
- 20 214. N-[5-(2-methylpent-4-enoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl]-2-(2-naphthyl)acetamide;
215. N-[5-(cyclopropylacetyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl]-2-(2-naphthyl)acetamide;
- 25 216. N-[5-(5-fluoro-2-methylbenzoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl]-2-(2-naphthyl)acetamide;
217. N-{5-[2-fluoro-5-(trifluoromethyl)benzoyl]-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-(2-naphthyl)acetamide;
218. N-{5-[(3-methoxycyclohexyl)carbonyl]-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-(2-naphthyl)acetamide;
- 30 219. N-[5-(2,4-dichloro-5-fluorobenzoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl]-2-(2-naphthyl)acetamide;
220. N-[5-(2-chloro-4,5-difluorobenzoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl]-2-(2-naphthyl)acetamide;
- 35 221. N-{5-[4-(1H-imidazol-1-yl)benzoyl]-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-(2-naphthyl)acetamide;

222. N-{5-[4-(aminosulfonyl)butanoyl]-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-(2-naphthyl)acetamide;
223. N-{5-[(8-oxo-5,6,7,8-tetrahydronaphthalen-2-yl)carbonyl]-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-(2-naphthyl)acetamide;
224. N-(5-pyruvoyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl)-2-(2-naphthyl)acetamide;
225. N-[5-(2,2-dimethylpropanoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl]-2-(2-naphthyl)acetamide;
226. N-(5-but-2-ynoyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl)-2-(2-naphthyl)acetamide;
227. N-[5-(3-iodo-4-methylbenzoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl]-2-(2-naphthyl)acetamide;
228. N-{5-[(benzyloxy)acetyl]-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-(2-naphthyl)acetamide;
229. N-{5-(2-fluoro-2-phenylacetyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
230. N-{5-(2-fluoro-2-phenylacetyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;
231. N-{5-(2-thienyl-acetyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-(4-methylpiperazino)benzamide;
232. N-{5-(3-methyl-butanoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-(4-methylpiperazino)benzamide;
233. N-{5-(2-furoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-(4-methylpiperazino)benzamide;
234. N-{5-phenylacetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-(4-methylpiperazino)benzamide;
235. N-{5-benzenesulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-(4-methylpiperazino)benzamide;
236. N-(2,6-diethylphenyl)-N'-{3-[4-(4-methylpiperazino)benzamide;]-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
237. N-ethyl-N'-{3-[4-(4-methylpiperazino)benzamide;]-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
238. N-{5-(2-fluoro-2-phenylacetyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-[4-(1-pyrrolidin-2-one)benzamide;];

239. N-{5-(2-fluoro-2-phenylacetyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-(4-methylpiperazino)benzamide;
240. N-{5-(2-thienyl-acetyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-piperonylamide;
- 5 241. N-{5-(3-methyl-butanoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-piperonylamide;
242. N-{5-(2-furoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-piperonylamide;
243. N-{5-phenylacetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-piperonylamide;
- 10 244. N-{5-benzenesulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-piperonylamide;
245. N-{5-(2-trifluoromethyl)benzenesulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-piperonylamide;
- 15 246. N-ethyl-N'-{3-piperonylcarboxamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
247. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-acetamide;
248. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopropanecarboxamide;
- 20 249. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-isobutyramide;
250. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopentanecarboxamide;
- 25 251. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-benzamide;
252. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-picolinic amide;
253. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-nicotinic amide;
- 30 254. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-isonicotinic amide;
255. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-methyl-2-furoic amide;
- 35 256. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-2-carboxamide;

257. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
thiophene-3-carboxamide;
258. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-
toluic amide;
- 5 259. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-
toluic amide;
260. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-
toluic amide;
261. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
10 salicylic amide;
262. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-
fluorobenzamide;
263. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-
fluorobenzamide;
- 15 264. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-
fluorobenzamide;
265. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
thiophene-2-acetamide;
266. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
20 thiophene-3-acetamide;
267. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
phenylpropionic amide;
268. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-
cyanobenzamide;
- 25 269. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-
cyanobenzamide;
270. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
trans-cinnamic amide;
271. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
30 cis-cinnamic amide;
272. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-
(3-pyridyl)acrylic amide;
273. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-
(4-pyridyl)-acrylic amide;
- 35 274. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-
phenylpropionamide;

275. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-tolylacetamide;
276. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-tolylacetamide;
- 5 277. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-tolylacetamide;
278. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-anisic amide;
279. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-10 methoxybenzamide;
280. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-anisic amide;
281. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenoxyacetamide;
- 15 282. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-fluorophenylacetamide;
283. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-fluorophenylacetamide;
284. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-20 fluorophenylacetamide;
285. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thienyl)acrylic amide;
286. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(3-thienyl)-acrylic amide;
- 25 287. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thienyl)propanoic amide;
288. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-chlorobenzamide;
289. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-30 chlorobenzamide;
290. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-chlorobenzamide;
291. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-piperidinepropionamide;
- 35 292. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-acetylbenzamide;

293. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-acetylbenzamide;
294. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphthoic amide;
- 5 295. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphthoic amide;
296. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-benzoylpropionamide;
297. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-
10 acetamidobenzamide;
298. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,5-dimethoxybenzamide;
299. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,6-dimethoxybenzamide;
- 15 300. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,4-dimethoxybenzamide;
301. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,5-dimethoxybenzamide;
302. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-
20 (2-thenoyl)-propionamide;
303. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphtylacetamide;
304. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenylbenzamide;
- 25 305. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-acetamide;
306. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopropanecarboxamide;
307. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
30 isobutyramide;
308. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopentanecarboxamide;
309. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-benzamide;
- 35 310. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-picolinic amide;

311. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
nicotinic amide;
312. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
isonicotinic amide;
- 5 313. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-
methyl-2-furoic amide;
314. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
thiophene-2-carboxamide;
315. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
10 thiophene-3-carboxamide;
316. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-
toluic amide;
317. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-
toluic amide;
- 15 318. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-
toluic amide;
319. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
phenylacetamide;
320. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
20 salicylic amide;
321. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-
fluorobenzamide;
322. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-
fluorobenzamide;
- 25 323. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-
fluorobenzamide;
324. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
thiophene-2-acetamide;
325. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
30 thiophene-3-acetamide;
326. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
phenylpropionic amide;
327. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-
cyanobenzamide;
- 35 328. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-
cyanobenzamide;

329. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}
330. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
cis-cinnamic amide;
331. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-
5 (3-pyridyl)acrylic amide;
332. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-
(4-pyridyl)-acrylic amide;
333. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-
phenylpropionamide;
- 10 334. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-
tolylacetamide;
335. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-
tolylacetamide;
336. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-
15 tolylacetamide;
337. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-
anisic amide;
338. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-
methoxybenzamide;
- 20 339. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-
anisic amide;
340. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
phenoxyacetamide;
341. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-
25 fluorophenylacetamide;
342. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-
fluorophenylacetamide;
343. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-
fluorophenylacetamide;
- 30 344. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-
(2-thienyl)acrylic amide;
345. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-
(3-thienyl)-acrylic amide;
346. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-
35 (2-thienyl)propanoic amide;

347. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-chlorobenzamide;
348. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-chlorobenzamide;
- 5 349. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-chlorobenzamide;
350. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-piperidinepropionamide;
351. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-
10 acetylbenzamide;
352. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-acetylbenzamide;
353. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphthoic amide;
- 15 354. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphthoic amide;
355. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-benzoylpropionamide;
356. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-
20 acetamidobenzamide;
357. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,5-dimethoxybenzamide;
358. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,6-dimethoxybenzamide;
- 25 359. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,4-dimethoxybenzamide;
360. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,5-dimethoxybenzamide;
361. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-
30 (2-thenoyl)-propionamide;
362. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphtylacetamide;
363. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphtylacetamide;
- 35 364. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenylbenzamide;

365. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-acetamide;
366. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopropanecarboxamide;
- 5 367. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-isobutyramide;
368. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopentanecarboxamide;
369. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-benzamide;
- 10 370. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-picolinic amide;
371. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-nicotinic amide;
- 15 372. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-isonicotinic amide;
373. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-methyl-2-furoic amide;
374. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-2-carboxamide;
- 20 375. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-3-carboxamide;
376. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-toluic amide;
- 25 377. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-toluic amide;
378. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-toluic amide;
379. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenylacetamide;
- 30 380. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-salicylic amide;
381. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-fluorobenzamide;
- 35 382. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-fluorobenzamide;

383. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-fluorobenzamide;
384. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-2-acetamide;
- 5 385. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-3-acetamide;
386. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenylpropionic amide;
387. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-cyanobenzamide;
- 10 388. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-cyanobenzamide;
389. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-trans-cinnamic amide;
- 15 390. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cis-cinnamic amide;
391. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(3-pyridyl)acrylic amide;
392. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(4-pyridyl)-acrylic amide;
- 20 393. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-phenylpropionamide;
394. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-tolylacetamide;
- 25 395. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-tolylacetamide;
396. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-tolylacetamide;
397. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-anisic amide;
- 30 398. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-methoxybenzamide;
399. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-anisic amide;
- 35 400. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenoxyacetamide;

401. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-fluorophenylacetamide;
402. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-fluorophenylacetamide;
- 5 403. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-fluorophenylacetamide;
404. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thienyl)acrylic amide;
405. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(3-thienyl)-acrylic amide;
- 10 406. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thienyl)propanoic amide;
407. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-chlorobenzamide;
- 15 408. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-chlorobenzamide;
409. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-chlorobenzamide;
410. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-piperidinepropionamide;
- 20 411. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-acetylbenzamide;
412. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-acetylbenzamide;
- 25 413. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphthoic amide;
414. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphthoic amide;
415. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-benzoylpropionamide;
- 30 416. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-acetamidobenzamide;
417. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,5-dimethoxybenzamide;
- 35 418. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,6-dimethoxybenzamide;

419. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,4-dimethoxybenzamide;
420. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,5-dimethoxybenzamide;
- 5 421. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thenoyl)-propionamide;
422. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphtylacetamide;
423. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphtylacetamide;
- 10 424. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenylbenzamide;
425. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-acetamide;
- 15 426. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopropanecarboxamide;
427. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-isobutyramide;
428. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopentanecarboxamide;
- 20 429. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-benzamide;
430. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-picolinic amide;
- 25 431. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-nicotinic amide;
432. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-isonicotinic amide;
433. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-methyl-2-furoic amide;
- 30 434. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-2-carboxamide;
435. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-3-carboxamide;
- 35 436. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-toluic amide;

437. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-toluic amide;
438. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-toluic amide;
- 5 439. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenylacetamide;
440. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-salicylic amide;
441. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-fluorobenzamide;
- 10 442. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-fluorobenzamide;
443. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-fluorobenzamide;
- 15 444. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-2-acetamide;
445. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-3-acetamide;
446. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenylpropionic amide;
- 20 447. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-cyanobenzamide;
448. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-cyanobenzamide;
- 25 449. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-trans-cinnamic amide;
450. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cis-cinnamic amide;
451. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(3-pyridyl)acrylic amide;
- 30 452. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(4-pyridyl)-acrylic amide;
453. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-phenylpropionamide;
- 35 454. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-tolylacetamide;

455. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-tolylacetamide;
456. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-tolylacetamide;
- 5 457. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-anisic amide;
458. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-methoxybenzamide;
459. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-anisic amide;
- 10 460. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenoxyacetamide;
461. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-fluorophenylacetamide;
- 15 462. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-fluorophenylacetamide;
463. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-fluorophenylacetamide;
464. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thienyl)acrylic amide;
- 20 465. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(3-thienyl)-acrylic amide;
466. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thienyl)propanoic amide;
- 25 467. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-chlorobenzamide;
468. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-chlorobenzamide;
469. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-chlorobenzamide;
- 30 470. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-piperidinepropionamide;
471. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-acetylbenzamide;
- 35 472. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-acetylbenzamide;

473. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphthoic amide;
474. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphthoic amide;
- 5 475. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-benzoylpropionamide;
476. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-acetamidobenzamide;
477. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,5-dimethoxybenzamide;
- 10 478. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,6-dimethoxybenzamide;
479. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,4-dimethoxybenzamide;
- 15 480. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,5-dimethoxybenzamide;
481. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thenoyl)-propionamide;
482. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphtylacetamide;
- 20 483. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphtylacetamide;
484. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenylbenzamide;
- 25 485. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-acetamide;
486. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopropanecarboxamide;
487. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-isobutyramide;
- 30 488. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopentanecarboxamide;
489. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-benzamide;
- 35 490. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-picolinic amide;

491. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-nicotinic amide;
492. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-isonicotinic amide;
- 5 493. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-methyl-2-furoic amide;
494. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-2-carboxamide;
495. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-3-carboxamide;
- 10 496. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-toluic amide;
497. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-toluic amide;
- 15 498. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-salicylic amide;
499. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-fluorobenzamide;
500. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-fluorobenzamide;
- 20 501. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-fluorobenzamide;
502. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-2-acetamide;
- 25 503. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-3-acetamide;
504. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenylpropionic amide;
505. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-cyanobenzamide;
- 30 506. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-cyanobenzamide;
507. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-trans-cinnamic amide;
- 35 508. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cis-cinnamic amide;

509. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(3-pyridyl)acrylic amide;
510. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(4-pyridyl)-acrylic amide;
- 5 511. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-phenylpropionamide;
512. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-tolylacetamide;
513. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-tolylacetamide;
- 10 514. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-tolylacetamide;
515. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-anisic amide;
- 15 516. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-methoxybenzamide;
517. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-anisic amide;
518. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenoxyacetamide;
- 20 519. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-fluorophenylacetamide;
520. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-fluorophenylacetamide;
- 25 521. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-fluorophenylacetamide;
522. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thienyl)acrylic amide;
523. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(3-thienyl)-acrylic amide;
- 30 524. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thienyl)propanoic amide;
525. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-chlorobenzamide;
- 35 526. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-chlorobenzamide;

527. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-chlorobenzamide;
528. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-piperidinepropionamide;
- 5 529. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-acetylbenzamide;
530. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-acetylbenzamide;
531. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphthoic amide;
- 10 532. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphthoic amide;
533. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-benzoylpropionamide;
- 15 534. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-acetamidobenzamide;
535. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,5-dimethoxybenzamide;
536. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,6-dimethoxybenzamide;
- 20 537. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,4-dimethoxybenzamide;
538. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,5-dimethoxybenzamide;
- 25 539. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thenoyl)-propionamide;
540. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphtylacetamide;
541. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphtylacetamide;
- 30 542. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenylbenzamide;
543. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-acetamide;
- 35 544. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopropanecarboxamide;

545. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-isobutyramide;
546. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopentanecarboxamide;
- 5 547. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-benzamide;
548. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-picolinic amide;
549. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-nicotinic amide;
- 10 550. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-isonicotinic amide;
551. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-methyl-2-furoic amide;
- 15 552. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-2-carboxamide;
553. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-3-carboxamide;
554. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-toluic amide;
- 20 555. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-toluic amide;
556. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-toluic amide;
- 25 557. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenylacetamide;
558. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-salicylic amide;
559. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-fluorobenzamide;
- 30 560. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-fluorobenzamide;
561. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-fluorobenzamide;
- 35 562. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-2-acetamide;

563. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-3-acetamide;
564. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenylpropionic amide;
- 5 565. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-cyanobenzamide;
566. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-cyanobenzamide;
567. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-trans-cinnamic amide;
- 10 568. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cis-cinnamic amide;
569. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(3-pyridyl)acrylic amide;
- 15 570. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(4-pyridyl)-acrylic amide;
571. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-phenylpropionamide;
572. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-tolylacetamide;
- 20 573. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-tolylacetamide;
574. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-tolylacetamide;
- 25 575. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-anisic amide;
576. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-methoxybenzamide;
577. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-anisic amide;
- 30 578. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenoxyacetamide;
579. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-fluorophenylacetamide;
- 35 580. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-fluorophenylacetamide;

581. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-fluorophenylacetamide;
582. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thienyl)acrylic amide;
- 5 583. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(3-thienyl)-acrylic amide;
584. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thienyl)propanoic amide;
585. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-chlorobenzamide;
- 10 586. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-chlorobenzamide;
587. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-chlorobenzamide;
- 15 588. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-piperidinepropionamide;
589. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-acetylbenzamide;
590. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-acetylbenzamide;
- 20 591. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphthoic amide;
592. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphthoic amide;
- 25 593. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-benzoylpropionamide;
594. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-acetamidobenzamide;
595. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,5-dimethoxybenzamide;
- 30 596. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,6-dimethoxybenzamide;
597. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,4-dimethoxybenzamide;
- 35 598. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,5-dimethoxybenzamide;

599. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thenoyl)-propionamide;
600. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphtylacetamide;
- 5 601. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphtylacetamide;
602. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenylbenzamide;
603. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-acetamide;
- 10 604. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopropanecarboxamide;
605. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-isobutyramide;
- 15 606. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopentanecarboxamide;
607. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-benzamide;
608. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-picolinic amide;
- 20 609. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-nicotinic amide;
610. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-isonicotinic amide;
- 25 611. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-methyl-2-furoic amide;
612. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-2-carboxamide;
613. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-3-carboxamide;
- 30 614. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-toluic amide;
615. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-toluic amide;
- 35 616. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-toluic amide;

617. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-salicylic amide;
618. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-fluorobenzamide;
- 5 619. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-fluorobenzamide;
620. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-fluorobenzamide;
621. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-2-acetamide;
- 10 622. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-3-acetamide;
623. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenylpropionic amide;
- 15 624. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-cyanobenzamide;
625. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-cyanobenzamide;
626. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-trans-cinnamic amide;
- 20 627. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cis-cinnamic amide;
628. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(3-pyridyl)acrylic amide;
- 25 629. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(4-pyridyl)-acrylic amide;
630. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-phenylpropionamide;
631. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-tolylacetamide;
- 30 632. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-tolylacetamide;
633. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-tolylacetamide;
- 35 634. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-anisic amide;

635. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-methoxybenzamide;
636. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-anisic amide;
- 5 637. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenoxyacetamide;
638. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-fluorophenylacetamide;
639. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-fluorophenylacetamide;
- 10 640. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-fluorophenylacetamide;
641. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thienyl)acrylic amide;
- 15 642. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(3-thienyl)-acrylic amide;
643. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thienyl)propanoic amide;
644. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-chlorobenzamide;
- 20 645. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-chlorobenzamide;
646. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-chlorobenzamide;
- 25 647. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-piperidinepropionamide;
648. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-acetylbenzamide;
649. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-acetylbenzamide;
- 30 650. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphthoic amide;
651. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphthoic amide;
- 35 652. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-benzoylpropionamide;

653. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-acetamidobenzamide;
654. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,5-dimethoxybenzamide;
- 5 655. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,6-dimethoxybenzamide;
656. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,4-dimethoxybenzamide;
657. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,5-dimethoxybenzamide;
- 10 658. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thenoyl)-propionamide;
659. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphtylacetamide;
- 15 660. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphtylacetamide;
661. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenylbenzamide;
662. N-{5-benzoylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-acetamide;
- 20 663. N-{5-benzoylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopropanecarboxamide;
664. N-{5-benzoylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-isobutyramide;
- 25 665. N-{5-benzoylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopentanecarboxamide;
666. N-{5-benzoylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-benzamide;
667. N-{5-benzoylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-picolinic amide;
- 30 668. N-{5-benzoylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-nicotinic amide;
669. N-{5-benzoylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-isonicotinic amide;
- 35 670. N-{5-benzoylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-methyl-2-furoic amide;

671. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-2-carboxamide;
672. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-3-carboxamide;
- 5 673. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-toluic amide;
674. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-toluic amide;
675. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-toluic amide;
- 10 676. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenylacetamide;
677. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-salicylic amide;
- 15 678. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-fluorobenzamide;
679. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-fluorobenzamide;
680. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-fluorobenzamide;
- 20 681. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-2-acetamide;
682. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-3-acetamide;
- 25 683. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenylpropionic amide;
684. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-cyanobenzamide;
685. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-cyanobenzamide;
- 30 686. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-trans-cinnamic amide;
687. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cis-cinnamic amide;
- 35 688. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(3-pyridyl)acrylic amide;

689. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(4-pyridyl)-acrylic amide;
690. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-phenylpropionamide;
- 5 691. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-tolylacetamide;
692. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-tolylacetamide;
693. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-tolylacetamide;
- 10 694. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-anisic amide;
695. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-methoxybenzamide;
- 15 696. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-anisic amide;
697. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenoxyacetamide;
698. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-fluorophenylacetamide;
- 20 699. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-fluorophenylacetamide;
700. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-fluorophenylacetamide;
- 25 701. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thienyl)acrylic amide;
702. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(3-thienyl)-acrylic amide;
703. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thienyl)propanoic amide;
- 30 704. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-chlorobenzamide;
705. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-chlorobenzamide;
- 35 706. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-chlorobenzamide;

707. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-piperidinepropionamide;
708. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-acetylbenzamide;
- 5 709. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-acetylbenzamide;
710. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphthoic amide;
711. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphthoic amide;
- 10 712. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-benzoylpropionamide;
713. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-acetamidobenzamide;
- 15 714. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,5-dimethoxybenzamide;
715. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,6-dimethoxybenzamide;
716. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,4-dimethoxybenzamide;
- 20 717. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,5-dimethoxybenzamide;
718. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thenoyl)-propionamide;
- 25 719. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphtylacetamide;
720. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphtylacetamide;
721. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenylbenzamide;
- 30 722. N-{5-amino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-acetamide;
723. N-{5-amino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopropanecarboxamide;
- 35 724. N-{5-amino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-isobutyramide;

725. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopentanecarboxamide;
726. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-benzamide;
- 5 727. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-picolinic amide;
728. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-nicotinic amide;
729. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-isonicotinic amide;
- 10 730. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-methyl-2-furoic amide;
731. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-2-carboxamide;
- 15 732. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-3-carboxamide;
733. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-toluic amide;
734. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-toluic amide;
- 20 735. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-toluic amide;
736. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenylacetamide;
- 25 737. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-salicylic amide;
738. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-fluorobenzamide;
739. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-fluorobenzamide;
- 30 740. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-fluorobenzamide;
741. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-2-acetamide;
- 35 742. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-3-acetamide;

743. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenylpropionic amide;
744. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-cyanobenzamide;
- 5 745. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-cyanobenzamide;
746. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-trans-cinnamic amide;
747. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cis-cinnamic amide;
- 10 748. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(3-pyridyl)acrylic amide;
749. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(4-pyridyl)-acrylic amide;
- 15 750. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-phenylpropionamide;
751. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-tolylacetamide;
752. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-tolylacetamide;
- 20 753. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-tolylacetamide;
754. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-anisic amide;
- 25 755. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-methoxybenzamide;
756. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-anisic amide;
757. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenoxyacetamide;
- 30 758. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-fluorophenylacetamide;
759. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-fluorophenylacetamide;
- 35 760. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-fluorophenylacetamide;

761. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thienyl)acrylic amide;
762. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(3-thienyl)-acrylic amide;
- 5 763. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thienyl)propanoic amide;
764. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-chlorobenzamide;
765. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-chlorobenzamide;
- 10 766. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-chlorobenzamide;
767. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-piperidinepropionamide;
- 15 768. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-acetylbenzamide;
769. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-acetylbenzamide;
770. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphthoic amide;
- 20 771. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphthoic amide;
772. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-benzoylpropionamide;
- 25 773. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-acetamidobenzamide;
774. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,5-dimethoxybenzamide;
775. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,6-dimethoxybenzamide;
- 30 776. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,4-dimethoxybenzamide;
777. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,5-dimethoxybenzamide;
- 35 778. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thenoyl)-propionamide;

779. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphtylacetamide;
780. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphtylacetamide;
- 5 781. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenylbenzamide;
782. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-acetamide;
783. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopropanecarboxamide;
- 10 784. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-isobutyramide;
785. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopentanecarboxamide;
- 15 786. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-benzamide;
787. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-picolinic amide;
788. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-nicotinic amide;
- 20 789. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-isonicotinic amide;
790. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-methyl-2-furoic amide;
- 25 791. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-2-carboxamide;
792. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-3-carboxamide;
793. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-toluic amide;
- 30 794. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-toluic amide;
795. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-toluic amide;
- 35 796. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenylacetamide;

797. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-salicylic amide;
798. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-fluorobenzamide;
- 5 799. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-fluorobenzamide;
800. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-fluorobenzamide;
801. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-2-acetamide;
- 10 802. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-3-acetamide;
803. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenylpropionic amide;
- 15 804. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-cyanobenzamide;
805. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-cyanobenzamide;
806. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-trans-cinnamic amide;
- 20 807. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cis-cinnamic amide;
808. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(3-pyridyl)acrylic amide;
- 25 809. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(4-pyridyl)-acrylic amide;
810. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-phenylpropionamide;
811. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-tolylacetamide;
- 30 812. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-tolylacetamide;
813. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-tolylacetamide;
- 35 814. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-anisic amide;

815. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-methoxybenzamide;
816. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-anisic amide;
- 5 817. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenoxyacetamide;
818. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-fluorophenylacetamide;
819. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-fluorophenylacetamide;
- 10 820. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-fluorophenylacetamide;
821. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thienyl)acrylic amide;
- 15 822. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(3-thienyl)-acrylic amide;
823. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thienyl)propanoic amide;
824. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-chlorobenzamide;
- 20 825. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-chlorobenzamide;
826. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-chlorobenzamide;
- 25 827. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-piperidinepropionamide;
828. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-acetylbenzamide;
829. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-acetylbenzamide;
- 30 830. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphthoic amide;
831. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphthoic amide;
- 35 832. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-benzoylpropionamide;

833. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-acetamidobenzamide;
834. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,5-dimethoxybenzamide;
- 5 835. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,6-dimethoxybenzamide;
836. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,4-dimethoxybenzamide;
837. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,5-dimethoxybenzamide;
- 10 838. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thenoyl)-propionamide;
839. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphtylacetamide;
- 15 840. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphtylacetamide;
841. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenylbenzamide;
842. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-acetamide;
- 20 843. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopropanecarboxamide;
844. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-isobutyramide;
- 25 845. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopentanecarboxamide;
846. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-benzamide;
847. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-picolinic amide;
- 30 848. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-nicotinic amide;
849. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-isonicotinic amide;
- 35 850. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-methyl-2-furoic amide;

851. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-2-carboxamide;
852. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-3-carboxamide;
- 5 853. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-toluic amide;
854. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-toluic amide;
855. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-toluic amide;
- 10 856. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-salicylic amide;
857. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-fluorobenzamide;
- 15 858. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-fluorobenzamide;
859. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-fluorobenzamide;
860. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-2-acetamide;
- 20 861. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-3-acetamide;
862. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenylpropionic amide;
- 25 863. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-cyanobenzamide;
864. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-cyanobenzamide;
865. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-trans-cinnamic amide;
- 30 866. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cis-cinnamic amide;
867. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(3-pyridyl)acrylic amide;
- 35 868. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(4-pyridyl)-acrylic amide;

869. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-phenylpropionamide;
870. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-tolylacetamide;
- 5 871. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-tolylacetamide;
872. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-tolylacetamide;
873. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-anisic amide;
- 10 874. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-methoxybenzamide;
875. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-anisic amide;
- 15 876. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenoxyacetamide;
877. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-fluorophenylacetamide;
878. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-fluorophenylacetamide;
- 20 879. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-fluorophenylacetamide;
880. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thienyl)acrylic amide;
- 25 881. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(3-thienyl)-acrylic amide;
882. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thienyl)propanoic amide;
883. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-chlorobenzamide;
- 30 884. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-chlorobenzamide;
885. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-chlorobenzamide;
- 35 886. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-piperidinepropionamide;

887. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-acetylbenzamide;
888. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-acetylbenzamide;
- 5 889. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphthoic amide;
890. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphthoic amide;
891. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-benzoylpropionamide;
- 10 892. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-acetamidobenzamide;
893. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,5-dimethoxybenzamide;
- 15 894. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,6-dimethoxybenzamide;
895. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,4-dimethoxybenzamide;
896. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,5-dimethoxybenzamide;
- 20 897. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thenoyl)-propionamide;
898. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphtylacetamide;
- 25 899. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphtylacetamide;
900. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenylbenzamide;
901. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-acetamide;
- 30 902. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopropanecarboxamide;
903. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-isobutyramide;
- 35 904. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopentanecarboxamide;

905. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-benzamide;
906. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-picolinic amide;
- 5 907. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-nicotinic amide;
908. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-isonicotinic amide;
909. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-methyl-2-furoic amide;
- 10 910. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-2-carboxamide;
911. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-3-carboxamide;
- 15 912. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-toluic amide;
913. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-toluic amide;
914. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-toluic amide;
- 20 915. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenylacetamide;
916. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-salicylic amide;
- 25 917. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-fluorobenzamide;
918. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-fluorobenzamide;
919. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-fluorobenzamide;
- 30 920. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-2-acetamide;
921. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-3-acetamide;
- 35 922. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenylpropionic amide;

923. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-cyanobenzamide;
924. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-cyanobenzamide;
- 5 925. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-trans-cinnamic amide;
926. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cis-cinnamic amide;
927. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(3-pyridyl)acrylic amide;
- 10 928. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(4-pyridyl)-acrylic amide;
929. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-phenylpropionamide;
- 15 930. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-tolylacetamide;
931. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-tolylacetamide;
932. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-anisic amide;
- 20 933. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-methoxybenzamide;
934. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-anisic amide;
- 25 935. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenoxyacetamide;
936. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-fluorophenylacetamide;
937. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-fluorophenylacetamide;
- 30 938. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-fluorophenylacetamide;
939. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thienyl)acrylic amide;
- 35 940. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(3-thienyl)-acrylic amide;

941. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thienyl)propanoic amide;
942. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-chlorobenzamide;
- 5 943. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-chlorobenzamide;
944. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-chlorobenzamide;
945. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-piperidinepropionamide;
- 10 946. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-acetylbenzamide;
947. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-acetylbenzamide;
- 15 948. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphthoic amide;
949. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphthoic amide;
950. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-benzoylpropionamide;
- 20 951. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-acetamidobenzamide;
952. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,5-dimethoxybenzamide;
- 25 953. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,6-dimethoxybenzamide;
954. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,4-dimethoxybenzamide;
955. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,5-dimethoxybenzamide;
- 30 956. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thenoyl)-propionamide;
957. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphtylacetamide;
- 35 958. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphtylacetamide;

959. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenylbenzamide;
960. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl},N'-(4-chlorobenzyl) urea;
- 5 961. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl},N'-(4-chlorobenzyl) urea;
962. N-{5-phenyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl},N'-(4-chlorobenzyl) urea;
963. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl},N'-(4-chlorobenzyl) urea;
- 10 964. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl},N'-(4-chlorobenzyl) urea;
965. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl},N'-(4-chlorobenzyl) urea;
- 15 966. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl},N'-(4-chlorobenzyl) urea;
967. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl},N'-(4-chlorobenzyl) urea;
968. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl},N'-(4-chlorobenzyl) urea; and
- 20 969. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl},N'-(4-chlorobenzyl) urea;
970. N-(5-(1-naphthalenecarbonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl)-3-tphenoxybenzamide;
- 25 971. N-(5-(1-naphthalenecarbonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl)-4-tertbutylbenzamide;
972. N-(5-(2-furoyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl)-(4-phenyl)phenylacetamide;
- 30 973. N-(5-(2-furoyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl)-2-(2-naphthyl)propanamide;
974. N-(5-(2-furoyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl)-2-(3-fluoro-4-phenyl-phenyl)propanamide;

975. N- (5- (2-methoxybenzoyl) -4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-3-yl) - (2-naphtalene) acetamide;
976. N- (5- (2-methoxy-benzoyl) -4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-3-yl) - [4- (1-pirrolidin-2-on)] phenylacetamide;
977. N- (5- (2-methoxyphenyl) -4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-3-yl) - (4-phenyl) phenylacetamide;
978. N- (5- (4-fluoro-benzoyl) -4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-3-yl) - 4-fluorobenzamide;
979. N- (5-acetyl-4,5,6,7-tetrahydro-1H-pyrazolo [4,3-c]pyridin-3-yl) - 3-fluorobenzamide;
980. N- (5-acetyl-4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-3-yl) - (2-naphtalene) acetamide;
981. N- (5-acetyl-4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-3-yl) acetamide;
982. N- (5-acetyl-4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-3-yl) benzamide;
983. N- (5-aminocarbonyl-4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-3-yl) - phenylacetamide;
984. N- (5-benzoyl-4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-3-yl) - (4-phenyl) phenylacetamide;
985. N- (5-benzoyl-4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-3-yl) - 3-fluorobenzamide;
986. N- (5-benzoyl-4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-3-yl) - 3-phenoxy-benzamide;
987. N- (5-benzoyl-4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-3-yl) - 4-fluorobenzamide;
988. N- (5-benzoyl-4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-3-yl) - 4-phenoxybenzamide;
989. N- (5-benzoyl-4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-3-yl) - 4-tertbutyl-benzamide;
990. N- (5-benzoyl-4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-3-yl) acetamide;
991. N- (5-benzoyl-4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-3-yl) benzamide;

992. N-(5-benzoyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl)cyclopropanecarboxamide;
993. N-(5-benzoyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl)-phenylacetamide;
- 5 994. N-(5-benzylsulfonyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl)cyclopropanecarboxamide;
995. N-(5-phenylacetyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl)-(2-naphtalene)acetamide;
996. N-(5-phenylacetyl-4,5,6,7-tetrahydropyridine[4,3-
10 c]pyrazol-3-yl)-phenylacetamide;
997. N,N-dimethyl-N'-{3-(2-phenyl-thiazol-4-yl)acetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
998. N,N-dimethyl-N'-{3-(benzo[1,3]dioxol-5-yl)acetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
- 15 999. N,N-isopropyl-N'-{3-(benzo[1,3]dioxol-5-yl)acetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
1000. N-[5-(1,3-benzodioxol-5-ylcarbonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]-3-methoxybenzamide;
1001. N-[5-(1,3-benzodioxol-5-ylcarbonyl)-4,5,6,7-
20 tetrahydropyridine[4,3-c]pyrazol-3-yl]-3-phenoxybenzamide;
1002. N-[5-(1,3-benzodioxol-5-ylcarbonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]-3-phenoxybenzamide;
1003. N-[5-(1,3-benzodioxol-5-ylcarbonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]-4-tertbutyl-
25 benzamide;
1004. N-[5-(2-phenylacetyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]acetamide;
1005. N-[5-(2-phenylacetyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]benzamide;
- 30 1006. N-[5-(benzylsulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]-3-bromobenzamide;
1007. N-[5-(benzylsulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]-3-fluorobenzamide;
1008. N-[5-(benzylsulfonyl)-4,5,6,7-tetrahydropyridine[4,3-
35 c]pyrazol-3-yl]acetamide;

1009. N-[5-(benzylsulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]benzamide;
1010. N-[5-(methylsulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]-3-fluoro-benzamide;
- 5 1011. N-[5-(methylsulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]-3-methoxy-benzamide;
1012. N-[5-(methylsulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]-4-fluorobenzamide;
1013. N-[5-(methylsulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]-4-phenoxybenzamide;
- 10 1014. N-[5-(methylsulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]-4-phenoxy-benzamide;
1015. N-[5-(methylsulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]-4-tertbutyl-benzamide;
- 15 1016. N-[5-(methylsulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]acetamide;
1017. N-[5-(methylsulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]benzamide;
1018. N-[5-(methylsulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]cyclopropanecarboxamide;
- 20 1019. N-[5-(methylsulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]-phenylacetamide;
1020. N-[5-(quinoline-8-sulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]-4-phenoxybenzamide;
- 25 1021. N-[5-(quinoline-8-sulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]acetamide;
1022. N-[5-benzoyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]-(2-naphtalene)acetamide;
1023. N-[5-isobutyryl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]-4-fluorobenzamide;
- 30 1024. N-[5-phenylacetyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]-3-fluorobenzamide;
1025. N-[5-phenylacetyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]-3-methoxybenzamide;
- 35 1026. N-[5-phenylacetyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]-3-phenoxybenzamide;

1027. N-[5-phenylacetyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]-4-fluorobenzamide;
1028. N-[5-phenylacetyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]-4-phenoxybenzamide;
- 5 1029. N-[5-phenylacetyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]-4-tertbutyl-benzamide;
1030. N-[5-phenylacetyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]cyclopropanecarboxamide;
1031. N-{5-(2-furoyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-4-tertbutyl-benzamide;
- 10 1032. N-{5-(2-naphthalene)sulfonyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-3-bromobenzamide;
1033. N-{5-(2-thienyl)acetyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-3-methoxybenzamide;
- 15 1034. N-{5-(2-thienyl)acetyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-3-phenoxybenzamide;
1035. N-{5-(2-thienyl)acetyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-4-fluorobenzamide;
1036. N-{5-(2-thienyl)acetyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-4-phenoxybenzamide;
- 20 1037. N-{5-(2-thienyl)acetyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-4-tertbutyl-benzamide;
1038. N-{5-(2-thienyl)acetyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-acetamide;
- 25 1039. N-{5-(2-thienyl)acetyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-cyclopropanecarboxamide;
1040. N-{5-(3-trifluoromethylbenzene)sulfonyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-3-bromo-benzamide;
- 30 1041. N-{5-(4-chlorobenzene)sulfonyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-3-bromobenzamide;
1042. N-{5-(4-fluorobenzene)sulfonyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-3-bromobenzamide;
- 35 1043. N-{5-(4-methoxybenzene)sulfonyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-3-bromobenzamide;

1044. N-{5-(4-tertbutylbenzene)sulfonyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-3-bromobenzamide;
1045. N-{5-(4-toluensulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-3-bromobenzamide;
- 5 1046. N-{5-(quinoline-8-sulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-3-fluorobenzamide;
1047. N-{5-(quinoline-8-sulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-3-methoxy-benzamide;
1048. N-{5-(quinoline-8-sulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-4-fluoro-benzamide;
- 10 1049. N-{5-(quinoline-8-sulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-4-phenoxy-benzamide;
1050. N-{5-(quinoline-8-sulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-4-tertbutyl-
- 15 benzamide;
1051. N-{5-(quinoline-8-sulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-benzamide;
1052. N-{5-(quinoline-8-sulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-
- 20 cyclopropanecarboxamide;
1053. N-{5-(quinoxaline-2-carbonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-3-phenoxybenzamide;
1054. N-{5-(quinoxaline-2-carbonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-4-tertbutyl-
- 25 benzamide;
1055. N-{5-[2-(2-thienyl)acetyl]-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}benzamide;
1056. N-{5-benzensulfonyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-3-bromobenzamide;
- 30 1057. N-{5-benzensulfonyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-3-fluorobenzamide;
1058. N-{5-benzensulfonyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-3-phenoxybenzamide;
1059. N-{5-benzensulfonyl-4,5,6,7-tetrahydropyridine[4,3-
- 35 c]pyrazol-3-yl}-4-fluorobenzamide;

1060. N-{5-benzensulfonyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-4-phenoxybenzamide;
1061. N-{5-benzensulfonyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-4-tertbutyl-benzamide;
- 5 1062. N-{5-benzensulfonyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-acetamide;
1063. N-{5-benzensulfonyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}benzamide;
1064. N-{5-benzensulfonyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-cyclopropanecarboxamide;
- 10 1065. N-{5-benzylsulfonyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-3-methoxybenzamide;
1066. N-{5-benzylsulfonyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-3-phenoxybenzamide;
- 15 1067. N-{5-benzylsulfonyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-4-fluorobenzamide;
1068. N-{5-benzylsulfonyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-4-phenoxybenzamide;
1069. N-{5-benzylsulfonyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-4-tertbutyl-benzamide;
- 20 1070. N-benzyl-N'-{3-(2-(2-naphthalene)propionamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
1071. N-benzyl-N'-{3-(2-(6-methoxy-2-naphthalene)propionamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
- 25 1072. N-benzyl-N'-{3-(2-naphthalene)acetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
1073. N-benzyl-N'-{3-(3-methoxy-benzamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
- 30 1074. N-benzyl-N'-{3-(3-methyl-butanamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
1075. N-benzyl-N'-{3-(4-phenyl)phenylacetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
1076. N-butyl-N'-{3-(2-(2-naphthalene)propionamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
- 35

1077. N-butyl-N' - {3 - (2 - (6-methoxy-2-naphthalene)propionamido) -4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-5-yl}urea;
1078. N-butyl-N' - {3 - (2-naphthalene)acetamido-4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-5-yl}urea;
1079. N-butyl-N' - {3 - (3-methyl-butanamido) -4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-5-yl}urea;
1080. N-butyl-N' - {3 - [2 - (4-phenyl-3-fluorophenyl)propionamido] -4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-5-yl}urea;
1081. N-butyl-N' - {3-benzamido-4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-5-yl}urea;
1082. N-butyl-N' - {3-phenylacetamido-4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-5-yl}urea;
1083. N-ethyl-N' - {3 - (2 - (2-naphthalene)propionamido) -4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-5-yl}urea;
1084. N-ethyl-N' - {3 - (2 - (6-methoxy-2-naphthalene)propionamido) -4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-5-yl}urea;
1085. N-ethyl-N' - {3 - (2-naphthalene)acetamido-4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-5-yl}urea;
1086. N-ethyl-N' - {3 - (3-methyl-butanamido) -4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-5-yl}urea;
1087. N-ethyl-N' - {3 - (4-fluorobenzamido) -4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-5-yl}urea;
1088. N-ethyl-N' - {3 - (4-phenyl)phenylacetamido-4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-5-yl}urea;
1089. N-ethyl-N' - {3 - [2 - (4-phenyl-3-fluorophenyl)propionamido] -4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-5-yl}urea;
1090. N-ethyl-N' - {3-benzamido-4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-5-yl}urea;
1091. N-ethyl-N' - {3-phenylacetamido-4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-5-yl}urea;
1092. N-isopropyl-N' - {3 - (1-methyl-indol-3-yl)acetamido-4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-5-yl}urea;

1093. N-isopropyl-N'-{3-(2-(2-naphthalene)propionamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
1094. N-isopropyl-N'-{3-(2-(6-methoxy-2-naphthalene)propionamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
1095. N-isopropyl-N'-{3-(2-phenyl-1,3-thiazol-4-yl)acetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
1096. N-isopropyl-N'-{3-(3-fluorobenzamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
1097. N-isopropyl-N'-{3-(3-methoxy-benzamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
1098. N-isopropyl-N'-{3-(4-fluoro-benzamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
1099. N-isopropyl-N'-{3-(4-phenyl)phenylacetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
1100. N-isopropyl-N'-{3-(4-tertbutyl-benzamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
1101. N-isopropyl-N'-{3-[2-(4-phenyl-3-fluorophenyl)propionamido]-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
1102. N-isopropyl-N'-{3-[4-(1-pyrrolidin-2-on)]phenylacetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
1103. N-isopropyl-N'-{3-acetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
1104. N-isopropyl-N'-{3-benzamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
1105. N-isopropyl-N'-{3-cyclopropanecarboxamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
1106. N-isopropyl-N'-{3-phenylacetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
1107. N-phenyl-N'-{3-(2-naphthalene)acetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
1108. N-phenyl-N'-{3-(3-fluorobenzamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;

1109. N-phenyl-N' - { 3 - (3-methyl-butanamido) - 4, 5, 6, 7-tetrahydropyridine [4, 3-c] pyrazol-5-yl } urea;
1110. N-phenyl-N' - { 3 - (3-phenoxy-benzamido) - 4, 5, 6, 7-tetrahydropyridine [4, 3-c] pyrazol-5-yl } urea;
- 5 1111. N-phenyl-N' - { 3 - (4-phenoxy-benzamido) - 4, 5, 6, 7-tetrahydropyridine [4, 3-c] pyrazol-5-yl } urea;
1112. N-phenyl-N' - { 3 - (4-tertbutyl-benzamido) - 4, 5, 6, 7-tetrahydropyridine [4, 3-c] pyrazol-5-yl } urea;
1113. N-phenyl-N' - { 3-acetamido-4, 5, 6, 7-tetrahydropyridine [4, 3-c] pyrazol-5-yl } urea;
- 10 1114. N-phenyl-N' - { 3-benzamido-4, 5, 6, 7-tetrahydropyridine [4, 3-c] pyrazol-5-yl } urea;
1115. N-phenyl-N' - { 3-cyclopropanecarboxamido-4, 5, 6, 7-tetrahydropyridine [4, 3-c] pyrazol-5-yl } urea;
- 15 1116. N-phenyl-N' - { 3-phenylacetamido-4, 5, 6, 7-tetrahydropyridine [4, 3-c] pyrazol-5-yl } urea;
1117. N-propyl-N' - { 3 - (4-phenyl) phenylacetamido-4, 5, 6, 7-tetrahydropyridine [4, 3-c] pyrazol-5-yl } urea;
1118. N-butyl-N' - { 3 - (2-naphthalene) acetamido-6, 6-dimethyl-4, 6-dihydropyrrolo [3, 4-c] pyrazol-1-yl } urea;
- 20 1119. N-butyl-N' - { 3 - (3-bromo) benzamido-6, 6-dimethyl-4, 6-dihydropyrrolo [3, 4-c] pyrazol-1-yl } urea;
1120. N-butyl-N' - { 3 - (4-fluoro) benzamido-6, 6-dimethyl-4, 6-dihydropyrrolo [3, 4-c] pyrazol-1-yl } urea;
- 25 1121. N-butyl-N' - { 3 - (4-tertbutyl) benzamido-6, 6-dimethyl-4, 6-dihydropyrrolo [3, 4-c] pyrazol-1-yl } urea;
1122. N-butyl-N' - { 3-cyclopropanecarboxamido-6, 6-dimethyl-4, 6-dihydropyrrolo [3, 4-c] pyrazol-1-yl } urea;
1123. N-butyl-N' - { 3-phenylacetamido-6, 6-dimethyl-4, 6-dihydropyrrolo [3, 4-c] pyrazol-5-yl } urea;
- 30 1124. N-ethyl-N' - { 3 - (2-naphthalene) acetamido-6, 6-dimethyl-4, 6-dihydropyrrolo [3, 4-c] pyrazol-1-yl } urea;
1125. N-ethyl-N' - { 3 - (3-bromo) benzamido-6, 6-dimethyl-4, 6-dihydropyrrolo [3, 4-c] pyrazol-1-yl } urea;
- 35 1126. N-ethyl-N' - { 3 - (4-fluoro) benzamido-6, 6-dimethyl-4, 6-dihydropyrrolo [3, 4-c] pyrazol-1-yl } urea;

1127. N-ethyl-N' - {3 - (4-tertbutyl)benzamido-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}
1128. N-ethyl-N' - {3-cyclopropanecarboxamido-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}urea;
- 5 1129. N-ethyl-N' - {3-phenylacetamido-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
1130. N-{5-(2-thienyl-acetyl)-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}-(3-bromo)benzamide;
1131. N-{5-(2-thienyl-acetyl)-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-(2-
- 10 naphthalene)acetamide;
1132. N-{5-(2-thienyl-acetyl)-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-(4-fluoro)benzamide;
1133. N-{5-(2-thienyl-acetyl)-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-(4-tertbutyl)benzamide;
- 15 1134. N-{5-(2-thienyl-acetyl)-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}cyclopropanecarboxamide;
1135. N-{5-(2-thienyl-acetyl)-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}phenylacetamide;
- 20 1136. N-{5-(4-fluorobenzoyl)-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}-(3-bromo)benzamide;
1137. N-{5-(4-fluorobenzoyl)-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}-(4-fluoro)benzamide;
1138. N-{5-(4-fluorobenzoyl)-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-(2-
- 25 naphthalene)acetamide;
1139. N-{5-(4-fluorobenzoyl)-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-(4-tertbutyl)benzamide;
1140. N-{5-(4-fluorobenzoyl)-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}cyclopropanecarboxamide;
- 30 1141. N-{5-(4-fluorobenzoyl)-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}phenylacetamide;
1142. N-{5-acetyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-(2-naphthalene)acetamide;
- 35 1143. N-{5-acetyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-(3-bromo)benzamide;


1144. N-{5-acetyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-(4-fluoro)benzamide;
1145. N-{5-acetyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-(4-tertbutyl)benzamide;
- 5 1146. N-{5-acetyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}cyclopropanecarboxamide;
1147. N-{5-acetyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}phenylacetamide;
1148. N-{5-phenylacetyl-6,6-dimethyl-4,6-
- 10 dihydropyrrolo[3,4-c]pyrazol-3-yl}-(2-naphthalene)acetamide;
1149. N-{5-phenylacetyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-(3-bromo)benzamide;
1150. N-{5-phenylacetyl-6,6-dimethyl-4,6-
- 15 dihydropyrrolo[3,4-c]pyrazol-3-yl}-(4-fluoro)benzamide;
1151. N-{5-phenylacetyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-(4-tertbutyl)benzamide;
1152. N-{5-phenylacetyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}cyclopropanecarboxamide;
- 20 1153. N-isopropyl-N'-(3-(4-tertbutyl-benzamido)-4,5,6,7-tetrahydropyridine[3,4-c]pyrazol-6-yl}urea;
1154. N-{6-(2-thienyl)acetyl-4,5,6,7-tetrahydropyridine[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
- 25 1155. N-{6-acetyl-4,5,6,7-tetrahydropyridine[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
1156. N-{6-methansulfonyl-4,5,6,7-tetrahydropyridine[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
1157. N-ethyl-N'-(3-(4-tertbutyl-benzamido)-4,5,6,7-
- 30 tetrahydropyridine[3,4-c]pyrazol-6-yl}urea;
1158. N-{6-(3-methyl)butyryl-4,5,6,7-tetrahydropyridine[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
1159. N-{6-(2-furoyl)-4,5,6,7-tetrahydropyridine[3,4-
- 35 c]pyrazol-3-yl}-4-tertbutylbenzamide;

1160. N-{6-phenylacetyl-4,5,6,7-tetrahydropyridine[3,4-c]pyrazol-3-yl}-4-tertbutyl-benzamide;
1161. N-{6-phenylsulfonyl-4,5,6,7-tetrahydropyridine[3,4-c]pyrazol-3-yl}-4-tertbutyl-benzamide;
- 5 1162. N-{6-(quinoline-8-sulfonyl)-4,5,6,7-tetrahydropyridine[3,4-c]pyrazol-3-yl}-4-tertbutyl-benzamide;
1163. N-{5-isopentyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
- 10 1164. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
1165. N-[5-(2-thien-2-ylethyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl]-4-tertbutyl-benzamide;
1166. N,N-dimethyl-N'-{3-(2-naphthalen-2-yl-propionamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
- 15 1167. N-{5-(piperidin-1-yl) carbamoyl}-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-naphthalen-2-yl)-propionamide; and
1168. N,N-dimethyl-N'-{3-(2-phenyl-thiazol-4-yl) acetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea.
- 20

As formerly indicated, the process for preparing the compounds of formula (I) represents a further object of the invention.

- 25 The compounds of formula (I) and the pharmaceutically acceptable salts thereof can be thus prepared according to a process comprising:

a) reacting a compound of formula (II)



wherein R_1 , being as defined above, is not hydrogen, and R_a , R_b , R_c , R_d , m and n are as defined above with hydrazine or hydrazine salt, so as to obtain a compound of formula (I) wherein R is hydrogen and R_1 , being as defined above, is not hydrogen and, if desired,

5 b) converting a thus obtained compound of formula (I) into another compound of formula (I) wherein R , being as defined above, is other than hydrogen and R_1 , R_a , R_b , R_c , R_d , m and n are as defined above in formula (I), and/or if desired

10 converting a compound of formula (I) into a pharmaceutically acceptable salt thereof.

The above process is an analogy process which can be carried out according to well known methods.

15 It is clear to the person skilled in the art that if a compound of formula (I), prepared according to the above process, is obtained as an admixture of isomers, their separation into the single isomers of formula (I), carried out according to conventional techniques, is still within

20 the scope of the present invention.

Likewise, the conversion into the free compound (I) of a corresponding salt thereof, according to well-known procedures in the art, is still within the scope of the invention.

25 An hydrazide salt is e.g. hydrazine dihydrochloride, sulphate or acetate.

According to step a) of the process, the reaction between a

30 compound of formula (II) and hydrazine, or hydrazine salt, can be carried out in the presence of catalytic amounts of an acid, for instance hydrochloric, acetic or sulphuric acid; in a suitable solvent such as, for instance, tetrahydrofuran, 1,4-dioxane, acetonitrile, methanol or

35 ethanol, at a temperature ranging from about room

temperature to reflux and for a time varying from about 30 minutes to about 8 hours.

The bicyclo-pyrazoles of formula (I) wherein R is hydrogen, obtained according to step a) of the process, can be easily converted into a variety of derivatives of formula (I) having R other than hydrogen, and/or into salts thereof.


As set forth below, these conversions occur according to conventional techniques by properly reacting the amino derivative (I) with alkylating, acylating, sulfonylating agents and the like.

In this respect it is worth noting that optional by-products, for instance originating by the above reactions also occurring at the nitrogen pyrazole atom, may be obtained. As such, a subsequent step to isolate the desired compound of formula (I) is then required.


According to a preferred aspect of the process of the invention which avoids the above by-products formation, a compound of formula (I), obtained according to step a) above, is first supported onto a suitable resin and, then, reacted as per step b) above.

It is therefore a further object of the invention a process for preparing a compound of formula (I), in which R, R₁, R_a, R_b, R_c, R_d and m and n are as defined above, which comprises:


a) reacting a compound of formula (II)



wherein, R_1 , being as defined above, is not hydrogen, and R_a , R_b , R_c , R_d , m and n are as defined above, with hydrazine or hydrazine salt, so as to obtain a compound of formula (I) wherein R is hydrogen and R_1 , being as defined
 5 above, is not hydrogen;
 a') reacting a thus obtained compound of formula (I) with an isocyanate polystyrenic resin of formula (III)




so as to obtain a polystyrenemethyl urea; of formula (IV)



10

wherein R_a , R_b , R_c , R_d , m and n are as defined above and R_1 , being as defined above, is not hydrogen;
 b) converting a thus obtained compound of formula (IV) into a compound of formula (V)



wherein R has the above reported meanings other than hydrogen and R_1 , R_a , R_b , R_c , R_d , m and n are as defined above; and

- 5 c) cleaving under alkaline conditions a compound of formula (V) so as to eliminate the resin and to obtain the desired compound of formula (I) and, optionally, converting a compound of formula (I) into another compound of formula (I) and/or into a pharmaceutically acceptable salt thereof.

10

Notably, while the previously reported process for the conversion of the aminopyrazole derivatives of formula (I) having R equal to hydrogen does not discriminate between the amino moiety in position 3 of the pyrazole ring and the
 15 reactive nitrogen of the pyrazole ring, as formerly indicated, the present reaction according to the above step a') shows an unexpected high selectivity towards the acylation of the ring nitrogen, hence allowing to obtain, in the subsequent step b), the exclusive conversion of the
 20 amino group, in position 3 of the pyrazole ring, into the desired compound of formula (V).

In step a'), the reaction between isocyanatomethyl polystyrenic resin of formula (III) and a compound of
 25 formula (I), as therein defined, can be carried out in a suitable solvent such as, for instance, N,N-

dimethylformamide, dichloromethane, chloroform, acetonitrile, toluene or a mixture thereof, at a temperature ranging from about 5 °C to about 35 °C and for a time varying from about 30 minutes to about 72 hours.

5

After having carried out the conversion of a compound of formula (IV) into a compound of formula (V), as described below, the subsequent cleavage of the resin, in step c), is carried out under alkaline conditions by working according to conventional techniques.

10

As an example, aqueous sodium or potassium hydroxides in the presence of a suitable co-solvent such as methanol, ethanol, dimethylformamide, 1,4-dioxane, or acetonitril can be employed.

15

The reaction occurs under mild conditions, at temperatures from about 5°C to about 60°C and for a time varying from about 2 hours to about 7 days.

20

Also the optional salification of a compound of formula (I) or the conversion of its salt into the free compound, as well as the separation of a mixture of isomers into the single isomers, may all be carried out by conventional methods.

25

As far as step b) of the process is concerned, the optional conversion of a compound of formula (I) or, more preferably, of formula (IV) having R equal to hydrogen, into a corresponding derivatives of formula (I) or (V) having R other than hydrogen, is carried according to conventional techniques known in the art to alkylate, acylate or sulfonylate amino groups.

30

In particular, a compound of formula (I) or (V) wherein R is selected from R' other than hydrogen, -COR', -COOR', -SO₂R', -SO₂NHR' or -SO₂NR'R'', wherein R' and R'' have the above reported meanings; R₁ is not hydrogen and Ra, Rb, Rc,

35

Rd, m and n are as above defined, may be prepared by reacting a compound of formula (I), or a compound of formula (IV), having R equal to hydrogen, with a compound of formula (VI)

5

R-X (VI)

wherein R is as above indicated except hydrogen and X is a suitable leaving group, preferably chlorine or bromine.

The above reaction can be carried out according to conventional procedures well known in the art for
10 acylating, sulfonylating or alkylating amino groups, for instance in the presence of a tertiary base, such as triethylamine, N,N-diisopropylethylamine or pyridine, in a suitable solvent such as toluene, dichloromethane, chloroform, diethyl ether, tetrahydrofuran, acetonitrile,
15 or N,N-dimethylformamide, at a temperature ranging from about -10°C to reflux and for a time varying from about 30 minutes to about 96 hours.


From the foregoing it is clear to the person skilled in the art that the preparation of the compounds of formula (I) or
20 (V) having R equal to -SO₂NR'R" can be actually performed as above described or, alternatively, by properly reacting a compound of formula (I) or (V) having R equal to -SO₂NHR' with any suitable alkylating moiety, according to well known methodologies for preparing di-substituted
25 sulfonamides.

A compound of formula (I) or (V) wherein R is a -CONHR' group, R' has the above reported meanings other than hydrogen, R₁ is not hydrogen and Ra, Rb, Rc, Rd, m and n are
30 as above defined, may be prepared by reacting a compound of formula (I) or a compound of formula (IV) having R equal to hydrogen, with a compound of formula (VII)

R'NCO (VII)

wherein R' is as above defined other than hydrogen, so as
35 to obtain a corresponding compound of formula (I) or (V)

which may be optionally further reacted with a compound of formula (VIII)



wherein R'' is as above defined other than hydrogen and X is
5 a suitable leaving group, preferably chlorine or bromine,
so as to obtain a compound of formula (I) or (V) wherein R
is $-\text{CONR}'R''$, wherein R' and R'' are other than hydrogen.
The reaction between the above compounds (I) or (IV) with a
compound of formula (VII) can be carried out in the
10 presence of a tertiary base, such as triethylamine, N,N -
diisopropylethylamine or pyridine, in a suitable solvent,
such as toluene, dichloromethane, chloroform, diethyl
ether, tetrahydrofuran, acetonitrile, or N,N -
dimethylformamide, at a temperature ranging from about
15 -10°C to reflux and for a time varying from about 30
minutes to about 72 hours.

The optional subsequent conversion of a compound of formula
(I) or (V) having R equal to $-\text{CONHR}'$ into a corresponding
derivative having R equal to $-\text{CONR}'R''$ is carried out
20 according to conventional methods used to prepare di-
substituted ureido derivatives.

A compound of formula (I) or (V) wherein R is a $-\text{CONR}'R''$
group, R' and R'' has the above reported meanings other
25 than hydrogen, R_1 is not hydrogen and R_a, R_b, R_c, R_d, m and
 n are as above defined, may be prepared by reacting a
compound of formula (I), or a compound of formula (IV),
having R equal to hydrogen with 4-nitrophenylchloroformate
and subsequently with a compound of formula (IX)



wherein R' and R'' , being as defined above are not hydrogen.
The reaction is carried out according to conventional
methods used to prepare di-substituted ureido derivatives.

Alternatively, a compound of formula (I), or a compound of formula (IV), having R equal to hydrogen may be reacted under reductive conditions with a compound of formula (X)



- 5 wherein R', being as defined above is not hydrogen, so as to obtain a corresponding compound of formula (I) or (V) wherein R is a R'CH₂- group and R' being as defined above is not hydrogen.

The reaction is carried out in a suitable solvent such as, for instance, N,N-dimethylformamide, N,N-dimethylacetamide, chloroform, dichloromethane, tetrahydrofuran, or acetonitrile, optionally in the presence of acetic acid, ethanol or methanol as co-solvents, at a temperature ranging from about -10°C to reflux and for a time varying from about 30 min to about 4 days.

Conventional reducing agents in the reaction medium are, for instance, sodium boron hydride, sodium triacethoxy boron hydride, and the like.

- 20 From the foregoing, it is clear to the person skilled in the art that any of the above compounds of formula (I), (IV) and (V) may be conveniently converted into other derivatives (I), (IV) or (V) also by properly reacting functional groups other than the R group, extensively described above, in a substantial similar fashion and according to conventional synthetic organic methods.

As an example, the compounds of formula (I), (IV) or (V) wherein R₁ is -COO^tBu can be hydrolyzed to the compounds of formula (V) wherein R₁ is H, by treatment with a suitable acid, for instance trifluoroacetic or hydrochloric acid.

So far, any of the above compounds of formula (I), (IV) or (V) wherein R₁ is a hydrogen atom can be easily converted into the corresponding derivatives alkylated, acylated or sulfonated, by working substantially as above described for the R group.

In a further example, any of the above compounds wherein one or more of Ra, Rb, Rc and Rd is -CH₂OH may be conveniently prepared by starting from a corresponding protected derivative having one or more of Ra, Rb, Rc and

5 Rd as -CH₂-O-Si(Me)₂tBu or -CH₂-O-Ph.

The reaction is carried according to conventional techniques, for instance in a suitable solvent such as, for instance, N,N-dimethylformamide, chloroform, dichloromethane, tetrahydrofuran, methanol, ethanol or
10 acetonitrile, at a temperature ranging from about -10°C to reflux and for a time varying from about 30 min to about 72 hours with a suitable fluoride source, for instance tetrabutylammonium fluoride.

15 Likewise, the above compounds (I), (IV) or (V) having one or more Ra, Rb, Rc and Rd equal to -CH₂OH can be reacted with a compound of formula (VI)



wherein R is R' which, being as defined above, is not
20 hydrogen and X is a suitable leaving group, so as to obtain the corresponding compounds having one or more Ra, Rb, Rc and Rd as -CH₂OR', R' being other than hydrogen.

This latter reaction can be carried out in the presence of a base, such as sodium hydride, N,N-diisopropylethylamine
25 or pyridine, in a suitable solvent, such as toluene, dichloromethane, chloroform, diethyl ether, tetrahydrofuran, acetonitrile, or N,N-dimethylformamide, at a temperature ranging from about -10°C to reflux.

30 As will be really appreciated by the person skilled in the art, when preparing the compounds of formula (I) object of the invention, optional functional groups within both the starting materials or the intermediates thereof, which could give rise to unwanted side reactions, need to be
35 properly protected according to conventional techniques. Likewise, the conversion of these latter into the free

deprotected compounds may be carried out according to known procedures.

All of the compounds of formula (II), (III), (VI), (VII), (VIII), (IX) and (X), according to the process object of
5 the present invention, are known or can be obtained according to known methods.


In particular, the compounds of formula from (VI) to (X) are commercially available or readily prepared according to conventional methods and the compounds of formula (II) can
10 be prepared according to the procedures described in the aforementioned Gadekar, Sheekrishna M. et al. in J. Med. Chem.; 1968, 11(3), 616-618; Hong, C. Y.; Kim, Y. K.; Chang, J. H.; Kim, S. H.; Choi, H.; Nam, D. H.; Kim, Y. Z.; Kwak, J. H. J. Med. Chem.; 1997, 40(22) 3584-3593;
15 Pedersen, H.; Brauner-Osborne, H.; Ball, J. R.; Frydenvang, K.; Meier, E.; Bogeso, K. P.; Krosgaard-Larsen, P. Bioorg. Med. Chem. 1999, 7, 795-809.

Finally, it is clear to the person skilled in the art that
20 the compounds of formula (I) of the invention can be prepared, preferably, by performing the above described reactions in a combinatorial fashion.

As an example, the compounds of formula (IV) supported onto resin particles, prepared as above described, are reacted
25 with a variety of compounds of formula from (VI) to (X) so as to obtain thousands of different compounds of formula (V), according to combinatorial chemistry methods. These derivatives, in their turn, are then conveniently converted into the derivatives of formula (I) of the invention.

30

It is therefore a further object of the invention a combinatorial chemical library comprising a plurality of members of formula (V)



wherein

R and R_1 , being the same or different, are independently a hydrogen atom or an optionally substituted group selected from R' , $-\text{COR}'$, $-\text{COOR}'$, $-\text{CONHR}'$, $-\text{CONR}'\text{R}''$, $-\text{NH}-\text{C}(=\text{NH})\text{NHR}'$, $-\text{C}(=\text{NH})\text{NHR}'$, $-\text{SO}_2\text{R}'$, $-\text{SO}_2\text{NHR}'$ or $-\text{SO}_2\text{NR}'\text{R}''$; wherein R' and R'' , the same or different, are independently selected from hydrogen or optionally further substituted straight or branched C_1-C_6 alkyl, aryl, C_3-C_6 cycloalkyl or aryl C_1-C_6 alkyl or R' and R'' taken together form a C_4-C_6 alkylene chain; Ra , Rb , Rc and Rd , the same or different, are selected among hydrogen, optionally further substituted straight or branched C_1-C_6 alkyl, aryl, aryl C_1-C_6 alkyl or $-\text{CH}_2\text{OR}'$ groups, wherein R' is as above defined or, Ra and Rb and/or Rb and Rc taken together with the carbon atom to which they are bonded, form an optionally substituted C_3-C_6 cycloalkyl group; m and n , each independently, represent 0 or an integer from 1 to 2, provided that $m + n$ is lower than, or equal to, 2 ($m + n \leq 2$).

Preferably, the above resin is a polystyrenic resin, in particular a methylisocyanate polystyrene resin.

Pharmacology

The compounds of formula (I) are active as protein kinase inhibitors and are therefore useful, for instance, to restrict the unregulated proliferation of tumor cells.

In therapy, they may be used in the treatment of various tumors such as, for instance, carcinomas, e.g. mammary carcinoma, lung carcinoma, bladder carcinoma, colon carcinoma, ovary and endometrial tumors, sarcomas, e.g. soft tissue and bone sarcomas, and the hematological malignancies such as, e.g., leukemias.

In addition, the compounds of formula (I) are also useful in the treatment of other cell proliferative disorders such as psoriasis, vascular smooth cell proliferation associated with atherosclerosis and post-surgical stenosis and restenosis and in the treatment of Alzheimer's disease.

The inhibiting activity of putative protein kinase inhibitors and the potency of selected compounds was determined through a method of assay based on the use of the MultiScreen-PH 96 well plate (Millipore), in which a phosphocellulose filter paper was placed at each well bottom allowing binding of positive charged substrate after a washing/filtration step.

When a radioactivity labeled phosphate moiety was transferred by the ser/threo kinase to the filter-bound histone, light emitted was measured in a scintillation counter.

Inhibition assay of cdk2/Cyclin A activity

Kinase reaction: 1.5 μ M histone H1 substrate, 25 μ M ATP (0.2 uCi P33 γ -ATP), 30 ng of baculovirus co-expressed cdk2/Cyclin A, 10 μ M inhibitor in a final volume of 100 μ l buffer (TRIS HCl 10 mM pH 7.5, MgCl₂ 10 mM, 7.5 mM DTT) were added to each well of a 96 U bottom well plate. After 10 min at 37 °C incubation, reaction was stopped by 20 μ l EDTA 120 mM.

Capture: 100 μ l were transferred from each well to MultiScreen plate, to allow substrate binding to phosphocellulose filter. Plates were then washed 3 times

with 150 μ l/well. PBS $\text{Ca}^{++}/\text{Mg}^{++}$ free and filtered by MultiScreen filtration system.

Detection: filters were allowed to dry at 37°C, then 100 μ l/well scintillant were added and ^{33}P labeled histone H1 was detected by radioactivity counting in the Top-Count instrument.

Results: data were analyzed and expressed as % inhibition referred to total activity of enzyme (=100%).

All compounds showing inhibition ≥ 50 % were further analyzed in order to study and define potency (IC_{50}) as well as the kinetic-profile of inhibitor through K_i calculation.

IC_{50} determination: the protocol used was the same described above, where inhibitors were tested at different concentrations ranging from 0.0045 to 10 μM . Experimental data were analyzed by the computer program GraphPad Prizm using the four parameter logistic equation:

$$y = \text{bottom} + (\text{top} - \text{bottom}) / (1 + 10^{((\log \text{IC}_{50} - x) * \text{slope}))})$$

where x is the logarithm of the inhibitor concentration, y is the response; y starts at bottom and goes to top with a sigmoid shape.

K_i calculation: either the concentration of ATP and histone H1 substrate were varied: 4, 8, 12, 24, 48 μM for ATP (containing proportionally diluted $\text{P}^{33}\gamma\text{-ATP}$) and 0.4, 0.8, 1.2, 2.4, 4.8 μM for histone were used in absence and presence of two different, properly chosen inhibitor concentrations.

Experimental data were analyzed by the computer program "SigmaPlot" for K_i determination, using a random bireactant system equation:

$$v = \frac{V_{\max} \frac{(A)}{K_A} \frac{(B)}{K_B}}{1 + \frac{(A)}{K_A} + \frac{(B)}{K_B} + \frac{(A)}{K_A} \frac{(B)}{K_B}}$$

where A=ATP and B=histone H1.

In addition the selected compounds have been characterized on a panel of ser/threo kinases strictly related to cell cycle (cdk2/cyclin E, cdk1/cyclin B1, cdk4/Cyclin D1), and also for specificity on MAPK, PKA, EGFR, IGF1-R, Cdc7/dbf4 and aurora-2.

Inhibition assay of cdk2/Cyclin E activity

10 Kinase reaction: 1.5 μ M histone H1 (Sigma # H-5505) substrate, 25 μ M ATP (0.2 μ Ci $P^{33}\gamma$ -ATP), 15 ng of baculovirus co-expressed cdk2/GST-Cyclin E, suitable concentrations of inhibitor in a final volume of 100 μ l buffer (TRIS HCl 10 mM pH 7.5, MgCl₂ 10 mM, 7.5 mM DTT+ 0.2mg/ml BSA) were added to each well of a 96 U bottom well plate. After 10 min at 37 °C incubation, reaction was stopped by 20 μ l EDTA 120 mM.

Capture: 100 μ l were transferred from each well to MultiScreen plate, to allow substrate binding to phosphocellulose filter. Plates were then washed 3 times with 150 μ l/well PBS Ca⁺⁺/Mg⁺⁺ free and filtered by MultiScreen filtration system.

Detection: filters were allowed to dry at 37°C, then 100 μ l/well scintillant were added and 33 P labeled histone H1 was detected by radioactivity counting in the Top-Count instrument.

Inhibition assay of cdk1/Cyclin B1 activity

Kinase reaction: 1.5 μ M histone H1 (Sigma # H-5505) substrate, 25 μ M ATP (0.2 μ Ci $P^{33}\gamma$ -ATP), 30 ng of baculovirus co-expressed cdk1/Cyclin B1, suitable concentrations of inhibitor in a final volume of 100 μ l buffer (TRIS HCl 10 mM pH 7.5, MgCl₂ 10 mM, 7.5 mM DTT+ 0.2mg/ml BSA) were added to each well of a 96 U bottom well

plate. After 10 min at 37 °C incubation, reaction was stopped by 20 µl EDTA 120 mM.

Capture: 100 µl were transferred from each well to MultiScreen plate, to allow substrate binding to
5 phosphocellulose filter. Plates were then washed 3 times with 150 µl/well PBS Ca⁺⁺/Mg⁺⁺ free and filtered by MultiScreen filtration system.

Detection: filters were allowed to dry at 37°C, then 100 µl/well scintillant were added and ³³P labeled histone H1
10 was detected by radioactivity counting in the Top-Count instrument.

Inhibition assay cdk4/Cyclin D1 activity

Kinase reaction: 0,4 uM µM mouse GST-Rb(769-921) (# sc-4112
15 from Santa Cruz) substrate, 10 µM ATP (0.5 µCi P³³γ-ATP), 100 ng of baculovirus expressed GST-cdk4/GST-Cyclin D1, suitable concentrations of inhibitor in a final volume of 50 µl buffer (TRIS HCl 10 mM pH 7.5, MgCl₂ 10 mM, 7.5 mM DTT+ 0.2mg/ml BSA) were added to each well of a 96 U bottom
20 well plate. After 40 min at 37 °C incubation, reaction was stopped by 20 µl EDTA 120 mM.

Capture: 60 µl were transferred from each well to MultiScreen plate, to allow substrate binding to phosphocellulose filter. Plates were then washed 3 times
25 with 150 µl/well PBS Ca⁺⁺/Mg⁺⁺ free and filtered by MultiScreen filtration system.

Detection: filters were allowed to dry at 37°C, then 100 µl/well scintillant were added and ³³P labeled Rb fragment was detected by radioactivity counting in the Top-Count
30 instrument.

Inhibition assay of MAPK activity

Kinase reaction: 10 μ M MBP (Sigma # M-1891) substrate, 25 μ M ATP (0.2 μ Ci $P^{33}\gamma$ -ATP), 25 ng of bacterially expressed GST-MAPK (Upstate Biotechnology # 14-173), suitable concentrations of inhibitor in a final volume of 100 μ l buffer (TRIS HCl 10 mM pH 7.5, $MgCl_2$ 10 mM, 7.5 mM DTT + 0.1 mg/ml BSA) were added to each well of a 96 U bottom well plate. After 15 min at 37 °C incubation, reaction was stopped by 20 μ l EDTA 120 mM.

Capture: 100 μ l were transferred from each well to MultiScreen plate, to allow substrate binding to phosphocellulose filter. Plates were then washed 3 times with 150 μ l/well PBS Ca^{++}/Mg^{++} free and filtered by MultiScreen filtration system.

Detection: filters were allowed to dry at 37°C, then 100 μ l/well scintillant were added and ^{33}P labeled MBP was detected by radioactivity counting in the Top-Count instrument.

Inhibition assay of PKA activity

Kinase reaction: 10 μ M histone H1 (Sigma # H-5505) substrate, 10 μ M ATP (0.2 μ Ci $P^{33}\gamma$ -ATP), 1U of bovine heart PKA (Sigma # 2645), suitable concentrations of inhibitor in a final volume of 100 μ l buffer (TRIS HCl 10 mM pH 7.5, $MgCl_2$ 10 mM, 7.5 mM DTT+ 0.2mg/ml BSA) were added to each well of a 96 U bottom well plate. After 5 min at 37 °C incubation, reaction was stopped by 20 μ l EDTA 120 mM.

Capture: 100 μ l were transferred from each well to MultiScreen plate, to allow substrate binding to phosphocellulose filter. Plates were then washed 3 times with 150 μ l/well PBS Ca^{++}/Mg^{++} free and filtered by MultiScreen filtration system.

Detection: filters were allowed to dry at 37°C, then 100 μ l/well scintillant were added and ^{33}P labeled histone H1

was detected by radioactivity counting in the Top-Count instrument.

Inhibition assay of EGFR activity

5 Kinase reaction: 25 nM in house biotinylated PolyGluTyr (Sigma # 0275) substrate, 2,5 μ M ATP (0.3 μ Ci $P^{33}\gamma$ -ATP), 80 ng baculovirus expressed GST-EGFR, suitable concentrations of inhibitor in a final volume of 100 μ l buffer (Hepes 50 mM pH 7,5, $MnCl_2$ - $MgCl_2$ 3mM, 1mM DTT + 3 μ M $NaVO_3$, 0.1 mg/ml
10 BSA) were added to each well of a 96 U bottom well plate. After 5 min. at 37 °C incubation, reaction was stopped by 20 μ l EDTA 120 mM.

Capture: 100 μ l were transferred from each well to streptavidin-Flashplate, to allow biotinylated-substrate
15 binding to plate. Plates were then washed 3 times with 150 μ l/well PBS Ca^{++}/Mg^{++} free.

Detection: radioactivity counting in the Top-Count instrument.

20 Inhibition assay of IGF1-R activity

The inhibition assay of IGF1-R activity was performed according to the following protocol.

Kinase reaction: 10 μ M biotinylated MBP (Sigma cat. # M-1891) substrate, 0-20 μ M inhibitor, 6 μ M cold ATP, 2 nM ^{33}P -
25 ATP, and 22.5 ng IGF1-R (pre-incubated for 30 min at room temperature with cold 60 μ M cold ATP) in a final volume of 30 μ l buffer (50 mM HEPES pH 7.9, 3 mM $MnCl_2$, 1 mM DTT, 3 μ M $NaVO_3$) were added to each well of a 96 U bottom well plate. After incubation for 35 min at room temperature, the
30 reaction was stopped by addition of 100 μ l PBS buffer containing 32 mM EDTA, 500 μ M cold ATP, 0.1% Triton X100 and 10mg/ml streptavidin coated SPA beads. After 15 min incubation, 110 μ L of suspension were withdrawn and

transferred into 96-well OPTIPLATES containing 100 µl of 5M CsCl. After 4 hours, the plates were read for 2 min in a Packard TOP-Count radioactivity reader.

Results: Experimental data were analyzed with the program
5 GraphPad Prizm.

In addition, the inhibiting activity of putative protein kinase inhibitors and the potency of selected compounds was also determined through a method of assay based on the use
10 of a SPA (Scintillation Proximity Assay) 96 well plate assay. The assay is based on the ability of streptavidin coated SPA beads to capture a biotinylated peptide derived from a phosphorylation site of histone.

When a radioactivity labeled phosphate moiety was
15 transferred by the ser/threo kinase to the biotinylated histone peptide, light emitted was measured in a scintillation counter.

Inhibition assay of cdk5/p25 activity

20 The inhibition assay of cdk5/p25 activity was performed according to the following protocol.

Kinase reaction: 1.0 µM biotinylated histone peptide substrate, 0.25 uCi P33g-ATP, 4 nM cdk5/p25 complex, 0-100 µM inhibitor in a final volume of 100 µl buffer (Hepes 20
25 mM pH 7.5, MgCl₂ 15 mM, 1 mM DTT) were added to each well of a 96 U bottom well plate. After 20 min at 37 °C incubation, the reaction was stopped by the addition of 500 ug SPA beads in phosphate-buffered saline containing 0.1% Triton X-100, 50 uM ATP and 5 mM EDTA. The beads were
30 allowed to settle, and the radioactivity incorporated in the ³³P-labelled peptide was detected in a Top Count scintillation counter.

Results: Data were analyzed and expressed as % Inhibition using the formula:

35 $100 \times (1 - (\text{Unknown} - \text{Bkgd}) / (\text{Enz. Control} - \text{Bkgd}))$

IC50 values were calculated using a variation of the four parameter logistics equation:

$$Y = 100/[1 + 10^{((\text{LogEC50} - X) * \text{Slope})}]$$

Where $X = \log(\mu\text{M})$ and $Y = \% \text{ Inhibition}$.

5

Inhibition assay of Cdc7/dbf4 activity

The inhibition assay of Cdc7/dbf4 activity was performed according to the following protocol.

The Biotin-MCM2 substrate is trans-phosphorylated by the
10 Cdc7/Dbf4 complex in the presence of ATP traced with γ^{33} -ATP. The phosphorylated Biotin-MCM2 substrate is then captured by Streptavidin-coated SPA beads and the extent of phosphorylation evaluated by β counting.

The inhibition assay of Cdc7/dbf4 activity was performed in
15 96 wells plate according to the following protocol.

To each well of the plate were added :

- 10 μl substrate (biotinylated MCM2, 6 μM final concentration)
- 10 μl enzyme (Cdc7/Dbf4, 12.5 nM final concentration)
- 20 - 10 μl test compound (12 increasing concentrations in the nM to μM range to generate a dose-response curve)
- 10 μl of a mixture of cold ATP (10 μM final concentration) and radioactive ATP (1/2500 molar ratio with cold ATP) was then used to start the reaction which was allowed to
25 take place at 37°C.

Substrate, enzyme and ATP were diluted in 50 mM HEPES pH 7.9 containing 15 mM MgCl_2 , 2 mM DTT, 3 μM NaVO_3 , 2mM glycerophosphate and 0.2mg/ml BSA. The solvent for test compounds also contained 10% DMSO.

30 After incubation for 20 minutes, the reaction was stopped by adding to each well 100 μl of PBS pH 7.4 containing 50 mM EDTA, 1 mM cold ATP, 0.1% Triton X100 and 10 mg/ml streptavidin coated SPA beads.

After 15 minutes of incubation at room temperature to allow the biotinylated MCM2-streptavidin SPA beads interaction to occur, beads were trapped in a 96 wells filter plate (Unifilter^R GF/BTM) using a Packard Cell Harvester (Filtermate), washed with distilled water and then counted using a Top Count (Packard).

Counts were blank-subtracted and then the experimental data (each point in triplicate) were analyzed for IC50 determination using a non-linear regression analysis (Sigma Plot).

Inhibition assay of aurora-2 activity

The inhibiting activity and the potency of selected compounds was determined through a method of assay based on the use of the streptavidin scintillation proximity assay beads (amershampharmacia biotech) run in a 96 well plates. At the end of the reaction, the biotinylated peptide substrate was captured with the beads and subsequently allowed to stratify using CsCl₂.

When a radioactivity labeled phosphate moiety was transferred by the kinase to the beads-bound peptide, light emitted was measured in a scintillation counter.

The inhibition assay of Aurora-2 activity was performed in 96 wells plate according to the following protocol.

Kinase reaction: 8 μ M biotinylated peptide (4 repeats of LRRWSLG), 10 μ M ATP (0.5 uCi P³³g-ATP), 10 nM Aurora2, 10 μ M inhibitor in a final volume of 60 μ l buffer (HEPES 50 mM pH 7.0, MgCl₂ 10 mM, 1 mM DTT, 0.125 mg/ml BSA, 3 μ M orthovanadate) were added to each well of a 96 U bottom well plate. After 30 minutes at room temperature incubation, reaction was stopped and biotinylated peptide captured by adding 100 μ l of bead suspension.

Stratification: 100 μ l of CsCl₂ 7.5 M were added to each well and let stand one hour before radioactivity was counted in the Top-Count instrument.

Results: data were analyzed and expressed as % inhibition referred to total activity of enzyme (=100%).

All compounds showing inhibition ≥ 60 % were further analyzed in order to study the potency of the inhibitor
5 through IC50 calculation.

The protocol used was the same described above, except that serial dilution of the inhibitor was used. Experimental data were fitted by nonlinear regression using the following equation:

10

$$v = v_0 + \frac{(v_0 - v_b)}{1 + 10^{n(\log IC_{50} - \log [I])}}$$

With v_b as the baseline velocity, v as the observed reaction velocity, v_0 as the velocity in the absence of inhibitors,
15 and $[I]$ as the inhibitor concentration.

The compounds of formula (I) of the present invention, suitable for administration to a mammal, e.g. to humans, can be administered by the usual routes and the dosage
20 level depends upon the age, weight, conditions of the patient and the administration route.

For example, a suitable dosage adopted for oral administration of a compound of formula (I) may range from about 10 to about 500 mg pro dose, from 1 to 5 times daily.

25 The compounds of the invention can be administered in a variety of dosage forms, e.g. orally, in the form of tablets, capsules, sugar or film coated tablets, liquid solutions or suspensions; rectally in the form of suppositories; parenterally, e.g. intramuscularly, or by
30 intravenous and/or intrathecal and/or intraspinal injection or infusion.

In addition, the compounds of the invention can be administered either as single agents or, alternatively, in

a combination therapy method comprising additional anticancer treatments such as radiation therapy or chemotherapy regimen in combination with cytostatic or cytotoxic agents, antibiotic-type agents, alkylating agents, antimetabolite agents, hormonal agents, immunological agents, interferon-type agents, cyclooxygenase inhibitors (e.g. COX-2 inhibitors, in particular celecoxib, rofecoxib, parecoxib and valdecoxib), metallomatrixprotease inhibitors, telomerase inhibitors, tyrosine kinase inhibitors, anti-growth factor receptor agents, anti-HER agents, anti-EGFR agents, anti-angiogenesis agents, farnesyl transferase inhibitors, ras-raf signal transduction pathway inhibitors, cell cycle inhibitors, other cdks inhibitors, tubulin binding agents, topoisomerase I inhibitors, topoisomerase II inhibitors, and the like.

As an example, the compounds of the invention can be administered in combination with one or more chemotherapeutic agents such as, for instance, exemestane, formestane, anastrozole, letrozole, fadrozole, taxane, taxane derivatives, encapsulated taxanes, CPT-11, camptothecin derivatives, anthracycline glycosides, e.g., doxorubicin, idarubicin, epirubicin, etoposide, navelbine, vinblastine, carboplatin, cisplatin, estramustine, celecoxib, tamoxifen, raloxifen, Sugen SU-5416, Sugen SU-6668, Herceptin, and the like, optionally within liposomal formulations thereof.

If formulated as a fixed dose, such combination products employ the compounds of this invention within the dosage range described above and the other pharmaceutically active agent within the approved dosage range.

Compounds of formula (I) may be used sequentially with known anticancer agents when a combination formulation is inappropriate.

The present invention also includes pharmaceutical compositions comprising a compound of formula (I) or a pharmaceutically acceptable salt thereof in association with a pharmaceutically acceptable excipient (which can be
5 a carrier or a diluent). The pharmaceutical compositions containing the compounds of the invention are usually prepared following conventional methods and are administered in a pharmaceutically suitable form.

For example, the solid oral forms may contain, together
10 with the active compound, diluents, e.g. lactose, dextrose, saccharose, sucrose, cellulose, corn starch or potato starch; lubricants, e.g. silica, talc, stearic, magnesium or calcium stearate, and/or polyethylene glycols; binding agents, e.g. starches, arabic gum, gelatine,
15 methylcellulose, carboxymethylcellulose or polyvinyl pyrrolidone; disaggregating agents, e.g. a starch, alginic, alginates or sodium starch glycolate; effervescing mixtures; dyestuffs; sweeteners; wetting agents such as lecithin, polysorbates, laurylsulphates; and, in general,
20 non-toxic and pharmacologically inactive substances used in pharmaceutical formulations. Said pharmaceutical preparations may be manufactured in known manner, for example, by means of mixing, granulating, tableting, sugar-coating, or film-coating processes.

25 The liquid dispersions for oral administration may be e.g. syrups, emulsions and suspensions.

The syrups may contain as carrier, for example, saccharose or saccharose with glycerine and/or mannitol and/or sorbitol.

30 The suspensions and the emulsions may contain as carrier, for example, a natural gum, agar, sodium alginate, pectin, methylcellulose, carboxymethylcellulose, or polyvinyl alcohol.

The suspension or solutions for intramuscular injections
35 may contain, together with the active compound, a pharmaceutically acceptable carrier, e.g. sterile water,

olive oil, ethyl oleate, glycols, e.g. propylene glycol, and, if desired, a suitable amount of lidocaine hydrochloride. The solutions for intravenous injections or infusions may contain as carrier, for example, sterile water or preferably they may be in the form of sterile, aqueous, isotonic saline solutions or they may contain as a carrier propylene glycol.

The suppositories may contain together with the active compound a pharmaceutically acceptable carrier, e.g. cocoa butter, polyethylene glycol, a polyoxyethylene sorbitan fatty ester surfactant or lecithin.

The invention also provides the use of a compound of formula (I), or a pharmaceutically acceptable salt thereof, in the manufacture of a medicament for treating a disease caused by and/or associated with an altered protein kinase activity, in a patient undergoing a simultaneous, separate or sequential anticancer treatments.

The following examples are herewith intended to illustrate, without posing any limitation to, the present invention.

Example 1

Preparation of N-(3-cyanopropyl),N-benzylglycine ethyl ester

N-benzylglycine ethyl ester (0.17 mol, 32.8 g) and anhydrous K_2CO_3 (0.187 mol, 25.8 g) were suspended in 300 mL of acetonitril, 4-bromobutyronitrile (0.187 mol, 27.7 g) was added dropwise. The obtained mixture was stirred at reflux for 16 hrs and then filtered. The filtrate was evaporated to dryness to give a pale yellow oil which was purified by flash chromatography over silica gel using hexane/ethyl acetate (2:1) as eluent, to afford the title compound as a colorless oil (55.3 g, 83%).

Example 2Preparation of N-(3-cyanopropyl),N-(carbo-tbutoxy)-glycine ethyl ester

N-(3-cyanopropyl),N-benzylglycine ethyl ester (0.13 mol, 33.8 g), di-tbutyl dicarbonate (0.26 mol, 56.7 g) and Pd/C (10% p/p, 3.4 g) were suspended in 400 mL of anhydrous EtOH and hydrogenated in a Parr apparatus at 40 PSI for 6 hrs. The obtained mixture was filtered and the filtrate evaporated to dryness to give a pale yellow oil. The crude was purified by flash chromatography over silica gel using hexane/ethyl acetate (7:3) as eluent, to afford the title compound as a colorless oil (25,3 g, 72%).

Example 3Preparation of tbutyl 4-cyano-3-oxo-1-piperidinecarboxylate

N-(3-cyanopropyl),N-(carbo-tbutoxy)-glycine ethyl ester (0.09 mol, 24.3 g) was dissolved in 350 mL of toluene and the solution cooled at 0°C. Potassium tbutoxide (0,1 mol, 11,2 g) was added portionwise while stirring. After 30', 500 mL of saturated solution of NH₄Cl were added and the pH adjusted to 6 with HCl 2N. The organic phase was separated and the aqueous layer washed twice with DCM. The collected organic layers were dried over Na₂SO₄, filtered and evaporated. The obtained yellow oil (19.8 g, 98%) was used in the next step without further purification.

Example 4Preparation of 3-amino-5-(carbo-tbutoxy)-4,6-dihydro-pyrrolo[3,4-c]pyrazole

A mixture of tert-butyl 3-cyano-4-oxo-1-pyrrolidine carboxylate (0.0856 mol, 18.0 g) and hydrazine dihydrochloride (0.1027 mol, 10.8 g) in 450 ml of ethanol was stirred at 60°C, for 4 hours. After cooling the obtained mixture to 0°C, a solution of saturated sodium bicarbonate (100 ml) was slowly added dropwise. The solvent

was evaporated under vacuum, the residual water extracted with EtOAc and the organic phase dried over anhydrous Na₂SO₄. The solvent was evaporated to dryness to give a solid product which was purified by flash chromatography
5 over silica gel using dichloromethane:methanol (46:4) as eluent, to afford the title compound as a white solid (5.91 g, 31%).

m.p. 195-197°C.

(M + H)⁺ = 224

10

Analogously, the following compounds can be prepared, starting from the appropriate 3-cyano-4-oxo-1-pyrrolidine carboxylate:

3-amino-5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazole:

15 m.p. 259-260°C;

(M + H)⁺ = 166

3-amino-5-(carbo-tbutoxy)-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazole

m.p. 100-102°C

20 (M + H)⁺ = 252

3-amino-5-(carbo-tbutoxy)-6-benzoxymethyl-4,6-dihydropyrrolo[3,4-c]pyrazole

(M + H)⁺ = 345

25 Analogously, the following compound was prepared, starting from the appropriate tbutyl 4-cyano-3-oxo-1-piperidinecarboxylate:

tbutyl 3-amino-6-(carbo-tbutoxy)-4,5,6,7-tetrahydropyridine[3,4-c]pyrazole

30 m.p. 153-155°C

(M + H)⁺ = 238

Analogously, the following compound was prepared, starting from the appropriate tbutyl 3-cyano-4-oxo-1-piperidinecarboxylate:
35

tbutil 3-amino-5-(carbo-tbutoxy)-4,5,6,7-tetrahydro-
pyridine[4,3-c]pyrazole

m.p. 151-155°C

(M + H)⁺ = 238

5

Example 5

Preparation of N-{3-amino-5-(carbo-tbutoxy)-4,6-

dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea

3-amino-5-(carbo-tbutoxy)-4,6-dihydropyrrolo[3,4-c]pyrazole
10 (10.7 mmol, 2.4 g) dissolved in 20 ml of dichloromethane
anhydrous was added under nitrogen atmosphere to
methylisocyanate polystyrene resin (200-400 mesh, 2% DVB,
loading 1.49 mmol/g, 10 g) previously swelled in 200 ml of
anhydrous dichlorometane. The resulting suspension was
15 gently stirred at 22°C for 18 hours, until no traces of 3-
amino-5-(carbo-tbutoxy)-4,6-dihydropyrrolo[3,4-c]pyrazole
could be detected in the solution. The resin was filtered,
washed with dichloromethane and methanol and dried under
vacuum.

20

Analogously, the following compounds can be prepared:

N-{3-amino-5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-
yl},N'-methylpolystyrene urea

N-{3-amino-5-(carbo-tbutoxy)-6,6-dimethyl-4,6-

25 dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea

N-{3-amino-5-(carbo-tbutoxy)-6-benzoxymethyl-4,6-

dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea

N-{3-amino-6-(carbo-tbutoxy)-4,5,6,7-

tetrahydropyridine[3,4-c]pyrazol-1-yl},N'-methylpolystyrene

30 urea

N-{3-amino-5-(carbo-tbutoxy)-4,5,6,7-

tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene

urea

Example 6Preparation of N-{3-phenylacetamido-5-(carbo-tbutoxy)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea

A solution of phenylacetyl chloride (24.08 mmol, 3.18 ml) in 10 ml of anhydrous dichlorometane was added dropwise to N-{3-amino-5-(carbo-tbutoxy)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea (3.01 mmol, 3.5 g) previously swelled in 90 ml of anhydrous dichlorometane and 16.5 ml of DIEA (96.32 mmol). The resulting suspension was gently stirred at 22°C for 18 hours. The resin was then filtered, washed with dichloromethane, methanol and dried under vacuum.

Analogously, the following compounds can be prepared by using the appropriate acyl chloride:

N-{3-acetamido-5-(carbo-tbutoxy)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea

N-{3-cyclopropanecarboxamido-5-(carbo-tbutoxy)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea

N-{3-isobutyramido-5-(carbo-tbutoxy)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea

N-{3-cyclopentanecarboxamido-5-(carbo-tbutoxy)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea

N-{3-benzamido-5-(carbo-tbutoxy)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea

N-{3-picolinic-amido-5-(carbo-tbutoxy)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea

N-{3-nicotinic-amido-5-(carbo-tbutoxy)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea

N-{3-isonicotinic-amido-5-(carbo-tbutoxy)-4,6-

- dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
N-{3-(3-methyl-2-furoic)-amido-5-(carbo-tbutoxy)-4,6-
dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene
5 urea
N-{3-(thiophene-2-carboxamido)-5-(carbo-tbutoxy)-4,6-
dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
N-{3-(thiophene-3-carboxamido)-5-(carbo-tbutoxy)-4,6-
10 dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
N-{3-(o-toluic-amido)-5-(carbo-tbutoxy)-4,6-
dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
15 N-{3-(m-toluic-amido)-5-(carbo-tbutoxy)-4,6-
dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
N-{3-(p-toluic-amido)-5-(carbo-tbutoxy)-4,6-
dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene
20 urea
N-{3-salicylic-amido-5-(carbo-tbutoxy)-4,6-
dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
N-{3-(2-fluorobenzamido)-5-(carbo-tbutoxy)-4,6-
25 dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
N-{3-(3-fluorobenzamido)-5-(carbo-tbutoxy)-4,6-
dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
30 N-{3-(4-fluorobenzamido)-5-(carbo-tbutoxy)-4,6-
dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
N-{3-(thiophene-2-acetamido)-5-(carbo-tbutoxy)-4,6-
dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene
35 urea
N-{3-(thiophene-3-acetamido)-5-(carbo-tbutoxy)-4,6-

- dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene
urea
N-{3-phenylpropionic-amido-5-(carbo-tbutoxy)-4,6-
dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene
5 urea
N-{3-(3-cyanobenzamido)-5-(carbo-tbutoxy)-4,6-
dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene
urea
N-{3-(4-cyanobenzamido)-5-(carbo-tbutoxy)-4,6-
10 dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene
urea
N-{3-trans-cinnamic-amido-5-(carbo-tbutoxy)-4,6-
dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene
urea
15 N-{3-cis-cinnamic-amido-5-(carbo-tbutoxy)-4,6-
dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene
urea
N-{3-[3-(3-pyridyl)acrylic-amido]-5-(carbo-tbutoxy)-4,6-
dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene
20 urea
N-{3-[3-(4-pyridyl)-acrylic-amido]-5-(carbo-tbutoxy)-4,6-
dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene
urea
N-{3-(2-phenylpropionamido)-5-(carbo-tbutoxy)-4,6-
25 dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene
urea
N-{3-o-tolylacetamido-5-(carbo-tbutoxy)-4,6-
dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene
urea
30 N-{3-m-tolylacetamido-5-(carbo-tbutoxy)-4,6-
dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene
urea
N-{3-p-tolylacetamido-5-(carbo-tbutoxy)-4,6-
dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene
35 urea
N-{3-o-anisic-amido-5-(carbo-tbutoxy)-4,6-

- dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
- N-{3-(3-methoxybenzamido)-5-(carbo-tbutoxy)-4,6-
dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene
5 urea
- N-{3-p-anisic-amido-5-(carbo-tbutoxy)-4,6-
dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
- N-{3-phenoxyacetamido-5-(carbo-tbutoxy)-4,6-
10 dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
- N-{3-(2-fluorophenylacetamido)-5-(carbo-tbutoxy)-4,6-
dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
- 15 N-{3-(3-fluorophenylacetamido)-5-(carbo-tbutoxy)-4,6-
dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
- N-{3-(4-fluorophenylacetamido)-5-(carbo-tbutoxy)-4,6-
dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene
20 urea
- N-{3-[3-(2-thienyl)acrylicamido]-5-(carbo-tbutoxy)-4,6-
dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
- N-{3-[3-(3-thienyl)-acrylicamido]-5-(carbo-tbutoxy)-4,6-
25 dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
- N-{3-[3-(2-thienyl)propanoic-amido]-5-(carbo-tbutoxy)-4,6-
dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
- 30 N-{3-[2-chlorobenzamido]-5-(carbo-tbutoxy)-4,6-
dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
- N-{3-[3-chlorobenzamido]-5-(carbo-tbutoxy)-4,6-
dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene
35 urea
- N-{3-(4-chlorobenzamido)-5-(carbo-tbutoxy)-4,6-

- 5 dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
N-{3-(1-piperidinepropionamido)-5-(carbo-tbutoxy)-4,6-
dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene
5 urea
N-{3-(2-acetylbenzamido)-5-(carbo-tbutoxy)-4,6-
dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
N-{3-(4-acetylbenzamido)-5-(carbo-tbutoxy)-4,6-
10 dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
N-{3-(1-naphthoicamido)-5-(carbo-tbutoxy)-4,6-
dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
15 N-{3-(2-naphthoicamido)-5-(carbo-tbutoxy)-4,6-
dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
N-{3-(3-benzoylpropionamido)-5-(carbo-tbutoxy)-4,6-
dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene
20 urea
N-{3-(4-acetamidobenzamido)-5-(carbo-tbutoxy)-4,6-
dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
N-{3-(2,5-dimethoxybenzamido)-5-(carbo-tbutoxy)-4,6-
25 dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
N-{3-(2,6-dimethoxybenzamido)-5-(carbo-tbutoxy)-4,6-
dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
30 N-{3-(3,4-dimethoxybenzamido)-5-(carbo-tbutoxy)-4,6-
dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
N-{3-(3,5-dimethoxybenzamido)-5-(carbo-tbutoxy)-4,6-
dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene
35 urea
N-{3-(2-thenoyl)-propionamido-5-(carbo-tbutoxy)-4,6-

- dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
- N-{3-(2-naphtylacetamide)-5-(carbo-tbutoxy)-4,6-
dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene
5 urea
- N-{3-(1-naphtylacetamido)-5-(carbo-tbutoxy)-4,6-
dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
- N-{3-(4-phenylbenzamido)-5-(carbo-tbutoxy)-4,6-
10 dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
- N-{3-(2-furamido)-5-(carbo-tbutoxy)-4,6-dihydropyrrolo[3,4-
c]pyrazol-1-yl}, N'-methylpolystyrene urea
- N-{3-(4-phenoxybenzamido)-5-(carbo-tbutoxy)-4,6-
15 dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
- N-{3-(3-phenoxybenzamido)-5-(carbo-tbutoxy)-4,6-
dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
- 20 N-{3-(4-tertbutyl-benzamido)-5-(carbo-tbutoxy)-4,6-
dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
- N-{3-piperonylcarboxamido-5-(carbo-tbutoxy)-4,6-
dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene
25 urea
- N-{3-(2-naphtalene)propionamido-5-(carbo-tbutoxy)-4,6-
dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
- N-{3-(6-methoxy-2-naphtalene)propionamido-5-(carbo-
30 tbutoxy)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-
methylpolystyrene urea
- N-{3-(2-ethylbutyramido)-5-(carbo-tbutoxy)-4,6-
dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
- 35 N-{3-(4-pyrrolidin-1-yl-phenyl)propionamido-5-(carbo-
tbutoxy)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-

methylpolystyrene urea

N-{3-(2-oxo-pyrrolidin-1-yl)phenyl}propionamido-5-(carbo-
tbutoxy)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-

methylpolystyrene urea

- 5 N-{3-(bicyclo[4.2.0]octa-1,3,5-triene-7-carboxamido)-5-
(carbo-tbutoxy)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-
methylpolystyrene urea

N-{3-(2-oxo-pyrrolidin-1-yl)phenylacetamido-5-(carbo-
tbutoxy)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-

- 10 methylpolystyrene urea

N-{3-(4-pyrrolidin-1-yl-phenylacetamido-5-(carbo-tbutoxy)-
4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene
urea

N-{3-(4-trifluoromethyl)phenylacetamido-5-(carbo-tbutoxy)-

- 15 4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene
urea

N-{3-(2-bromo)phenylacetamido-5-(carbo-tbutoxy)-4,6-
dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene
urea

- 20 N-{3-[4-(pyrrolidin-1-yl-
carbonylmethoxy)]phenylacetamido-5-(carbo-tbutoxy)-4,6-
dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene
urea

- N-{3-[3-(aminocarbonylmethoxy)phenylacetamido]-5-(carbo-
25 tbutoxy)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-
methylpolystyrene urea

N-{3-[4-(2-oxo-oxazolidin-3-yl)phenylacetamido]-5-(carbo-
tbutoxy)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-
methylpolystyrene urea

- 30 N-{3-[4-(4-methylpiperazino)benzamide]-5-(carbo-tbutoxy)-
4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene
urea

N-{3-(benzo[1,3]dioxol-5-yl)acetamido-5-(carbo-tbutoxy)-
4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene
35 urea

N-{3-[4-(2-oxo-oxazolidin-3-yl)phenylacetamido]-5-(carbo-

- tbutoxy)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-
methylnpolystyrene urea
N-{3-(2-phenyl-1,3-thiazol-4-yl)acetamido-5-(carbo-
tbutoxy)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-
5 methylnpolystyrene urea
N-{3-[4-(1-pyrrolidin-2-one)benzamido]-5-(carbo-tbutoxy)-
4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylnpolystyrene
urea
N-{3-[2-(3-oxo-3,4,4a,8a-tetrahydro-2H-benzo[1,4]oxazin-6-
10 yl)acetamido]-5-(carbo-tbutoxy)-4,6-dihydropyrrolo[3,4-
c]pyrazol-1-yl}, N'-methylnpolystyrene urea
N-{3-(1-methyl-indol-3-yl)acetamido-5-(carbo-tbutoxy)-4,6-
dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylnpolystyrene
urea
15 N-{3-(6-oxo-6H-pyridazin-1-yl)acetamido)-5-(carbo-tbutoxy)-
4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylnpolystyrene
urea
N-{3-(4-(morpholin-1-yl)-phenyl)acetamido)-5-(carbo-
tbutoxy)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-
20 methylnpolystyrene urea
N-{3-(4-pyridylacetamido)-5-(carbo-tbutoxy)-4,6-
dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylnpolystyrene
urea
N-{3-phenoxyacetamido-5-(carbo-tbutoxy)-4,6-
25 dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylnpolystyrene
urea
N-{3-(3-pyridylacetamido)-5-(carbo-tbutoxy)-4,6-
dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylnpolystyrene
urea
30 N-{3-[5-(4-chlorophenyl)furan-2-carboxamido]-5-(carbo-
tbutoxy)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-
methylnpolystyrene urea
N-{3-[quinoline-6-carboxamido]-5-(carbo-tbutoxy)-4,6-
dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylnpolystyrene
35 urea
N-{3-[2-methyl-5-phenyl-furan-3-carboxamido]-5-(carbo-

tbutoxy)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylnopolystyrene urea

N-{3-[benzofuran-2-carboxamido]-5-(carbo-tbutoxy)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylnopolystyrene
5 urea

N-{3-[6-chloronicotinamido]-5-(carbo-tbutoxy)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylnopolystyrene
urea

N-{3-[5-chlorothiophene-2-carboxamido]-5-(carbo-tbutoxy)-
10 4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylnopolystyrene
urea

Example 7

Preparation of N-{3-phenylacetamido-4,6-dihydropyrrolo[3,4-
15 c]pyrazol-1-yl}, N'-methylnopolystyrene urea

N-{3-phenylacetamido-5-(carbo-tbutoxy)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylnopolystyrene urea (3.01 mmol) was treated with a solution of TFA 50% in anhydrous dichloromethane. The resulting suspension was
20 gently stirred at 22°C for 2 hours, then washed with a solution of TEA 10% in anhydrous dichloromethane, dichloromethane, methanol and dried under vacuum.

Analogously, the following compounds can be prepared by
25 using the appropriate N-{3-amido-5-(carbo-tbutoxy)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylnopolystyrene urea:

N-{3-acetamido-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylnopolystyrene urea

30 N-{3-cyclopropanecarboxamido-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylnopolystyrene urea

N-{3-isobutyramido-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylnopolystyrene urea

N-{3-cyclopentanecarboxamido-4,6-dihydropyrrolo[3,4-
35 c]pyrazol-1-yl}, N'-methylnopolystyrene urea

- N-{3-benzamido-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylnopolystyrene urea
- N-{3-picolinic-amido-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylnopolystyrene urea
- 5 N-{3-nicotinic-amido-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylnopolystyrene urea
- N-{3-isonicotinic-amido-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylnopolystyrene urea
- N-{3-(3-methyl-2-furoic)-amido-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylnopolystyrene urea
- 10 c]pyrazol-1-yl},N'-methylnopolystyrene urea
- N-{3-(thiophene-2-carboxamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylnopolystyrene urea
- N-{3-(thiophene-3-carboxamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylnopolystyrene urea
- 15 N-{3-(o-toluic-amido)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylnopolystyrene urea
- N-{3-(m-toluic-amido)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylnopolystyrene urea
- N-{3-(p-toluic-amido)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylnopolystyrene urea
- 20 y1},N'-methylnopolystyrene urea
- N-{3-salicylic-amido-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylnopolystyrene urea
- N-{3-(2-fluorobenzamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylnopolystyrene urea
- 25 N-{3-(3-fluorobenzamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylnopolystyrene urea
- N-{3-(4-fluorobenzamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylnopolystyrene urea
- N-{3-(thiophene-2-acetamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylnopolystyrene urea
- 30 c]pyrazol-1-yl},N'-methylnopolystyrene urea
- N-{3-(thiophene-3-acetamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylnopolystyrene urea
- N-{3-phenylpropionic-amido-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylnopolystyrene urea
- 35 N-{3-(3-cyanobenzamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylnopolystyrene urea

- N-{3-(4-cyanobenzamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-trans-cinnamic-amido-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 5 N-{3-cis-cinnamic-amido-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-[3-(3-pyridyl)acrylic-amido]-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-[3-(4-pyridyl)-acrylic-amido]-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 10 c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-(2-phenylpropionamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-o-tolylacetamido-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 15 N-{3-m-tolylacetamido-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-p-tolylacetamido-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-o-anisic-amido-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 20 yl},N'-methylpolystyrene urea
- N-{3-(3-methoxybenzamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-p-anisic-amido-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 25 N-{3-phenoxyacetamido-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-(2-fluorophenylacetamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-(3-fluorophenylacetamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 30 c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-(4-fluorophenylacetamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-[3-(2-thienyl)acrylicamido]-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 35 N-{3-[3-(3-thienyl)-acrylicamido]-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea

- N-{3-[3-(2-thienyl)propanoic-amido]-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-[2-chlorobenzamido]-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 5 N-{3-[3-chlorobenzamido]-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-(4-chlorobenzamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-(1-piperidinepropionamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 10 N-{3-(2-acetylbenzamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-(4-acetylbenzamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 15 N-{3-(1-naphthoicamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-(2-naphthoicamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-(3-benzoylpropionamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 20 N-{3-(4-acetamidobenzamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-(2,5-dimethoxybenzamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 25 N-{3-(2,6-dimethoxybenzamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-(3,4-dimethoxybenzamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-(3,5-dimethoxybenzamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 30 N-{3-3-(2-thenoyl)-propionamido-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-(2-naphtylacetamide)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 35 N-{3-(1-naphtylacetamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea

- N-{3-(4-phenylbenzamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-(2-furamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 5 N-{3-(4-phenoxybenzamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-(3-phenoxybenzamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-(4-tertbutyl-benzamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 10 N-{3-piperonylcarboxamido-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-(2-naphtalene)propionamido-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 15 N-{3-(6-methoxy-2-naphtalene)propionamido-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-(2-ethylbutyramido)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 20 N-{3-(4-pyrrolidin-1-yl-phenyl)propionamido-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-(2-oxo-pyrrolidin-1-yl)phenyl]propionamido-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 25 N-{3-(bicyclo[4.2.0]octa-1,3,5-triene-7-carboxamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-(2-oxo-pyrrolidin-1-yl)phenylacetamido-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 30 N-{3-(4-pyrrolidin-1-yl-phenylacetamido-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-(4-trifluoromethyl)phenylacetamido-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene
- 35

- urea
- N-{3-(2-bromo)phenylacetamido-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-[4-(pyrrolidin-1-yl-
- 5 carbonylmethyloxy)]phenylacetamido-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-[3-(aminocarbonylmethyloxy)phenylacetamido]-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 10 N-{3-[4-(2-oxo-oxazolidin-3-yl)phenylacetamido]-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-[4-(4-methylpiperazino)benzamide]-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene
- 15 urea
- N-{3-(benzo[1,3]dioxol-5-yl)acetamido-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-[4-(2-oxo-oxazolidin-3-yl)phenylacetamido]-4,6-
- 20 dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-(2-phenyl-1,3-thiazol-4-yl)acetamido-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 25 N-{3-[4-(1-pyrrolidin-2-one)benzamido]-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-[2-(3-oxo-3,4,4a,8a-tetrahydro-2H-benzo[1,4]oxazin-6-yl)acetamido]-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-
- 30 methylpolystyrene urea
- N-{3-(1-methyl-indol-3-yl)acetamido-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-(6-oxo-6H-pyridazin-1-yl)acetamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene
- 35 urea
- N-{3-(4-(morpholin-1-yl)-phenyl)acetamido)-4,6-

- dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
- N-{3-(4-pyridylacetamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-
1-yl}, N'-methylpolystyrene urea
- 5 N-{3-phenoxyacetamido-4,6-dihydropyrrolo[3,4-c]pyrazol-1-
yl}, N'-methylpolystyrene urea
- N-{3-(3-pyridylacetamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-
1-yl}, N'-methylpolystyrene urea
- N-{3-[5-(4-chlorophenyl)furan-2-carboxamido]-4,6-
10 dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
- N-{3-[quinoline-6-carboxamido]-4,6-dihydropyrrolo[3,4-
c]pyrazol-1-yl}, N'-methylpolystyrene urea
- N-{3-[2-methyl-5-phenyl-furan-3-carboxamido]-4,6-
15 dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
- N-{3-[benzofuran-2-carboxamido]-4,6-dihydropyrrolo[3,4-
c]pyrazol-1-yl}, N'-methylpolystyrene urea
- N-{3-[6-chloronicotinamido]-4,6-dihydropyrrolo[3,4-
20 c]pyrazol-1-yl}, N'-methylpolystyrene urea
- N-{3-[5-chlorothiophene-2-carboxamido]-4,6-
dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene
urea

25

Example 8

- Preparation of N-{3-phenylacetamido-5-phenylacetyl-4,6-
dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene urea
- Phenylacetic acid (0.43 mmol, 58.5 mg), NMM (0.43 mmol,
47.3 mcl) and PyBop (0.43 mmol, 223.8 mg) were added to N-
30 {3-phenylacetamido-4,6-dihydropyrrolo[3,4-c]pyrazol-1-
yl}, N'-methylpolystyrene urea (0.086 mmol, 100 mg)
previously swelled in 4 ml of anhydrous N,N-
dimethylformamide. The resulting suspension was gently
stirred at 22°C for 24 hours. The resin was then filtered,

washed with N,N-dimethylformamide, dichloromethane, methanol, and dried under vacuum.

Analogously, the following compounds can be prepared by
5 using the appropriate carboxylic acid:

N-{3-phenylacetamido-5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene urea

N-{3-phenylacetamido-5-benzoyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene urea

10 N-{3-phenylacetamido-5-(2,6-dimethoxybenzoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene urea

N-{3-phenylacetamido-5-(2,6-dimethoxybenzoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene

15 urea

N-{3-phenylacetamido-5-(2-chlorobenzoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene urea

N-{3-phenylacetamido-5-(2-chlorophenylacetyl)-4,6-

20 dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene urea

N-{3-phenylacetamido-5-(2-fluorobenzoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene urea

25 N-{3-phenylacetamido-5-(4-fluorobenzoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene urea

N-{3-phenylacetamido-5-(2-furoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene urea

30 N-{3-phenylacetamido-5-(3-furoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene urea

N-{3-phenylacetamido-5-(2-methoxybenzoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene urea

- N-{3-phenylacetamido-5-(2-methoxyphenylacetyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 5 N-{3-phenylacetamido-5-(2-methylphenylacetyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-phenylacetamido-5-(2-quinoxaloyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 10 N-{3-phenylacetamido-5-(2-thiopheneacetyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-phenylacetamido-5-(2-toluoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 15 N-{3-phenylacetamido-5-(5-fluoro-2-toluoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-phenylacetamido-5-(3-chlorobenzoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 20 N-{3-phenylacetamido-5-(3-chlorophenylacetyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-phenylacetamido-5-(3-cyclopentylpropionyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 25 N-{3-phenylacetamido-5-(3-fluorobenzoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 30 N-{3-phenylacetamido-5-(3-methoxyphenylacetyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-phenylacetamido-5-(3-methylphenylacetyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 35

- N-{3-phenylacetamido-5-(3-toluoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-phenylacetamido-5-(4-bromophenylacetyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene
- 5 urea
- N-{3-phenylacetamido-5-(4-chlorobenzoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-phenylacetamido-5-(4-chlorophenylacetyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene
- 10 urea
- N-{3-phenylacetamido-5-(4-dimethylaminobenzoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 15 N-{3-phenylacetamido-5-(4-fluorobenzoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-phenylacetamido-5-(4-methoxyphenylacetyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene
- 20 urea
- N-{3-phenylacetamido-5-(4-methylphenylacetyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-phenylacetamido-5-(4-toluoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 25 N-{3-phenylacetamido-5-(thiophene-2-carbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-phenylacetamido-5-(trans-2-phenyl-1-cyclopropanecarbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 30 N-{3-phenylacetamido-5-butyryl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-phenylacetamido-5-cyclopropanecarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene
- 35 urea

- N-{3-phenylacetamido-5-(1-methylcyclopropane) carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 5 N-{3-phenylacetamido-5-(2,2,3,3-methylcyclopropane) carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-phenylacetamido-5-isovaleryl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 10 N-{3-phenylacetamido-5-isoxazole-5-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-phenylacetamido-5-m-anisoyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 15 N-{3-phenylacetamido-5-nicotinoyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-phenylacetamido-5-p-anisoyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-phenylacetamido-5-phenoxyacetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 20 N-{3-phenylacetamido-5-benzoxycetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-phenylacetamido-5-(1-naphthoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 25 N-{3-phenylacetamido-5-but-2-ynoyl--4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-phenylacetamido-5-pyruvoyl--4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 30 N-{3-phenylacetamido-5-(1,3-benzodioxol-5-ylcarbonyl)--4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-phenylacetamido-5-(2,2-dimethylpropanoyl)--4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 35

- N-{3-phenylacetamido-5-(2,4-dichloro-5-fluorobenzoyl)}--4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 5 N-{3-phenylacetamido-5-(2-methylpent-4-enoyl)}--4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-phenylacetamido-5-(3-iodo-4-methylbenzoyl)}--4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 10 N-{3-phenylacetamido-5-(4-chloro-2,5-difluorobenzoyl)}--4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-phenylacetamido-5-(cyclobutylcarbonyl)}--4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene
- 15 urea
- N-{3-phenylacetamido-5-(pyridin-3-ylcarbonyl)}--4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-phenylacetamido-5-sobutyryl--4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 20 N-{3-phenylacetamido-5-(1-H-benzotriazole-5-carbonyl)}--4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-phenylacetamido-5-(1-methyl-indol-3-yl)acetyl--4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene
- 25 urea
- N-{3-phenylacetamido-5-(2-methyl-pyridine-3-carbonyl)}--4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 30 N-{3-phenylacetamido-5-(2-methylsulfonamidothiazole-4-carbonyl)}--4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-phenylacetamido-5-(2-morfolinomethyl-5-furoyl)}--4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene
- 35 urea

- N-{3-phenylacetamido-5-(2-phenyl-thiazol-4-yl)acetyl--4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 5 N-{3-phenylacetamido-5-(2-thiomethyl-pyridine-3-carbonyl)--4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-phenylacetamido-5-(3-furoyl)--4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 10 N-{3-phenylacetamido-5-(3-pyridinyl-acetyl)--4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-phenylacetamido-5-(3-thenoyl)--4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 15 N-{3-phenylacetamido-5-(4-methyl-piperazin-1-yl)acetyl--4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-phenylacetamido-5-(5-acetylamino-2-furoyl)--4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 20 N-{3-phenylacetamido-5-(7-methoxy-benzofuran-2-carbonyl)--4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-phenylacetamido-5-(8-quinoline)carbonyl--4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 25 N-{3-phenylacetamido-5-(benzofuran-2-carbonyl)--4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-phenylacetamido-5-(indol-2-yl)carbonyl--4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 30 N-{3-phenylacetamido-5-(piperidin-1-yl)acetyl--4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea

- N-{3-phenylacetamido-5-(pirrole-3-carbonyl)}-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 5 N-{3-phenylacetamido-5-(pirrolidin-1-ylcarbonyl)methyl}-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-phenylacetamido-5-(pyrazine-2-carbonyl)}-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 10 N-{3-phenylacetamido-5-(pyridine-3-carbonyl)}-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-phenylacetamido-5-(pyridine-4-carbonyl)}-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 15 N-{3-phenylacetamido-5-(pyrrol-3-ylcarbonyl)}-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-phenylacetamido-5-(quinoline-4-carbonyl)}-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 20 N-{3-phenylacetamido-5-(quinoline-6-carbonyl)}-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 25 N-{3-phenylacetamido-5-(3-methoxycyclohexyl)carbonyl}-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-phenylacetamido-5-(8-oxo-5,6,7,8-tetrahydronaphthalen-2-yl)carbonyl}-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 30 N-{3-phenylacetamido-5-[2-(6-oxo-1(6H)-pyridazinyl)acetyl]-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-phenylacetamido-5-[2-fluoro-5-(trifluoromethyl)benzoyl]}-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 35

N-{3-phenylacetamido-5-[4-(1H-imidazol-1-yl)benzoyl]}--4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene urea

5 N-{3-phenylacetamido-5-[4-(1-imidazolylmethyl)benzoyl]}--4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene urea

N-{3-phenylacetamido-5-[4-(1-pyrrolidin-2-on)benzoyl]}--4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene urea

10 N-{3-phenylacetamido-5-[4-(aminosulfonyl)butanoyl]}--4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene urea

N-{3-phenylacetamido-5-[5-(1-morfolinomethyl)furan-2-carbonyl]}--4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene urea

15 N-{3-phenylacetamido-5-carbamoyloxyacetyl--4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene urea

N-{3-phenylacetamido-5-ethoxyacetyl--4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene urea

20 N-{3-phenylacetamido-5-picolinoyl--4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene urea

25

Example 9

Preparation of N-{3-phenylacetamido-5-p-toluenesulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene urea

p-Toluenesulfonyl chloride (0.43 mmol, 82.0 mg) and DIEA (2.58 mmol, 441.7 µl) were added to N-{3-phenylacetamido-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene urea (0.086 mmol, 100 mg) previously swelled in 4 ml of anhydrous dichloromethane. The resulting suspension was gently stirred at 22°C for 24 hours. The resin was then filtered, washed with dichloromethane and methanol, and

35 dried under vacuum.

Analogously, the following compounds can be prepared by using the appropriate sulfonyl chloride:

- N-{3-phenylacetamido-5-methanesulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 5 N-{3-phenylacetamido-5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-phenylacetamido-5-benzenesulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 10 N-{3-phenylacetamido-5-isobutanesulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-phenylacetamido-5-(quinoline-8-sulfonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-phenylacetamido-5-(naphthalene-1-sulfonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 15 N-{3-phenylacetamido-5-(4-fluorobenzene-sulfonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-phenylacetamido-5-(4-methoxybenzene-sulfonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 20 N-{3-phenylacetamido-5-(4-trifluoromethylbenzene-sulfonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-phenylacetamido-5-(3-trifluoromethylbenzene-sulfonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 25 N-{3-phenylacetamido-5-(2-trifluoromethylbenzene-sulfonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-phenylacetamido-5-(4-chlorobenzene-sulfonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 30 N-{3-phenylacetamido-5-(4-tertbutylbenzene-sulfonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea

N-{3-phenylacetamido-5-(2-cyanobenzene-sulfonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea

Example 10

5 Preparation of N-{3-phenylacetamido-5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea

Ethylisocyanate (0.43 mmol, 33.8 μ l) was added to N-{3-phenylacetamido-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-
10 methylpolystyrene urea (0.086 mmol, 100 mg) previously swelled in 4 ml of anhydrous dichloromethane. The resulting suspension was gently stirred at 22°C for 24 hours. The resin was then filtered, washed with dichloromethane, methanol, and dried under vacuum.

15

Analogously, the following compounds can be prepared by using the appropriate isocyanate:

N-{3-phenylacetamido-5-(1-naphthyl)aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene
20 urea

N-{3-phenylacetamido-5-(2,4-difluorophenyl)aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea

N-{3-phenylacetamido-5-(2,5-dimethoxyphenyl)aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene
25 urea

N-{3-phenylacetamido-5-(2,6-difluorobenzoyl)aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea

30 N-{3-phenylacetamido-5-(2,6-dimethylphenyl)aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea

N-{3-phenylacetamido-5-(2-chlorophenyl) aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene urea

5 N-{3-phenylacetamido-5-(2-ethoxyphenyl) aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene urea

10 N-{3-phenylacetamido-5-(2-fluoro-3-(trifluoromethyl)phenyl) aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene urea

N-{3-phenylacetamido-5-(2-isopropylphenyl) aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene urea

15 N-{3-phenylacetamido-5-(2-methoxyphenyl) aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene urea

N-{3-phenylacetamido-5-(2-methylbenzyl) aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene urea

20 N-{3-phenylacetamido-5-(2-naphthyl) aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene urea

25 N-{3-phenylacetamido-5-(3,4-dichlorophenyl) aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene urea

N-{3-phenylacetamido-5-(3-chlorophenyl) aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene urea

30 N-{3-phenylacetamido-5-(3-fluorophenyl) aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene urea

N-{3-phenylacetamido-5-(3-methoxyphenyl) aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene urea

- N-{3-phenylacetamido-5-(4-biphenyl)aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene urea
- 5 N-{3-phenylacetamido-5-(4-chlorophenyl)aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene urea
- N-{3-phenylacetamido-5-(4-fluorobenzoyl)aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene urea
- 10 N-{3-phenylacetamido-5-(4-fluorophenyl)aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene urea
- N-{3-phenylacetamido-5-(4-methoxybenzyl)aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene urea
- 15 N-{3-phenylacetamido-5-(4-methoxyphenyl)aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene urea
- N-{3-phenylacetamido-5-(trans-2-phenylcyclopropyl)aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene urea
- 20 N-{3-phenylacetamido-5-[(R)-(+)-1-phenylethyl]aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene urea
- 25 N-{3-phenylacetamido-5-[(S)-(-)-1-phenylethyl]aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene urea
- N-{3-phenylacetamido-5-[3-(trifluoromethyl)phenyl]aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene urea
- 30 N-{3-phenylacetamido-5-[4-(trifluoromethoxy)phenyl]aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene urea
- 35

- N-{3-phenylacetamido-5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene urea
- 5 N-{3-phenylacetamido-5-cyclohexylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene urea
- N-{3-phenylacetamido-5-isopropylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene urea
- 10 N-{3-phenylacetamido-5-n-butylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene urea
- N-{3-phenylacetamido-5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene
- 15 urea
- N-{3-phenylacetamido-5-p-tolylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene urea
- N-{3-phenylacetamido-5-trichloroacetylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene
- 20 urea
- N-{3-phenylacetamido-5-phenethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene urea
- 25 N-{3-phenylacetamido-5-[3,5-bis(trifluoromethyl)phenyl]aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene urea
- N-{3-phenylacetamido-5-tert-butylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene
- 30 urea
- N-{3-phenylacetamido-5-[2,6-diisopropylphenyl]aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}, N'-methylpolystyrene urea

N-{3-phenylacetamido-5-[2,6-diethylphenyl]aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea

N-{3-phenylacetamido-5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea

N-{3-phenylacetamido-5-[(r)-(-)-1-(1-ethyl-2-naphthyl)ethyl]aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea.

10

Example 11

Preparation of N-{5-phenylacetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}phenylacetamide

Aqueous NaOH 35% (1.72 mmol, 143 mcl) was added to N-{3-phenylacetamido-5-phenylacetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea (0.086 mmol) obtained in example 5, previously swelled in 4 ml of methanol. The resulting suspension was gently stirred at 40°C for 72 hours. The resin was then filtered, the filtrate neutralized with HCl 25% and evaporated to dryness. The residue was partitioned between chloroform (4 ml) and a solution of saturated sodium bicarbonate (200 mcl). The organic layer was dried over sodium sulfate and evaporated to give the title compound as a yellow solid (21.0 mg, 65%).

¹H-NMR (DMSO-d₆) δ ppm: 7.3 - 7.1 (m); 4.6 - 4.4 (m); 3.67 (s); 3.6 (s).

(M + H)⁺ = 360

Analogously, by using the appropriate methylpolystyrene ureas described in examples 6 and 7 were obtained:

N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}phenylacetamide

¹H-NMR (DMSO-d₆) δ ppm: 12.23 (s); 7.3 - 7.2 (m); 4.6 - 4.3 (m); 3.59 (s); 1.97 (s).

(M + H)⁺ = 284

N-benzyl-N'-{3-phenylacetamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea

¹H-NMR (DMSO-d₆) δ ppm: 10.6 (s); 7.3 - 7.1 (m); 6.85 (t
5 broad); 4.37 (s broad); 4.23 (d); 3.6 (s).

(M + H)⁺ = 375

N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}phenylacetamide

¹H-NMR (DMSO-d₆) δ ppm: 7.7 (d); 7.39 (d); 7.3 - 7.2 (m);
10 4.4 - 4.2 (m); 3.56 (s); 2.34 (s).

(M + H)⁺ = 396

N-ethyl-N'-{3-phenylacetamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea

¹H-NMR (DMSO-d₆) δ ppm: 7.3 - 7.1 (m); 6.2 (t broad); 4.3 (s
15 broad); 3.59 (s); 3.03 (m); 1 (t).

(M + H)⁺ = 313

N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-(phenyl)phenylacetamide

¹H-NMR (DMSO-d₆) δ ppm: 7.6 - 7.3 (m); 4.6 - 4.3 (m); 3.64
20 (s); 1.98 (s).

(M + H)⁺ = 360

N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphtylacetamide

¹H-NMR (DMSO-d₆) δ ppm: 7.9 - 7.5 (m); 4.6 - 4.3 (m); 3.78
25 (s); 1.97 (s).

(M + H)⁺ = 334

Example 12

Preparation of a library of 4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl derivatives

30

Step a:

540 g of 3-amino-5-(carbo-tbutoxy)-4,6-dihydropyrrolo[3,4-c]pyrazole were prepared according to the procedure reported in example 4.

Step b:

35

The obtained 3-amino-5-(carbo-tbutoxy)-4,6-dihydropyrrolo[3,4-c]pyrazole was supported on methylisocyanate polystyrene resin (200-400 mesh, 2% DVB, loading 1.49 mmol/g, 900 g) according to the procedure reported in example 5.

Step c

The obtained N-{3-amino-5-(carbo-tbutoxy)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea was partitioned in 96 different batches (15 g each). Each batch was reacted with the appropriate acyl chloride, according to the procedure described in example 6, to obtain the products listed in example 6.

Step d

The 96 batches of N-{3-acyl-amido-5-(carbo-tbutoxy)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene ureas were individually treated with a solution of TFA 50% in anhydrous dichloromethane according to the procedure described in example 7, to obtain the products listed in example 7.

Step e

One out of the 96 lots obtained in step d was partitioned in 149 batches (50 mg each). These 149 batches were individually reacted with the 95 carboxylic acids used in example 8, 15 sulfonylchlorides used in example 9, and 15 isocyanates used in example 10.

Step f

Each of the 149 batches obtained in step e was hydrolysed according to the procedure reported in example 11 to give 149 single 4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl derivatives (7 - 14 mg each).

Step g

Each of the remaining 95 lots of step d underwent steps e, and f.

The overall combinatorial chemistry process gave a library

of 96x149 = 14304 individual 4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl derivatives.

Representative compounds of the above combinatorial library are:

- 5 N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-furan-2-carboxamide; 1H-NMR (DMSO-d6) d ppm: 7.9 (m); 7.4 (m); 6.7 (m); 4.6-4.4 (m); 2.02 (s).
- N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-5-chlorothiophene-2-carboxamide; 1H-NMR (DMSO-d6) d ppm: 8.0-7.9 (m); 7.2 (m); 4.6-4.4 (m); 2.03 (s).
- 10 N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-6-chloronicotinamide; 1H-NMR (DMSO-d6) d ppm: 8.95 (s); 8.4 (m); 7.6 (m); 4.7-4.4 (m); 2.03 (s).
- N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
- 15 benzofuran-2-carboxamide; 1H-NMR (DMSO-d6) d ppm: 7.8-7.3 (m); 4.7-4.4 (m); 2.03 (s).
- N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide; 1H-NMR (DMSO-d6) d ppm: 7.5 - 7.2 (m); 4.7 - 4.4 (m); 2.0 (s).
- 20 N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide; 1H-NMR (DMSO-d6) d ppm: 7.9 - 7.8 (m); 7.5 - 7.4 (m); 4.7 - 4.4 (m); 2.03 (s); 1.30 (s).
- N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-piperonylamide;
- 25 N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-[2-methyl-5-phenyl-furan-3-carboxamide]; 1H-NMR (DMSO-d6) d ppm: 7.6-7.3 (m); 4.7-4.4 (m); 2.62 (s); 2.03 (s).
- N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-(quinoline-6-carboxamide); 1H-NMR (DMSO-d6) d ppm: 9.0
- 30 (m); 8.7-8.5 (m); 8.3-7.9 (m); 7.6 (m); 4.7-4.2 (m); 2.05 (s).
- N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-[5-(4-chlorophenyl)furan-2-carboxamide]; 1H-NMR (DMSO-d6) d ppm: 8.0-7.2 (m); 4.7-4.4 (m); 2.03 (s).

- N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
4-tertbutylbenzamide 1H-NMR (DMSO-d6) d ppm: 7.9 - 7.8
(m); 7.5 - 7.4 (m); 4.5 - 4.4 (m); 2.96 (s); 1.28 (s).
- 5 N-{5-benzensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
4-tertbutylbenzamide 1H-NMR (DMSO-d6) d ppm: 7.9 - 7.8
(m); 7.7 - 7.6 (m); 7.5 - 7.4 (m); 4.5 - 4.3 (m); 1.28 (s).
- N-{5-benzoyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-
tertbutylbenzamide 1H-NMR (DMSO-d6) d ppm: 7.9 - 7.8
(m); 7.6 - 7.4 (m); 4.7 - 4.5 (m); 1.26 (s).
- 10 N-{5-(1-naphthalene)sulfonyl-4,6-dihydropyrrolo[3,4-
c]pyrazol-3-yl}-4-tertbutylbenzamide 1H-NMR (DMSO-d6) d
ppm: 8.3 - 8.2 (m); 8.1 - 8.0 (m); 7.9 - 7.8 (m); 7.8 - 7.6
(m); 7.5 - 7.4 (m); 4.6 - 4.5 (m); 1.27 (s).
- N-{5-(1-naphtoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-
15 tertbutylbenzamide; 1H-NMR (DMSO-d6) d ppm: 8.0 - 7.9
(m); 7.9 - 7.7 (m); 7.6 - 7.4 (m); 4.8 - 4.2 (m); 1.23 (s).
- N-{5-phenylacetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-
tertbutylbenzamide; 1H-NMR (DMSO-d6) d ppm: 7.9 - 7.8
(m); 7.5 - 7.4 (m); 7.3 - 7.2 (m); 4.7 - 4.4 (m); 3.7 - 3.6
20 (m); 1.29 (s).
- N-phenyl-N'-{3-(4-tertbutyl-benzamido)-4,6-
dihydropyrrolo[3,4-c]pyrazol-5-yl}urea 1H-NMR (DMSO-d6)
d ppm: 7.9 - 7.8 (m); 7.5 - 7.4 (m); 7.3 - 7.2 (m); 6.9 -
6.8 (m); 4.6 - 4.5 (m); 1.27 (s).
- 25 N-isopropyl-N'-{3-(4-tertbutyl-benzamido)-4,6-
dihydropyrrolo[3,4-c]pyrazol-5-yl}urea 1H-NMR (DMSO-d6)
d ppm: 7.9 - 7.8 (m); 7.5 - 7.4 (m); 4.4 - 4.3 (m); 3.8 -
3.7 (m); 1.29 (s); 1.07 (d).
- N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
30 4-phenoxybenzamide 1H-NMR (DMSO-d6) d ppm: 7.5 -
7.4 (m); 4.5 - 4.4 (m); 3.0 (s); .
- N-{5-benzoyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-
phenoxybenzamide; 1H-NMR (DMSO-d6) d ppm: ; 7.6-
7.4 (m); 7.1- 6.9 (m); 4.65- 4.5 (m)

- N-{5-(1-naphtoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide; 1H-NMR (DMSO-d6) d ppm: ; 8.1-7.8 (m); 7.2-6.9 (m); 4.9-4.7 (m); 4.4-4.2 (m)
- 5 N-isopropyl-N'-{3-(4-phenoxy-benzamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea 1H-NMR (DMSO-d6) d ppm: 7.5 - 7.4 (m); 4.3 - 4.2 (m); 3.8 (m); 1.1 (d).
- N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-[2-(2-naphtyl)propionamide]; 1H-NMR (DMSO-d6) d ppm: 7.8 - 7.5 (m); 4.6 - 4.3 (m); 4.0 (m); 2.0 (s); 1.5 (m). "
- 10 N-isopropyl-N'-{3-piperonylcarboxamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea 1H-NMR (DMSO-d6) d ppm: 7.4-7.7 (m), 6.1 (s), 4.7-4.9 (m), 1.0-1.1 (m).
- 15 N-cyclohexyl-N'-{3-(4-tertbutyl-benzamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea 1H-NMR (DMSO-d6) d ppm: 7.9 - 7.8 (m); 7.5 - 7.4 (m); 4.4 - 4.3 (m); 1.8 - 1.0 (m); 1.23 (s).
- N-ethyl-N'-{3-(4-tertbutyl-benzamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea 1H-NMR (DMSO-d6) d ppm: 7.9 - 7.8 (m); 7.5 - 7.4 (m); 4.4 - 4.3 (m); 3.3 - 3.0 (m); 1.30 (s); 1.1 - 1.0 (m);
- 20 N-(2,6-diethylphenyl)-N'-{3-(4-tertbutyl-benzamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea 1H-NMR (DMSO-d6) d ppm: 7.9 - 7.8 (m); 7.5 - 7.4 (m); 7.1 - 7.0 (m); 4.6 - 4.5 (m); 2.56 (q); 1.30 (s); 1.11 (t).
- N-cyclohexyl-N'-{3-(2-ethyl-butyramido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea 1H-NMR (DMSO-d6) d ppm: 4.3 (m); 3.4 (m); 2.24 (m); 1.6-1.4 (m); 0.8 (m).
- 25 N-(2,6-diethylphenyl)-N'-{3-piperonylcarboxamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea 1H-NMR (DMSO-d6) d ppm: 7.5-7.7 (m) 7.0-7.2 (m), 6.1 (s), 4.4-4.6 (m), 2.5-2.6 (m), 1.0-1.1 (t).
- 30 N-2-methoxyphenyl-N'-{3-(2-naphthalen-2-yl-propionamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea 1H-NMR (DMSO-d6) d ppm: 7.8 - 6.8 (m); 4.5 (m); 4.0 (m); 3.8 (s); 1.5 (d).
- 35

- N-(1-phenyl)ethyl-N'-{3-(2-naphthalen-2-yl-propionamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea 1H-NMR (DMSO-d6) d ppm: 10.6(s); 7.8 - 7.2 (m); 6.6(m); 4.8(m); 4.4(m); 4.0(m); 1.5(d); 1.4(d).
- 5 N-{5-phenylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-naphthalen-2-yl)-propionamide 1H-NMR (DMSO-d6) d ppm: 7.8 - 7.5 (m); 4.4(m); 4.0(m); 1.4(d).
- N-(2,5-dimethylphenyl)-N'-{3-(4-tertbutyl-benzamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea 1H-NMR (DMSO-d6) d ppm: 7.9 - 7.8 (m); 7.5 - 7.4 (m); 7.1 - 6.8 (m); 4.6 - 4.5 (m); 2.23 (s); 2.16 (s); 1.30 (s).
- 10 N-(2,5-dimethylphenyl)-N'-{3-(2-ethyl-butyramido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea 1H-NMR (DMSO-d6) d ppm: 7.1-6.8 (m); 4.5 (m); 1.5-1.4 (m); 0.8 (m).
- 15 N-(4-fluorobenzyl)-N'-{3-(2-ethyl-butyramido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea 1H-NMR (DMSO-d6) d ppm: 7.3-7.1 (m); 4.4 (m); 4.2 (m); 1.5-1.4 (m); 0.8 (m).
- N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide; 1H-NMR (DMSO-d6) d ppm: 7.9 - 7.8 (m); 7.5 - 7.4 (m); 7.4 - 7.3 (m); 4.6 - 4.3 (m); 1.30 (s).
- 20 N-2-chlorophenyl-N'-{3-(2-naphthalen-2-yl-propionamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea 1H-NMR (DMSO-d6) d ppm: 7.9 - 7.1 (m); 4.5(m); 4.0(m); 1.5(d).
- 25 "N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-(2-naphtyl)propionamide; 1H-NMR (DMSO-d6) d ppm: 10.6(s); 7.8 - 7.5 (m); 5.8(bs); 4.3 (m); 4.0 (m); 1.5(d)." N-{5-(3-methyl-butanoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide; 1H-NMR (DMSO-d6) d ppm: 8.0-7.4 (m); 4.7 - 4.4 (m); 0.9(d).
- 30 N-{5-(2-phenyl-thiazol-4-yl)acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide; 1H-NMR (DMSO-d6) d ppm: ; 8.1- 7.9(m); 7.5- 7.1(m); 4.9- 4.4 (m); 3.3(s)
- 35 N-{5-(2-thienyl-acetyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide; 1H-NMR (DMSO-d6) d ppm: 7.9 -

-7.8 (m); 7.5 - 7.4 (m); 7.4 - 7.3 (m); 7.0 - 6.9 (m); 4.8 - 4.4 (m); 4.0 - 3.9 (m); 1.30 (s).

N-{5-(3-pyridinyl-acetyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide; 1H-NMR (DMSO-d6) d ppm: 8.4 - 8.3 (m); 7.9 - 7.8 (m); 7.7 - 7.3 (m); 4.8 - 4.4 (m); 3.8 - 3.7 (m); 1.30 (s).

N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide; 1H-NMR (DMSO-d6) d ppm: ; 8.1-7.9(m); 7.45- 7.1(m); 4.5- 4.3(m); 4.6(s)

10 N-{5-(2-methylpropyl)carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide; 1H-NMR (DMSO-d6) d ppm: 7.9 - 7.8 (m); 7.5 - 7.4 (m); 4.7 - 4.4 (m); 2.2 - 2.1 (m); 2.1 - 2.0 (m); 1.30 (s); 0.94 (d).

15 N-{5-(2-phenyl-thiazol-4-yl)acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide; 1H-NMR (DMSO-d6) d ppm: 7.9 - 7.8 (m); 7.5 - 7.4 (m); 4.9 - 4.5 (m); 3.94 (s); 1.30 (s).

20 N-{5-(2-thienyl)acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide; 1H-NMR (DMSO-d6) d ppm: 7.9 - 7.4 (m); 4.8 - 4.4 (m); 3.9 (s);

N-{5-(1-naphthalene)sulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopropylcarboxamide 1H-NMR (DMSO-d6) d ppm: 8.7 (m); 8.2 - 8.1 (m); 7.8-7.6 (m); 4.6 - 4.3 (m); 0.8-0.7 (m).

25 N-{5-(2-methoxyphenyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-naphthalen-2-yl)-propionylamide 1H-NMR (DMSO-d6) d ppm: 10.6(s); 7.8 - 7.0 (m); 4.6 - 4.2(m); 4.0(m); 3.8(s); 1.4(d).

30 N-{5-(2-furoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-naphthalen-2-yl)-propionylamide 1H-NMR (DMSO-d6) d ppm: 7.8 - 6.6 (m); 4.9 - 4.6(m); 4.0(m); 1.5(d).

N-{5-[5-(1-morfolinomethyl)furan-2-carbonyl]-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide; 1H-NMR (DMSO-d6) d ppm: 7.9 - 7.8 (m); 7.5 - 7.4 (m); 5.0 - 4.7 (m); 3.57 (bs); 2.42 (bs); 1.30 (s).

35

- N-{5-{4-[2-(1-pyrrolidinyl)ethoxy]phenyl}acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
1H-NMR (DMSO-d6) d ppm: 7.9 - 7.8 (m); 7.5 - 7.4 (m); 7.2 - 7.1 (m); 6.9 - 6.8 (m); 4.7 - 4.4 (m); 4.11 (bs); 3.7 - 3.6 (m); 1.77 (bs); 1.30 (s).
- 5 N-{5-(1-H-benzotriazole-5-carbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide; 1H-NMR (DMSO-d6) d ppm: 8.2 - 7.4 (m); 4.7 - 4.6 (m); 1.26 (s).
- 10 N-{5-(pyrrole-3-carbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide; 1H-NMR (DMSO-d6) d ppm: 7.9 - 7.8 (m); 7.5 - 7.4 (m); 7.3 - 7.2 (m); 6.81 (bs); 6.5 - 6.4 (m); 4.9 - 4.5 (m); 1.30 (s).
- 15 N-{5-{4-[2-oxo-2-(1-pyrrolidinyl)ethoxy]phenyl}acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide; 1H-NMR (DMSO-d6) d ppm: 8.02(m); 4.66(s); 4.8- 4.4 (m); 1.9- 1.6 (m)
- N-{5-(4-methylsulfonamido-phenyl)acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;
1H-NMR (DMSO-d6) d ppm: 8.0 (m); 4.8- 4.4 (m); 2.95(s)
- 20 N-{5-[2-(6-oxo-1(6H)-pyridazinyl)acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide; 1H-NMR (DMSO-d6) d ppm: 8.0 - 7.4 (m); 4.97(m); 4.8- 4.4 (m)
- N-{5-(3-carbamoylmethoxy-phenyl)acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;
25 1H-NMR (DMSO-d6) d ppm: 7.4 - 7.2 (m); 4.8 - 4.4 (m); 4.38 (s).
- N-{5-(4-carbamoylmethoxy-phenyl)acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;
1H-NMR (DMSO-d6) d ppm: ; 7.44(s); 7.32(s) 7.44- 7.22(m); 7.16- 7.19(m); 4.85- 4.4(m)
- 30 N-{5-[4-(1-pyrrolidinyl)phenyl]acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide; 1H-NMR (DMSO-d6) d ppm: ; 8.01(d); 7.44(dd); 4.8- 4.2(m) 3.56(m); 3.16(m); 1.91(m)

N-{5-carbamoyloxyacetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide; 1H-NMR (DMSO-d6) d ppm: 7.4 - 7.2 (m); 7.1 (d); 4.8 - 4.2 (m)

5 N-{5-{4-[2-(4-methylpiperazin-2-yl)ethoxy]phenyl}acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide; 1H-NMR (DMSO-d6) d ppm: ; 8.0 (m); 4.8 - 4.4 (m); 4.02 (m); 3.64 (m); 2.18 (s)

10 N-{5-{4-[2-(1-pyrrolidinyl)ethoxy]phenyl}acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide; 1H-NMR (DMSO-d6) d ppm: ; 8.02 (m); 6.88 (m); 3.65 (m); 2.66 (m); 1.71 (m)

15 N-{5-{4-[2-oxo-2-(1-pyrrolidinyl)ethoxy]phenyl}acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide; 1H-NMR (DMSO-d6) d ppm: 7.9 - 7.8 (m); 7.5 - 7.4 (m); 7.2 - 6.8 (m); 4.8 - 4.4 (m); 4.66 (s); 3.7 - 3.4 (m); 1.9 - 1.7 (m); 1.30 (s).

20 N-{5-(4-methylsulfonamido-phenyl)acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide; 1H-NMR (DMSO-d6) d ppm: 7.9 - 7.8 (m); 7.5 - 7.4 (m); 7.2 - 7.1 (m); 4.8 - 4.4 (m); 3.7 - 3.6 (m); 2.94 (s); 1.30 (s).

N-{5-(pyridine-3-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide; 1H-NMR (DMSO-d6) d ppm: 8.7 - 8.6 (m); 8.0 - 7.7 (m); 7.5 - 7.4 (m); 4.8 - 4.6 (m); 1.28 (s).

25 N-{5-(pyridine-3-carbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide; 1H-NMR (DMSO-d6) d ppm: 8.8 - 8.6 (m); 8.1 - 7.8 (m); 7.5 - 7.4 (m); 4.8 - 4.5 (m); 1.27 (s).

30 N-{5-(pyridine-4-carbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide; 1H-NMR (DMSO-d6) d ppm: 8.8 - 8.7 (m); 7.9 - 7.7 (m); 7.6 - 7.4 (m); 4.7 - 4.5 (m); 1.27 (s).

35 N-{5-(2-methyl-pyridine-3-carbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide; 1H-NMR (DMSO-d6) d ppm: 8.5 - 8.4 (m); 8.0 - 7.7 (m); 7.6 - 7.2 (m); 4.7 - 4.4 (m); 2.44 (s); 1.27 (s).

- N-{5-(2-thiomethyl-pyridine-3-carbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
1H-NMR (DMSO-d6) d ppm: 8.6 - 8.5 (m); 7.9 - 7.2 (m); 4.7 - 4.4 (m); 2.51 (s); 1.27 (s).
- 5 N-{5-(pyrazine-2-carbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide; 1H-NMR (DMSO-d6) d ppm: 9.1 - 9.0 (m); 8.8 - 8.7 (m); 7.9 - 7.8 (m); 7.6 - 7.4 (m); 4.9 - 4.7 (m); 1.29 (s).
- 10 N-{5-(3-furoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide; 1H-NMR (DMSO-d6) d ppm: ; 7.8-7.7 (m); 7.2-7.0 (m); 4.9-4.6 (m)
- N-{5-(2-thenoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide; 1H-NMR (DMSO-d6) d ppm: 8.0 - 7.7 (m); 7.4-7.0 (m); 5.0-4.6 (m)
- 15 N-{5-(7-methoxy-benzofuran-2-carbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide
1H-NMR (DMSO-d6) d ppm: 7.9 - 7.8 (m); 7.7 - 7.0 (m); 5.2 - 4.6 (m); 4.0 - 3.9 (m); 1.31 (s).
- 20 N-{5-(benzofuran-2-carbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide; 1H-NMR (DMSO-d6) d ppm: 7.9 - 7.3 (m); 5.2 - 4.7 (m); 1.31 (s).
- N-{5-(2-furoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide; 1H-NMR (DMSO-d6) d ppm: 7.9 - 7.8 (m); 7.5 - 7.4 (m); 7.2 - 7.1 (m); 6.7 - 6.6 (m); 5.0 - 4.6 (m); 1.30 (s).
- 25 N-{5-(3-furoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide; 1H-NMR (DMSO-d6) d ppm: 8.3 - 8.2 (m); 7.9 - 7.5 (m); 6.9 - 6.8 (m); 4.8 - 4.6 (m); 1.30 (s).
- 30 N-{5-(2-furoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide; 1H-NMR (DMSO-d6) d ppm: 8.1 - 7.9 (m); 7.4 - 7.0 (m); 5.0-4.6 (m)
- N-{5-(3-thenoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide; 1H-NMR (DMSO-d6) d ppm: 8.1 - 7.8 (m); 7.6 - 7.3 (m); 4.8 - 4.6 (m); 1.29 (s).

- N-{5-(quinoxaline-2-carbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide; 1H-NMR (DMSO-d6) d ppm: ; 8.2-8.15(m); 7.5- 7.4(m); 5.2- 4.8(m)
- 5 N-{5-(2-thienyl)acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide; 1H-NMR (DMSO-d6) d ppm: 8.0 - 7.9 (m); 7.5 - 7.3 (m); 7.0 - 6.9 (m); 4.9 - 4.5 (m); 4.40 (q); 3.99 (s); 1.34 (t); 1.30 (s).
- 10 N-{5-(quinoline-6-carbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide; 1H-NMR (DMSO-d6) d ppm: ; 9.0- 8.95(m); 7.1- 6.9(m); 4.8- 4.6(m)
- N-{5-(3-furoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide; 1H-NMR (DMSO-d6) d ppm: 7.5 - 7.2(m); 4.8 - 4.5(m);
- 15 N-{5-(pyrazine-2-carbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide 1H-NMR (DMSO-d6) d ppm: 9.1 - 8.7(m); 4.9- 4.7 (m);
- N-{5-[2-(6-oxo-1(6H)-pyridazinyl)acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl]-4-tertbutylbenzamide; 1H-NMR (DMSO-d6) d ppm: 8.0 - 7.9 (m); 7.5 - 7.4 (m); 7.0 - 6.9 (m); 5.0 - 4.9 (m); 4.8 - 4.5 (m); 1.30 (s).
- 20 N-{5-(4-carbamoylmethoxy-phenyl)acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide; 1H-NMR (DMSO-d6) d ppm: 7.9 - 7.8 (m); 7.5 - 7.4 (m); 7.2 - 7.1 (m); 6.9 - 6.8 (m); 4.7 - 4.4 (m); 4.37 (s); 3.7 - 3.6 (m); 1.30 (s)
- 25 N-{5-carbamoyloxyacetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide; 1H-NMR (DMSO-d6) d ppm: 7.9 - 7.8 (m); 7.5 - 7.4 (m); 4.7 - 4.4 (m); 1.30 (s).
- N-{5-{4-[2-(4-methylpiperazin-2-yl)ethoxy]phenyl}acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide; 1H-NMR (DMSO-d6) d ppm: 7.9 - 7.8 (m); 7.5 - 7.4 (m); 7.2 - 6.8 (m); 4.7 - 4.4 (m); 4.1 - 4.0 (m); 3.7 - 3.6 (m); 2.7 - 2.6 (m); 2.5 - 2.3 (m); 2.13 (s); 1.30 (s)
- 30 N-{5-(2-methylsulfonamidothiazole-4-carbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
- 35

- 1H-NMR (DMSO-d6) d ppm: 7.9 - 7.8 (m); 7.5 - 7.4 (m); 7.11 (s); 5.1 - 4.5 (m); 2.71 (s); 1.30 (s).
- 5 N-{5-(benzofuran-2-carbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide; 1H-NMR (DMSO-d6) d ppm: ; 7.8- 7.6(m); 7.3- 7.1(m); 5.1- 4.7(m)
- N-{5-(pyridine-2-carbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide 1H-NMR (DMSO-d6) d ppm: 8.7 - 8.6 (m); 8.1 - 7.8 (m); 5.0- 4.6 (m)
- 10 N-{5-(2-methyl-pyridine-3-carbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide 1H-NMR (DMSO-d6) d ppm: 8.6 - 8.5 (m); 4.7 - 4.3 (m); 2.5- 2.4 (s)
- N-{5-(quinoline-4-carbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide; 1H-NMR (DMSO-d6) d ppm: 9(m); 8.1- 7(m); 4.8- 4.3(m)
- 15 N-{5-[4-(1-pyrrolidin-2-on)benzoyl]-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide; 1H-NMR (DMSO-d6) d ppm: 7.9 - 7.4 (m); 4.7 - 4.5 (m); 3.9 - 3.8 (m); 2.5 - 2.4 (m); 2.1 - 2.0 (m); 1.27 (s).
- 20 N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide 1H-NMR (DMSO-d6) d ppm: 7.9 - 7.8 (m); 7.5 - 7.4 (m); 7.3 - 7.1 (m); 4.0 - 3.8 (m); 3.1 - 2.8 (m); 1.30 (s).
- N-n-butyl-N'-{3-(2-naphthalen-2-yl-propionamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea 1H-NMR (DMSO-d6) d ppm: 7.8 - 7.5 (m); 6.2(m); 4.3(m); 4.0(m); 3.0(m); 1.5 - 1.3(m); 0.8(t).
- 25 N-isopropyl-N'-{3-(2-naphthalen-2-yl-propionamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea 1H-NMR (DMSO-d6) d ppm: 10.6(s); 7.8 - 7.5 (m); 5.9(m); 4.3(m); 4.0(m); 3.8(m); 1.5(d); 1.0(d).
- 30 N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphtylpropionamide 1H-NMR (DMSO-d6) d ppm: 7.8 - 7.5 (m); 6.2(m); 4.3(m); 4.0(m); 3.1(m); 1.5(d); 1.0(t)."

- N-{5-ethoxycarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
3-(2-naphthalen-2-yl)-propionamide 1H-NMR (DMSO-d6) d
ppm: 7.8 - 7.5 (m); 4.4(m); 4.0(m); 1.5(d); 1.2 - 1.0(m).
- 5 N-{5-(3-methylbutyryl)-4,6-dihydropyrrolo[3,4-c]pyrazol-
3-yl}-3-(2-naphthalen-2-yl)-propionamide 1H-NMR (DMSO-
d6) d ppm: 10.6(s); 7.8 - 7.5 (m); 4.6 - 4.4(m); 4.0(m);
2.2 - 2.0(m); 1.5(d); 0.9(m).
- 10 N-{5-aminocarbonylmethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-
3-yl}-3-(2-naphthalen-2-yl)-propionamide 1H-NMR (DMSO-
d6) d ppm: 7.8 - 7.5 (m); 7.2(bs); 7.0(bs); 4.0(m); 3.8(m);
3.2(s); 1.4(d).
- 15 N-{5-(pyrrol-3-ylcarbonyl)-4,6-dihydropyrrolo[3,4-
c]pyrazol-3-yl}-3-(2-naphthalen-2-yl)-propionamide 1H-
NMR (DMSO-d6) d ppm: 7.8 - 6.5 (m); 4.8 - 4.5(m); 4.0(m);
1.5(d).
- N-{5-ethoxycarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
4-tertbutylbenzamide; 1H-NMR (DMSO-d6) d ppm: 7.9 - 7.8
(m); 7.5 - 7.4 (m); 4.5 - 4.4 (m); 4.09 (q); 1.30(s); 1.22
(t).
- 20 N-{5-isopentyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-
tertbutylbenzamide 1H-NMR (DMSO-d6) d ppm: 7.9 - 7.8
(m); 7.5 - 7.4 (m); 4.0 - 3.8 (m); 1.7 - 1.6 (m); 1.5 - 1.4
(m); 1.30 (s); 0.90 (d).
- N-butyl-N'-{3-(4-tertbutyl-benzamido)-4,6-
25 dihydropyrrolo[3,4-c]pyrazol-5-yl}urea 1H-NMR (DMSO-d6)
d ppm: 7.9 - 7.8 (m); 7.5 - 7.4 (m); 4.4 - 4.3 (m); 3.04
(q); 1.5 - 1.4 (m); 1.30 (s); 0.87 (t).
- N-{5-(indol-2-yl)carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-
3-yl}-4-tertbutylbenzamide; 1H-NMR (DMSO-d6) d ppm: 7.9
30 - 7.0 (m); 5.1 - 4.7 (m); 1.31 (s).
- N-{5-(1-methyl-indol-3-yl)acetyl-4,6-dihydropyrrolo[3,4-
c]pyrazol-3-yl}-4-tertbutylbenzamide; 1H-NMR (DMSO-d6) d
ppm: 7.6 - 7.0 (m); 3.77 (s); 3.8 - 3.7 (m); 1.30 (s).
- N-{5-[4-(1-imidazolylmethyl)benzoyl]-4,6-
35 dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;

- 1H-NMR (DMSO-d6) d ppm: 8.1 - 7.86 (m); 7.5- 6.95 (m);
5.2 (m); 4.7- 4.4 (m)
N-{5-[4-(1-imidazolylmethyl)benzoyl]-4,6-
dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;
- 5 1H-NMR (DMSO-d6) d ppm: 7.9 - 7.1 (m); 5.2 (s); 4.7- 4.5 (m)
N-{5-[4-(1-pyrrolidin-2-on)benzoyl]-4,6-dihydropyrrolo[3,4-
c]pyrazol-3-yl}-4-phenoxybenzamide; 1H-NMR (DMSO-d6) d
ppm: 8.1 - 7.6 (m); 7.5- 6.95 (m); 4.7-
4.55 (m); 3.85 (m); 2.45 (m); 2.1 (m)
- 10 N-{5-(2-morfolinomethyl-5-furoyl)-4,6-dihydropyrrolo[3,4-
c]pyrazol-3-yl}-4-phenoxybenzamide 1H-NMR (DMSO-d6) d
ppm: 7.4 - 7.0 (m); 4.9- 4.6 (m); 2.6-2.4 (m)
N-{5-(5-acetylamino-2-furoyl)-4,6-dihydropyrrolo[3,4-
c]pyrazol-3-yl}-3-(2-naphthalen-2-yl)-propionamide 1H-
- 15 NMR (DMSO-d6) d ppm: 7.8 - 7.5 (m); 7.1 - 6.3 (m); 4.8 -
4.6 (m); 4.0 (m); 2.0 (s); 1.5 (d).
N,N-dimethyl-N'-{3-(2-naphthalen-2-yl-propionamido)-4,6-
dihydropyrrolo[3,4-c]pyrazol-5-yl}urea 1H-NMR (DMSO-d6)
d ppm: 7.8 - 7.5 (m); 4.4 (m); 4.0 (m); 2.8 (s); 1.5 (d).
- 20 N-{5-(piperidin-1-yl)carbamoyle}-4,6-dihydropyrrolo[3,4-
c]pyrazol-3-yl}-3-(2-naphthalen-2-yl)-propionamide 1H-
NMR (DMSO-d6) d ppm: 7.8 - 7.5 (m); 4.4 (m); 4.0 (m); 3.1 (m);
1.5 (m).
N-{5-(4-methyl-piperazin-1-yl)acetyl-4,6-
dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-naphthalen-2-yl)-
propionamide 1H-NMR (DMSO-d6) d ppm: 7.8 - 7.5 (m); 4.7
- 4.4 (m); 4.0 (m); 3.1 (m); 2.6 - 2.2 (m); 1.5 (m).
N-{5-(piperidin-1-yl)acetyl-4,6-dihydropyrrolo[3,4-
c]pyrazol-3-yl}-3-(2-naphthalen-2-yl)-propionamide 1H-
- 30 NMR (DMSO-d6) d ppm: 7.8 - 7.5 (m); 4.7 - 4.4 (m); 4.0 (m);
3.1 (m); 2.4 (m); 1.4 (m).
N-{5-(pirrolidin-1-ylcarbonyl)methyl-4,6-
dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-naphthalen-2-yl)-
propionamide 1H-NMR (DMSO-d6) d ppm: 7.8 - 7.5 (m);
35 4.0 (m); 3.8 (m); 3.5 (s); 3.4 - 3.3 (m); 1.8 (m); 1.4 (d).

- N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-(4-pyrrolidin-1-yl)phenylacetamide; 1H-NMR (DMSO-d6) d ppm: 7.1 - 6.5 (m); 4.6 - 4.3 (m); 3.4 (s); 3.2 (m); 2.0 (s); 1.9 (m).
- 5 N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-((4-pyrrolidin-1-yl)phenyl)propionamide; 1H-NMR (DMSO-d6) d ppm: 7.1 - 6.5 (m); 4.6 - 4.3 (m); 3.7 (m); 3.2 (m); 2.0 (s); 1.9 (m); 1.3 (m).
- 10 N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-(4-(2-oxo-pyrrolidin-1-yl)phenyl)acetamide; 1H-NMR (DMSO-d6) d ppm: 7.1 - 6.5 (m); 4.6 - 4.3 (m); 3.8 (m); 3.4 (s); 2.5 (m); 2.1 (m); 2.0 (s).
- 15 N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-(4-(2-oxo-pyrrolidin-1-yl)phenyl)propionamide; 1H-NMR (DMSO-d6) d ppm: 7.1 - 6.5 (m); 4.6 - 4.3 (m); 3.8 (m); 2.4 (m); 2.0 (s); 1.9 (m); 1.4 (m).
- 20 N-2-methoxyphenyl-N'-{2-[4-(2-oxo-pyrrolidin-1-yl)phenyl]-propionamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea 1H-NMR (DMSO-d6) d ppm: 7.6 - 7.3 (m); 7.0 - 6.8 (m); 4.5 (m); 3.8 (m); 2.4 (m); 2.0 (m); 1.4 (d).
- N-2,4-difluorophenyl-N'-{2-[4-(2-oxo-pyrrolidin-1-yl)phenyl]-propionamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea 1H-NMR (DMSO-d6) d ppm: 7.6 - 7.0 (m); 4.5 (m); 3.8 (m); 2.4 (m); 2.0 (m); 1.4 (d).
- 25 N-(1-phenyl)ethyl-N'-{2-[4-(2-oxo-pyrrolidin-1-yl)phenyl]-propionamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea 1H-NMR (DMSO-d6) d ppm: 7.6 - 7.2 (m); 4.8 (m); 4.4 (m); 3.8 (m); 2.4 (m); 2.0 (m); 1.4 (m).
- 30 N-2-methoxyphenyl-N'-{2-(4-pyrrolidin-1-yl-phenyl)-propionamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea 1H-NMR (DMSO-d6) d ppm: 7.2 - 6.5 (m); 4.5 (m); 3.8 (s); 3.7 (m); 3.2 (m); 1.9 (m); 1.3 (d).
- 35 N-2,4-difluorophenyl-N'-{2-(4-pyrrolidin-1-yl-phenyl)-propionamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea 1H-NMR (DMSO-d6) d ppm: 7.5 - 6.4 (m); 4.5 (m); 3.7 (m); 3.2 (m); 1.9 (m); 1.3 (d).

- N-(1-phenyl)ethyl-N'-{2-(4-pyrrolidin-1-yl-phenyl)-propionamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea
1H-NMR (DMSO-d6) d ppm: 7.4 - 6.4 (m); 4.8 (m); 4.4 (m); 3.7 (m); 3.2 (m); 1.9 (m); 1.4 (d); 1.3 (d).
- 5 N-{5-phenylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-(4-pyrrolidin-1-yl-phenyl)-propionamide 1H-NMR (DMSO-d6) d ppm: 7.8 - 6.4 (m); 4.4 (m); 3.6 (m); 3.2 (m); 1.9 (m); 1.3 (d).
- 10 N-2-methoxyphenyl-N'-{[4-(2-oxo-pyrrolidin-1-yl)-phenyl]-acetamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea 1H-NMR (DMSO-d6) d ppm: 7.6 - 6.8 (m); 4.5 (m); 3.8 (m); 3.6 (s); 2.5 (m); 2.0 (m).
- 15 N-2-chlorophenyl-N'-{[4-(2-oxo-pyrrolidin-1-yl)-phenyl]-acetamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea 1H-NMR (DMSO-d6) d ppm: 7.8 - 7.1 (m); 4.5 (m); 3.8 (m); 3.6 (s); 2.5 (m); 2.0 (m).
- 20 N-(1-phenyl)ethyl-N'-{[4-(2-oxo-pyrrolidin-1-yl)-phenyl]-acetamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea 1H-NMR (DMSO-d6) d ppm: 7.6 - 7.2 (m); 6.6 (m); 4.8 (m); 4.4 (m); 3.8 (m); 3.7 (s); 2.5 (m); 2.0 (m); 1.4 (d).
- N-n-butyl-N'-{[4-(2-oxo-pyrrolidin-1-yl)-phenyl]-acetamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea 1H-NMR (DMSO-d6) d ppm: 7.6 - 7.3 (m); 6.2 (m); 4.3 (m); 3.8 (m); 3.7 (s); 3.0 (m); 2.5 (m); 2.0 (m); 1.4 (m); 1.2 (m); 0.8 (t).
- 25 N-{5-phenylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-(2-oxo-pyrrolidin-1-yl)-phenyl-acetamide 1H-NMR (DMSO-d6) d ppm: 7.8 - 7.2 (m); 4.4 (m); 3.8 (m); 3.6 (s); 2.5 (m); 2.0 (m).
- 30 N-n-butyl-N'-{2-[4-(2-oxo-pyrrolidin-1-yl)phenyl]-propionamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea 1H-NMR (DMSO-d6) d ppm: 7.6 - 7.3 (m); 6.2 (m); 4.3 (m); 3.8 (m); 3.0 (m); 2.4 (m); 2.0 (m); 1.4 - 1.2 (m); 0.9 (t).
- 35 N-{5-phenylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-[4-(2-oxo-pyrrolidin-1-yl)-phenyl]-propionamide 1H-NMR (DMSO-d6) d ppm: 7.8 - 7.3 (m); 4.4 (m); 3.8 (m); 2.5 (m); 2.0 (m); 1.3 (d).

- N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
4-(2-oxo-pyrrolidin-1-yl)-phenyl-acetamide 1H-NMR (DMSO-
d6) d ppm: 7.6 - 7.2 (m); 5.8(s); 4.3(m); 3.8(m); 3.6(s);
2.5(m); 2.0(m).
- 5 N-n-butyl-N'-{2-(4-pyrrolidin-1-yl-phenyl)-propionamido-
4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea 1H-NMR (DMSO-
d6) d ppm: 7.1 - 6.5(m); 6.2(m); 4.3(m); 3.7(m); 3.2(m);
3.0(m); 1.9(m); 1.4 - 1.2(m); 0.8(t).
- 10 N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
2-(4-pyrrolidin-1-yl-phenyl)-propionamide 1H-NMR (DMSO-
d6) d ppm: 7.1 - 6.5(m); 5.8(bs); 4.3(m); 3.7(m); 3.2(m);
1.9(m); 1.3(d).
- 15 N-2-methoxyphenyl-N'-{(4-pyrrolidin-1-yl-phenyl)-acetamido-
4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea 1H-NMR (DMSO-
d6) d ppm: 10.5(s); 7.8 - 6.5 (m); 4.5(m); 3.8 (s); 3.5(s);
3.2(m); 1.9(m).
- 20 N-2-chlorophenyl-N'-{(4-pyrrolidin-1-yl-phenyl)-acetamido-
4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea 1H-NMR (DMSO-
d6) d ppm: 10.5(s); 7.8 - 6.5 (m); 4.5(m); 3.4 (s); 3.2(m);
1.9(m).
- N-(1-phenyl)ethyl-N'-{(4-pyrrolidin-1-yl-phenyl)-acetamido-
4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea 1H-NMR (DMSO-
d6) d ppm: 10.4(s); 7.3 - 6.4 (m); 4.8(m); 4.4 (s); 3.5(s);
3.2(m); 1.9(m); 1.4(d).
- 25 N-n-butyl-N'-{(4-pyrrolidin-1-yl-phenyl)-acetamido-4,6-
dihydropyrrolo[3,4-c]pyrazol-5-yl}urea 1H-NMR (DMSO-d6)
d ppm: 10.4(s); 7.1 - 6.5 (m); 6.2(t); 4.3(m); 3.4(s);
3.2(m); 3.0(m); 1.9(m); 1.4 - 1.2(m); 0.8(t).
- 30 N-{5-phenylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
(4-pyrrolidin-1-yl-phenyl)-acetamide 1H-NMR (DMSO-d6) d
ppm: 7.8 - 7.6 (m); 7.0 - 6.4(m); 4.4(m); 3.3(s); 3.2(m);
1.9(m).
- 35 N-ethyl-N'-{[4-(2-oxo-pyrrolidin-1-yl)-phenyl]-acetamido-
4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea 1H-NMR (DMSO-
d6) d ppm: 7.9 - 7.3 (m); 6.2(m); 4.5 - 4.3(m); 3.8(m);
3.6(s); 3.0(m); 2.5(m); 2.0(m); 1.0(t).

N-i-propyl-N'-{[4-(2-oxo-pyrrolidin-1-yl)-phenyl]-acetamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea 1H-NMR (DMSO-d6) d ppm: 7.6 - 7.3 (m); 5.9(m); 4.3(m); 3.8(m); 3.6(s); 2.5(m); 2.0(m); 1.0(d).

5 N-{5-(2-furoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-(2-oxo-pyrrolidin-1-yl)-phenyl-acetamide 1H-NMR (DMSO-d6) d ppm: 7.9 - 6.6 (m); 4.9 - 4.6(m); 3.8(m); 3.6(s); 2.5(m); 2.0(m).

10 N-{5-(2-methoxyphenyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-(2-oxo-pyrrolidin-1-yl)-phenyl-acetamide 1H-NMR (DMSO-d6) d ppm: 10.6(s); 7.6 - 7.0 (m); 4.6 - 4.2(m); 3.8(m); 3.5(s); 2.5(m); 2.0(m).

15 N-{5-aminocarboxymethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-(2-oxo-pyrrolidin-1-yl)-phenyl-acetamide 1H-NMR (DMSO-d6) d ppm: 7.6 - 7.0 (m); 3.8(m); 3.5(s); 3.3(m); 2.5(m); 2.0(m).

20 N-i-propyl-N'-{(4-pyrrolidin-1-yl-phenyl)-acetamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea 1H-NMR (DMSO-d6) d ppm: 7.1 - 6.4 (m); 5.9(m); 4.3(m); 3.8(m); 3.4(s); 3.2(m); 1.9(m); 1.0(d).

N-ethyl-N'-{(4-pyrrolidin-1-yl-phenyl)-acetamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea 1H-NMR (DMSO-d6) d ppm: 10.4(s); 7.1 - 6.4 (m); 6.2(m); 4.3(m); 3.4(s); 3.2(m); 3.0(m); 1.9(m); 1.0(t).

25 N-{5-aminocarbonylmethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-(4-pyrrolidin-1-yl-phenyl)-acetamide 1H-NMR (DMSO-d6) d ppm: 10.3(s); 7.0 - 6.4 (m); 3.8(m); 3.4(s); 3.3(s); 3.2(m); 1.9(m).

30 N-{5-(3-methylbutyroyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-(2-oxo-pyrrolidin-1-yl)-phenyl-acetamide 1H-NMR (DMSO-d6) d ppm: 7.6 - 7.3 (m); 4.6 - 4.3(m); 3.8(m); 3.6(s); 2.5(m); 2.2 - 2.0(m); 0.9(m).

35 N-n-butyl-N'-{3-(naphth-2-yl)acetamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea 1H-NMR (DMSO-d6) d ppm: 7.9 - 7.4 (m); 6.2 (t); 4.3 (s); 3.8 (s); 3.0 (m); 1.4 - 1.2 (m); 0.8 (t).

- N-n-butyl-N'-{3-(3-methyl-phenyl)acetamido}-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea 1H-NMR (DMSO-d6)
d ppm: 7.2 - 7.0 (m); 6.2 (t); 4.3 (bs); 3.6 (s); 3.0 (m); 2.3 (s); 1.4 - 1.2 (m); 0.8 (t).
- 5 N-n-butyl-N'-{3-(3-fluoro-phenyl)acetamido}-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea 1H-NMR (DMSO-d6)
d ppm: 7.4 - 7.0 (m); 6.2 (t); 4.3 (bs); 3.6 (s); 3.0 (m); 1.4 - 1.2 (m); 0.8 (t).
- N-n-butyl-N'-{3-(3-pyridyl)acetamido}-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea 1H-NMR (DMSO-d6)
d ppm: 8.5 (m); 7.7 - 7.3 (m); 6.2 (t); 4.3 (bs); 3.7 (s); 3.0 (m); 1.4 - 1.2 (m); 0.8 (t).
- 10 N-n-butyl-N'-{3-(bicyclo[4.2.0]octa-1,3,5-triene-7-carboxamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea 1H-NMR (DMSO-d6)
d ppm: 7.2 - 7.0 (m); 6.2 (t); 4.4 (m); 4.3 (m); 3.3 (s); 3.0 (m); 1.4 - 1.2 (m); 0.8 (t).
- N-n-butyl-N'-{3-phenoxyacetamido}-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea 1H-NMR (DMSO-d6) d ppm: 7.3 - 6.9 (m); 6.2 (t); 4.7 (s); 4.3 (bs); 3.0 (m); 1.4 - 1.2 (m); 0.8 (t).
- 20 N-n-butyl-N'-{3-(4-methyl-phenyl)acetamido}-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea 1H-NMR (DMSO-d6)
d ppm: 7.2 - 7.1 (m); 6.2 (t); 4.3 (bs); 3.5 (s); 3.0 (m); 2.2 (s); 1.4 - 1.2 (m); 0.8 (t).
- 25 N-n-butyl-N'-{3-(4-fluoro-phenyl)acetamido}-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea 1H-NMR (DMSO-d6)
d ppm: 7.3 - 7.1 (m); 6.2 (t); 4.3 (bs); 3.6 (s); 3.0 (m); 1.4 - 1.2 (m); 0.8 (t).
- N-n-butyl-N'-{3-(3,4-difluoro-phenyl)acetamido}-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea 1H-NMR (DMSO-d6)
d ppm: 7.4 - 7.1 (m); 6.2 (t); 4.3 (bs); 3.6 (s); 3.0 (m); 1.4 - 1.2 (m); 0.8 (t).
- 30 N-n-butyl-N'-{3-(4-trifluoromethoxy-phenyl)acetamido}-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea 1H-NMR (DMSO-d6)
d ppm: 7.4 - 7.3 (m); 6.2 (t); 4.3 (bs); 3.6 (s); 3.0 (m); 1.4 - 1.2 (m); 0.8 (t).
- 35

- N-n-butyl-N'-{3-(2-methyl-phenyl)acetamido}-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea 1H-NMR (DMSO-d6)
d ppm: 7.2 - 7.1 (m); 6.2 (t); 4.3 (bs); 3.6 (s); 3.0 (m); 2.2 (s); 1.4 - 1.2 (m); 0.8 (t).
- 5 N-n-butyl-N'-{3-(2-bromo-phenyl)acetamido}-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea 1H-NMR (DMSO-d6)
d ppm: 7.6 - 7.2 (m); 6.2 (t); 4.3 (m); 3.8 (s); 3.0 (m); 1.4 - 1.2 (m); 0.8 (t).
- 10 N-n-butyl-N'-{3-(2,5-difluoro-phenyl)acetamido}-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea 1H-NMR (DMSO-d6)
d ppm: 7.2 - 7.1 (m); 6.2 (t); 4.3 (m); 3.7 (s); 3.0 (m); 1.4 - 1.2 (m); 0.8 (t).
- 15 N-n-butyl-N'-{3-(4-(pyrrolidin-1-yl-carbonylmethoxy)-phenyl)acetamido}-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea 1H-NMR (DMSO-d6) d ppm: 7.2 - 6.8 (m); 6.2 (t); 4.6 (s); 4.3 (bs); 3.4 (m); 3.0 (m); 1.9 - 1.7 (m); 1.4 - 1.2 (m); 0.8 (t).
- 20 N-n-butyl-N'-{3-(3-(aminocarbonylmethoxy)-phenyl)acetamido}-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea 1H-NMR (DMSO-d6) d ppm: 7.5 - 7.3 (m); 7.2 - 6.8 (m); 6.2 (t); 4.4 (s); 4.3 (bs); 3.6 (s); 3.0 (m); 1.4 - 1.2 (m); 0.8 (t).
- 25 N-n-butyl-N'-{3-(pyrid-4-yl-acetamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea 1H-NMR (DMSO-d6)
d ppm: 8.6 (m); 7.4 (m); 6.2 (t); 4.3 (bs); 3.7 (s); 3.0 (m); 1.4 - 1.2 (m); 0.8 (t).
- 30 N-n-butyl-N'-{3-(4-(morpholin-1-yl)-phenyl)acetamido}-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea 1H-NMR (DMSO-d6)
d ppm: 7.2 - 6.8 (m); 6.2 (t); 4.3 (bs); 3.7 (m); 3.5 (s); 3.0 (m); 1.4 - 1.2 (m); 0.8 (t).
- N-n-butyl-N'-{3-(2-fluoro-phenyl)acetamido}-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea 1H-NMR (DMSO-d6)
d ppm: 7.4 - 7.1 (m); 6.2 (t); 4.3 (m); 3.7 (s); 3.0 (m); 1.4 - 1.2 (m); 0.8 (t).
- 35 N-n-butyl-N'-{3-(3,5-difluoro-phenyl)acetamido}-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea 1H-NMR (DMSO-d6)

d ppm: 7.1 - 6.9 (m); 6.2 (t); 4.3 (bs); 3.7 (s); 3.0 (m); 1.4 - 1.2 (m); 0.8 (t).

N-n-butyl-N'-{3-(6-oxo-6H-pyridazin-1-yl)acetamido}-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea 1H-NMR (DMSO-d6)

5 d ppm: 7.9 (m); 7.4 (m); 6.9 (m); 6.2 (t); 4.9 (s); 4.3 (m); 3.0 (m); 1.4 - 1.2 (m); 0.8 (t).

N-{5-picolinoyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-(2-oxo-oxazolidin-3-yl)-phenyl-acetamide 1H-NMR (DMSO-

10 d6) d ppm: 8.6 - 7.25 (m); 4.9-4.6 (m); 4.4-4.0 (m); 3.6 (s).

N-{5-(thien-2-yl)acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-(2-oxo-oxazolidin-3-yl)-phenyl-acetamide 1H-NMR (DMSO-d6) d ppm: 7.5 - 6.9 (m); 4.7-4.0 (m); 3.9 (s); 3.6 (s).

15 N-{5-(2-furoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-(2-oxo-oxazolidin-3-yl)-phenyl-acetamide 1H-NMR (DMSO-d6) d ppm: 7.9 - 6.6 (m); 4.9-4.6 (m); 4.4-4.0 (m); 3.6 (s).

20 N-{5-ethoxyacetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-(2-oxo-oxazolidin-3-yl)-phenyl-acetamide 1H-NMR (DMSO-d6) d ppm: 7.4 (m); 4.6-3.5 (m); 1.1 (m).

N-{5-(3-methyl-butyroyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-(2-oxo-oxazolidin-3-yl)-phenyl-acetamide 1H-NMR (DMSO-d6) d ppm: 7.4 (m); 4.6-4.0 (m); 3.6 (s); 2.2 (d); 2.0 (m); 0.9 (m).

25 N-{5-butyroyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-(2-oxo-oxazolidin-3-yl)-phenyl-acetamide 1H-NMR (DMSO-d6) d ppm: 7.4 (m); 4.6-4.0 (m); 3.6 (s); 2.4 (m); 1.5 (m); 0.9 (m).

30 N-isopropyl-N'-{3-[4-(2-oxo-oxazolidin-3-yl)-phenyl-acetamido]}-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea 1H-NMR (DMSO-d6) d ppm: 7.4 (m); 5.9 (d); 4.4-4.0 (m); 3.8 (m); 3.6 (s); 1.0 (m).

35 N-(n-butyl)-N'-{3-[4-(2-oxo-oxazolidin-3-yl)-phenyl-acetamido]}-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea 1H-

NMR (DMSO-d₆) δ ppm: 7.4 (m); 6.2 (t); 4.4-4.0 (m); 3.6 (s); 3.0 (m); 1.4-1.2 (m); 0.8 (t).

N-{5-ethoxycarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-(2-oxo-oxazolidin-3-yl)-phenyl-acetamide 1H-NMR (DMSO-d₆)

5 δ ppm: 7.4 (m); 4.4-4.0 (m); 3.6 (s); 1.2 (t).

N-isopropyl-N'-{3-[2-(3-oxo-3,4,4a,8a-tetrahydro-2H-benzo[1,4]oxazin-6-yl)acetamido]-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea 1H-NMR (DMSO-d₆) δ ppm: 6.8 (m); 5.9 (d); 4.5 (s); 4.3 (bs); 3.8 (m); 3.5 (bs); 1.0 (m).

10 N-isopropyl-N'-{3-(3-bromo-benzamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea

N-{5-benzensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-bromobenzamide

15 N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-[4-(1-pyrrolidin-2-one)benzamide];

N-ethyl-N'-{3-(3-bromo-benzamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}

N-{5-(8-quinoline)sulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-toluic amide

20 N-phenyl-N'-{3-(3-bromo-benzamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea

N-{5-phenylacetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-bromobenzamide;

25 N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-bromobenzamide;

N-isopropyl-N'-{3-[4-(1-pyrrolidin-2-on)benzamido]-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea

N-{5-(8-quinoline)carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-toluic amide

30 N-{5-(1-naphthalene)sulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenylbenzamide

N-{5-(1-naphtoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenylbenzamide;

35 N-{5-(1-naphtoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;

N-phenyl-N'-{3-(4-phenyl-benzamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea

N-{5-phenylacetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenylbenzamide;

5 N-{5-(1-naphthalene)sulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-toluic amide

N-{5-(1-naphthoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-toluic amide;

10 N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-phenoxybenzamide;

N-[5-(4-chloro-2,5-difluorobenzoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl]-2-(2-naphthyl)acetamide 1H-NMR (DMSO-d6)
d ppm: 7.90 - 7.30 (m); 4.59 (s); 4.39 (s); 3.72 (s).

15 N-{5-[tert-butyl carboxylate]-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-(2-naphthyl)acetamide 1H-NMR (DMSO-d6)
d ppm: 7.90 - 7.75 (m); 7.55 - 7.40 (m); 4.33 (s); 4.31 (s); 3.78 (s), 1.40 (s).

20 N-{5-[(1-methylcyclopropyl)carbonyl]-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-(2-naphthyl)acetamide
1H-NMR (DMSO-d6) d ppm: 7.87 (m); 7.79 (s); 7.45 (m); 4.73 (s); 4.36 (s); 3.79 (s); 1.24 (s); 0.83 (s); 0.52 (t).

25 N-[5-(cyclobutylcarbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl]-2-(2-naphthyl)acetamide 1H-NMR (DMSO-d6) d ppm:
7.85 (m); 7.78 (s); 7.46 (m); 4.46 (s); 3.78 (s); 2.20-1.70 (m).

N-[5-(2-fluorobenzoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl]-2-(2-naphthyl)acetamide 1H-NMR (DMSO-d6) d ppm:
10.74 (s); 7.90 - 7.23 (m); 4.32 (s); 3.80 (s).

30 N-[5-(pyridin-3-ylcarbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl]-2-(2-naphthyl)acetamide 1H-NMR (DMSO-d6)
d ppm: 8.75 (dd); 8.65 (m); 8.05 - 7.35 (m); 4.46 (s); 3.72 (s).

35 N-{5-[(2,2,3,3-tetramethylcyclopropyl)carbonyl]-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-(2-naphthyl)acetamide
1H-NMR (DMSO-d6) d ppm: 7.86 (m); 7.79 (s); 7.45 (m); 4.73 (s); 4.57 (s); 3.79 (s); 1.22 (m); 1.12 (m).

- N-[5-(2,4,5-trifluorobenzoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl]-2-(2-naphthyl)acetamide 1H-NMR (DMSO-d6)
d ppm: 10.76 (s); 7.90 - 7.35 (m); 4.47 (s); 4.37(s); 3.72 (s).
- 5 N-[5-(2-methylpent-4-enoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl]-2-(2-naphthyl)acetamide 1H-NMR (DMSO-d6)
d ppm: 7.86 (m); 7.78 (s); 7.46 (m); 5.71 (m); 4.97 (m); 4.61 (s); 4.35 (s); 3.78 (s); 2.63 (m); 2.28 (m); 2.05 (m) 1.22 (m); 1.0 (t).
- 10 N-[5-(cyclopropylacetyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl]-2-(2-naphthyl)acetamide 1H-NMR (DMSO-d6) d ppm:
7.90 - 7.40 (m); 3.77 (s); 2.21(t); 0.96 (m); 0.42 (m).
N-[5-(5-fluoro-2-methylbenzoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl]-2-(2-naphthyl)acetamide 1H-NMR (DMSO-d6)
15 d ppm: 7.90 - 7.10 (m); 4.20 (s); 2.16(s).
- N-{5-[2-fluoro-5-(trifluoromethyl)benzoyl]-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-(2-naphthyl)acetamide
1H-NMR (DMSO-d6) d ppm: 10.75 (s); 7.97 - 7.35 (m); 4.60 (s); 4.35(s); 3.71 (s).
- 20 N-{5-[(3-methoxycyclohexyl)carbonyl]-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-(2-naphthyl)acetamide
1H-NMR (DMSO-d6) d ppm: 10.78 (s); 7.85 (m); 7.78 (s); 7.45 (m); 3.78 (s); 3.21 (s); 2.40-2.65 (m); 2.05-0.95 (m).
N-[5-(2,4-dichloro-5-fluorobenzoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl]-2-(2-naphthyl)acetamide 1H-NMR (DMSO-d6)
25 d ppm: 10.76 (s); 7.96 - 7.38 (m); 4.57 (s); 4.27(s); 3.80 (s).
- N-[5-(2-chloro-4,5-difluorobenzoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl]-2-(2-naphthyl)acetamide 1H-NMR (DMSO-d6)
30 d ppm: 10.78 (s); 7.90 - 7.35 (m); 4.58 (s); 4.27(s); 3.71 (s).
- N-{5-[4-(1H-imidazol-1-yl)benzoyl]-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-(2-naphthyl)acetamide 1H-NMR (DMSO-d6)
d ppm: 7.90 - 7.20 (m); 4.52s; 3.78 (s).
- 35 N-{5-[4-(aminosulfonyl)butanoyl]-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-(2-naphthyl)acetamide 1H-NMR (DMSO-d6)

- d ppm: 7.85 (m); 7.78 (s); 7.46 (m); 4.53 (s); 3.78 (s); 2.98 (m); 2.25 (t); 1.93 (m).
- N-{5-[(8-oxo-5,6,7,8-tetrahydronaphthalen-2-yl)carbonyl]-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-(2-naphthyl)acetamide 1H-NMR (DMSO-d6) d ppm: 8.05 - 7.33 (m); 4.44 (s); 3.80 (s); 2.95 (m); 2.60 (m); 2.05 (m).
- N-(5-pyruvoyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl)-2-(2-naphthyl)acetamide
- N-[5-(2,2-dimethylpropanoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl]-2-(2-naphthyl)acetamide 1H-NMR (DMSO-d6) d ppm: 7.90 - 7.40 (m); 3.80 (s); 1.20 (s).
- N-(5-but-2-ynoyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl)-2-(2-naphthyl)acetamide 1H-NMR (DMSO-d6) d ppm: 7.90 - 7.40 (m); 3.80 (s); 1.20 (s).
- 15 N-[5-(3-iodo-4-methylbenzoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl]-2-(2-naphthyl)acetamide 1H-NMR (DMSO-d6) d ppm: 10.72 (s); 8.05 - 7.35 (m); 4.45 (s); 3.710 (s); 2.37 (s).
- N-{5-[(benzyloxy)acetyl]-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-(2-naphthyl)acetamide 1H-NMR (DMSO-d6) d ppm: 7.90 - 7.20 (m); 4.25 - 4.70 (m); 4.20 (s); 3.80 (s).
- N-{5-(2-fluoro-2-phenylacetyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide; 1H-NMR (DMSO-d6) d ppm: 7.8-8.0 (m), 7.4-7.6 (m), 6.0-6.5 (m), 4.2-5.0 (m).
- 25 N-{5-(2-fluoro-2-phenylacetyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide; 1H-NMR (DMSO-d6) d ppm: 7.8-8.0 (m), 7.4-7.6 (m), 4.2-5.0 (m).
- N-{5-(2-thienyl-acetyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-(4-methylpiperazino)benzamide; 1H-NMR (DMSO-d6) d ppm: 7.8-8.0 (m), 6.8-7.0 (m), 4.6-4.8 (d), 4.4-4.5 (d), 3.7 (s), 2.3 (s).
- 30 N-{5-(3-methyl-butanoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-(4-methylpiperazino)benzamide; 1H-NMR (DMSO-d6) d ppm: 7.8-8.0 (m), 6.8-7.0 (m), 4.6-4.8 (m), 4.4-4.5 (m), 2.3 (t), 2.1-2.0 (m).
- 35

- N-{5-(2-furoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-(4-methylpiperazino)benzamide; ¹H-NMR (DMSO-d₆) δ ppm: 7.8-8.0 (m), 7.2-7.4 (m), 6.8-7.0 (m), 5.0-4.8 (d), 4.6-4.7 (d), 2.1 (s).
- 5 N-{5-phenylacetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-(4-methylpiperazino)benzamide; ¹H-NMR (DMSO-d₆) δ ppm: 7.8-8.0 (m), 6.8-7.0 (m), 5.0-4.8 (m), 4.6-4.7 (m), 3.7 (s).
- N-{5-benzenesulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-(4-methylpiperazino)benzamide; ¹H-NMR (DMSO-d₆) δ ppm: 7.8-8.0 (m), 7.5-7.7 (m), 7.2-7.3 (m).
- 10 N-(2,6-diethylphenyl)-N'-{3-[4-(4-methylpiperazino)benzamide]-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea ¹H-NMR (DMSO-d₆) δ ppm: 7.8-8.0 (m), 7.0-7.2 (m), 2.5-2.6 (m), 1.1-1.2 (m).
- 15 N-ethyl-N'-{3-[4-(4-methylpiperazino)benzamide]-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea ¹H-NMR (DMSO-d₆) δ ppm: 7.8-8.0 (m), 6.9-7.1 (m), 3.0-3.1 (m), 1.1-1.2 (m).
- N-{5-(2-fluoro-2-phenylacetyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-[4-(1-pyrrolidin-2-one)benzamide];
- 20 ¹H-NMR (DMSO-d₆) δ ppm: 7.9-8.1 (m), 7.7-7.8 (m), 3.8-4.0 (m), 2.5-2.6 (m), 2.1-2.0 (m).
- N-{5-(2-fluoro-2-phenylacetyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-(4-methylpiperazino)benzamide;
- N-{5-(2-thienyl-acetyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-piperonylamide; ¹H-NMR (DMSO-d₆) δ ppm: 7.60-6.96 (m, 6H), 6.11 (s, 2H), 4.77-4.48 (m, 4H), 3.95 (m, 2H).
- 25 N-{5-(3-methyl-butanoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-piperonylamide;
- ¹H-NMR (DMSO-d₆) δ ppm: 12.35 (1H), 10.70 (m, 1H), 7.56-7.00 (m, 3H), 6.10 (s, 2H), 4.65-4.45 (m, 4H), 2.21-2.05 (m, 3H), 0.93 (6H).
- 30 N-{5-(2-furoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-piperonylamide;
- ¹H-NMR (DMSO-d₆) δ ppm: 7.93-7.89 (m, 1H), 7.57-7.49 (m, 2H), 7.14-7.00 (m, 2H), 6.67 (m, 1H), 6.10 (s, 2H), 5.01-4.67 (m, 4H).
- 35

N-{5-phenylacetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-piperonylamide;

¹H-NMR (DMSO-d₆) δ ppm: 7.61-7.00 (m, 8H), 6.10 (s, 2H), 4.74-4.47 (m, 4H), 3.72 (2H).

5 N-{5-benzenesulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-piperonylamide;

¹H-NMR (DMSO-d₆) δ ppm: 7.88-6.98 (m, 8H), 6.11 (s, 2H), 4.48-4.34 (m, 4H).

N-{5-(2-trifluoromethyl)benzenesulfonyl-4,6-

10 dihydropyrrolo[3,4-c]pyrazol-3-yl}-piperonylamide;

¹H-NMR (DMSO-d₆) δ ppm: 8.04-6.98 (m, 7H), 6.12 (m, 2H), 4.64-4.49 (m, 4H).

N-ethyl-N'-{3-piperonylcarboxamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea

15 ¹H-NMR (DMSO-d₆) δ ppm: 7.62-6.98 (m, 3H), 6.1 (s, 2H), 4.41-4.38 (m, 4H), 3.2 (m, 2H), 1.01 (t, 3H).

N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-acetamide;

20 N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopropanecarboxamide;

N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-isobutyramide;

N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopentanecarboxamide;

25 N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-benzamide;

N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-picolinic amide;

30 N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-nicotinic amide;

N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-isonicotinic amide;

N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-methyl-2-furoic amide;

35 N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-2-carboxamide;

- N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
thiophene-3-carboxamide;
- N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-
toluic amide;
- 5 N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-
toluic amide;
- N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-
toluic amide;
- N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
10 salicylic amide;
- N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-
fluorobenzamide;
- N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-
fluorobenzamide;
- 15 N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-
fluorobenzamide;
- N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
thiophene-2-acetamide;
- N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
20 thiophene-3-acetamide;
- N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
phenylpropiolic amide;
- N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-
cyanobenzamide;
- 25 N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-
cyanobenzamide;
- N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-trans-
cinnamic amide;
- N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cis-
30 cinnamic amide;
- N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(3-
pyridyl)acrylic amide;
- N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(4-
pyridyl)-acrylic amide;
- 35 N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-
phenylpropionamide;

- N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-tolylacetamide;
- N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-tolylacetamide;
- 5 N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-tolylacetamide;
- N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-anisic amide;
- N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-methoxybenzamide;
- 10 N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-anisic amide;
- N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenoxyacetamide;
- 15 N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-fluorophenylacetamide;
- N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-fluorophenylacetamide;
- N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-fluorophenylacetamide;
- 20 N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thienyl)acrylic amide;
- N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(3-thienyl)-acrylic amide;
- 25 N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thienyl)propanoic amide;
- N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-chlorobenzamide;
- N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-chlorobenzamide;
- 30 N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-chlorobenzamide;
- N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-piperidinepropionamide;
- 35 N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-acetylbenzamide;

- N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-acetylbenzamide;
- N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphthoic amide;
- 5 N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphthoic amide;
- N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-benzoylpropionamide;
- N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-10 acetamidobenzamide;
- N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,5-dimethoxybenzamide;
- N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,6-dimethoxybenzamide;
- 15 N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,4-dimethoxybenzamide;
- N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,5-dimethoxybenzamide;
- N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-20 thenoyl)-propionamide;
- N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphtylacetamide
- N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenylbenzamide
- 25 N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-acetamide;
- N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopropanecarboxamide;
- N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-30 isobutyramide;
- N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopentanecarboxamide;
- N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-benzamide;
- 35 N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-picolinic amide;

- N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
nicotinic amide;
- N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
isonicotinic amide;
- 5 N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-
methyl-2-furoic amide;
- N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
thiophene-2-carboxamide;
- 10 N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
thiophene-3-carboxamide;
- N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-
toluic amide;
- N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-
toluic amide;
- 15 N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-
toluic amide;
- N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
phenylacetamide;
- N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
20 salicylic amide;
- N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-
fluorobenzamide;
- N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-
fluorobenzamide;
- 25 N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-
fluorobenzamide;
- N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
thiophene-2-acetamide;
- N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
30 thiophene-3-acetamide;
- N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
phenylpropionic amide;
- N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-
cyanobenzamide;
- 35 N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-
cyanobenzamide;

- N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl
N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cis-
cinnamic amide;
- 5 N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(3-
pyridyl)acrylic amide;
- N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(4-
pyridyl)-acrylic amide;
- N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-
phenylpropionamide;
- 10 N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-
tolylacetamide;
- N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-
tolylacetamide;
- N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-
15 tolylacetamide;
- N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-
anisic amide;
- N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-
methoxybenzamide;
- 20 N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-
anisic amide;
- N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
phenoxyacetamide;
- N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-
25 fluorophenylacetamide;
- N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-
fluorophenylacetamide;
- N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-
fluorophenylacetamide;
- 30 N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-
thienyl)acrylic amide;
- N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(3-
thienyl)-acrylic amide;
- N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-
35 thienyl)propanoic amide;

- N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-chlorobenzamide;
- N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-chlorobenzamide;
- 5 N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-chlorobenzamide;
- N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-piperidinepropionamide;
- N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-
- 10 acetylbenzamide;
- N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-acetylbenzamide;
- N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphthoic amide;
- 15 N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphthoic amide;
- N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-benzoylpropionamide;
- N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-
- 20 acetamidobenzamide;
- N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,5-dimethoxybenzamide;
- N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,6-dimethoxybenzamide;
- 25 N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,4-dimethoxybenzamide;
- N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,5-dimethoxybenzamide;
- N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-
- 30 thenoyl)-propionamide;
- N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphtylacetamide
- N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphtylacetamide
- 35 N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenylbenzamide

- N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
acetamide;
- N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
cyclopropanecarboxamide;
- 5 N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
isobutyramide;
- N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
cyclopentanecarboxamide;
- N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
10 benzamide;
- N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
picolinic amide;
- N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
nicotinic amide;
- 15 N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
isonicotinic amide;
- N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-
methyl-2-furoic amide;
- N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
20 thiophene-2-carboxamide;
- N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
thiophene-3-carboxamide;
- N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-
toluic amide;
- 25 N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-
toluic amide;
- N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-
toluic amide;
- N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
30 phenylacetamide;
- N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
salicylic amide;
- N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-
fluorobenzamide;
- 35 N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-
fluorobenzamide;

- N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-fluorobenzamide;
- N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-2-acetamide;
- 5 N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-3-acetamide;
- N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenylpropionic amide;
- N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-cyanobenzamide;
- 10 N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-cyanobenzamide;
- N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-trans-cinnamic amide;
- 15 N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cis-cinnamic amide;
- N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(3-pyridyl)acrylic amide;
- N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(4-pyridyl)-acrylic amide;
- 20 N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-phenylpropionamide;
- N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-tolylacetamide;
- 25 N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-tolylacetamide;
- N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-tolylacetamide;
- N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-anisic amide;
- 30 N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-methoxybenzamide;
- N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-anisic amide;
- 35 N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenoxyacetamide;

- N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-fluorophenylacetamide;
- N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-fluorophenylacetamide;
- 5 N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-fluorophenylacetamide;
- N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thienyl)acrylic amide;
- N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-
- 10 (3-thienyl)-acrylic amide;
- N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thienyl)propanoic amide;
- N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-chlorobenzamide;
- 15 N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-chlorobenzamide;
- N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-chlorobenzamide;
- N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-
- 20 piperidinepropionamide;
- N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-acetylbenzamide;
- N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-acetylbenzamide;
- 25 N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphthoic amide;
- N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphthoic amide;
- N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-
- 30 benzoylpropionamide;
- N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-acetamidobenzamide;
- N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,5-dimethoxybenzamide;
- 35 N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,6-dimethoxybenzamide;

- N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
3,4-dimethoxybenzamide;
N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
3,5-dimethoxybenzamide;
5 N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-
(2-thenoyl)-propionamide;
N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-
naphtylacetamide
N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-
10 naphtylacetamide
N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-
phenylbenzamide
N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-
yl}-acetamide;
15 N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-
yl}-cyclopropanecarboxamide;
N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-
yl}-isobutyramide;
N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-
20 yl}-cyclopentanecarboxamide;
N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-
yl}-benzamide;
N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-
yl}-picolinic amide;
25 N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-
yl}-nicotinic amide;
N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-
yl}-isonicotinic amide;
N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-
30 yl}-3-methyl-2-furoic amide;
N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-
yl}-thiophene-2-carboxamide;
N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-
yl}-thiophene-3-carboxamide;
35 N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-
yl}-o-toluic amide;

- N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-toluic amide;
- N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-toluic amide;
- 5 N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenylacetamide;
- N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-salicylic amide;
- N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-fluorobenzamide;
- 10 N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-fluorobenzamide;
- N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-fluorobenzamide;
- 15 N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-2-acetamide;
- N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-3-acetamide;
- N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenylpropionic amide;
- 20 N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-cyanobenzamide;
- N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-cyanobenzamide;
- 25 N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-trans-cinnamic amide;
- N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cis-cinnamic amide;
- N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(3-pyridyl)acrylic amide;
- 30 N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(4-pyridyl)-acrylic amide;
- N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-phenylpropionamide;
- 35 N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-tolylacetamide;

- N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-tolylacetamide;
- N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-tolylacetamide;
- 5 N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-anisic amide;
- N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-methoxybenzamide;
- 10 N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-anisic amide;
- N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenoxyacetamide;
- N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-fluorophenylacetamide;
- 15 N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-fluorophenylacetamide;
- N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-fluorophenylacetamide;
- N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thienyl)acrylic amide;
- 20 N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(3-thienyl)-acrylic amide;
- N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thienyl)propanoic amide;
- 25 N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-chlorobenzamide;
- N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-chlorobenzamide;
- N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-chlorobenzamide;
- 30 N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-piperidinepropionamide;
- N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-acetylbenzamide;
- 35 N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-acetylbenzamide;

- N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphthoic amide;
- N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphthoic amide;
- 5 N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-benzoylpropionamide;
- N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-acetamidobenzamide;
- N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,5-dimethoxybenzamide;
- 10 N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,6-dimethoxybenzamide;
- N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,4-dimethoxybenzamide;
- 15 N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,5-dimethoxybenzamide;
- N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thenoyl)-propionamide;
- N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphtylacetamide
- 20 N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphtylacetamide
- N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenylbenzamide
- 25 N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-acetamide;
- N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopropanecarboxamide;
- N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-isobutyramide;
- 30 N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopentanecarboxamide;
- N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-benzamide;
- 35 N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-picolinic amide;

- N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-nicotinic amide;
- N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-isonicotinic amide;
- 5 N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-methyl-2-furoic amide;
- N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-2-carboxamide;
- 10 N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-3-carboxamide;
- N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-toluic amide;
- N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-toluic amide;
- 15 N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-salicylic amide;
- N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-fluorobenzamide;
- N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-fluorobenzamide;
- 20 N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-fluorobenzamide;
- N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-2-acetamide;
- 25 N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-3-acetamide;
- N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenylpropionic amide;
- N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-cyanobenzamide;
- 30 N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-cyanobenzamide;
- N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-trans-cinnamic amide;
- 35 N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cis-cinnamic amide;

- N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(3-pyridyl)acrylic amide;
N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(4-pyridyl)-acrylic amide;
5 N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-phenylpropionamide;
N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-tolylacetamide;
N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-10 3-yl}-m-tolylacetamide;
N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-tolylacetamide;
N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-anisic amide;
15 N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-methoxybenzamide;
N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-anisic amide;
N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-20 3-yl}-phenoxyacetamide;
N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-fluorophenylacetamide;
N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-fluorophenylacetamide;
25 N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-fluorophenylacetamide;
N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thienyl)acrylic amide;
N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-30 3-yl}-3-(3-thienyl)-acrylic amide;
N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thienyl)propanoic amide;
N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-chlorobenzamide;
35 N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-chlorobenzamide;

- N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-chlorobenzamide;
- N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-piperidinepropionamide;
- 5 N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-acetylbenzamide;
- N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-acetylbenzamide;
- N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-10 3-yl}-1-naphthoic amide;
- N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphthoic amide;
- N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-benzoylpropionamide;
- 15 N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-acetamidobenzamide;
- N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,5-dimethoxybenzamide;
- N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-20 3-yl}-2,6-dimethoxybenzamide;
- N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,4-dimethoxybenzamide;
- N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,5-dimethoxybenzamide;
- 25 N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thenoyl)-propionamide;
- N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphtylacetamide
- N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-30 3-yl}-1-naphtylacetamide
- N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenylbenzamide
- N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-acetamide;
- 35 N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopropanecarboxamide;

- N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-isobutyramide;
- N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopentanecarboxamide;
- 5 N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-benzamide;
- N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-picolinic amide;
- N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-10 3-yl}-nicotinic amide;
- N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-isonicotinic amide;
- N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-methyl-2-furoic amide;
- 15 N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-2-carboxamide;
- N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-3-carboxamide;
- N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-20 3-yl}-o-toluic amide;
- N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-toluic amide;
- N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-toluic amide;
- 25 N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenylacetamide;
- N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-salicylic amide;
- N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-30 3-yl}-2-fluorobenzamide;
- N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-fluorobenzamide;
- N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-fluorobenzamide;
- 35 N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-2-acetamide;

- N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-3-acetamide;
- N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenylpropionic amide;
- 5 N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-cyanobenzamide;
- N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-cyanobenzamide;
- N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-trans-cinnamic amide;
- 10 N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cis-cinnamic amide;
- N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(3-pyridyl)acrylic amide;
- 15 N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(4-pyridyl)-acrylic amide;
- N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-phenylpropionamide;
- N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-tolylacetamide;
- 20 N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-tolylacetamide;
- N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-tolylacetamide;
- 25 N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-anisic amide;
- N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-methoxybenzamide;
- N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-anisic amide;
- 30 N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenoxyacetamide;
- N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-fluorophenylacetamide;
- 35 N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-fluorophenylacetamide;

- N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-fluorophenylacetamide;
- N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thienyl)acrylic amide;
- 5 N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(3-thienyl)-acrylic amide;
- N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thienyl)propanoic amide;
- N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-10 3-yl}-2-chlorobenzamide;
- N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-chlorobenzamide;
- N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-chlorobenzamide;
- 15 N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-piperidinepropionamide;
- N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-acetylbenzamide;
- N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-20 3-yl}-4-acetylbenzamide;
- N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphthoic amide;
- N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphthoic amide;
- 25 N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-benzoylpropionamide;
- N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-acetamidobenzamide;
- N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-30 3-yl}-2,5-dimethoxybenzamide;
- N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,6-dimethoxybenzamide;
- N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,4-dimethoxybenzamide;
- 35 N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,5-dimethoxybenzamide;

- N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thenoyl)-propionamide;
- N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphtylacetamide
- 5 N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphtylacetamide
- N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenylbenzamide
- N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-10 3-yl}-acetamide;
- N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopropanecarboxamide;
- N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-isobutyramide;
- 15 N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopentanecarboxamide;
- N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-benzamide;
- N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-20 3-yl}-picolinic amide;
- N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-nicotinic amide;
- N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-isonicotinic amide;
- 25 N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-methyl-2-furoic amide;
- N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-2-carboxamide;
- N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-30 3-yl}-thiophene-3-carboxamide;
- N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-toluic amide;
- N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-toluic amide;
- 35 N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-toluic amide;

- N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-salicylic amide;
- N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-fluorobenzamide;
- 5 N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-fluorobenzamide;
- N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-fluorobenzamide;
- N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-10 3-yl}-thiophene-2-acetamide;
- N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-3-acetamide;
- N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenylpropionic amide;
- 15 N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-cyanobenzamide;
- N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-cyanobenzamide;
- N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-20 3-yl}-trans-cinnamic amide;
- N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cis-cinnamic amide;
- N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(3-pyridyl)acrylic amide;
- 25 N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(4-pyridyl)-acrylic amide;
- N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-phenylpropionamide;
- N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-30 3-yl}-o-tolylacetamide;
- N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-tolylacetamide;
- N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-tolylacetamide;
- 35 N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-anisic amide;

- N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-methoxybenzamide;
- N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-anisic amide;
- 5 N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenoxyacetamide;
- N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-fluorophenylacetamide;
- N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-fluorophenylacetamide;
- 10 N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-fluorophenylacetamide;
- N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thienyl)acrylic amide;
- 15 N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(3-thienyl)-acrylic amide;
- N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thienyl)propanoic amide;
- N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-chlorobenzamide;
- 20 N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-chlorobenzamide;
- N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-chlorobenzamide;
- 25 N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-piperidinepropionamide;
- N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-acetylbenzamide;
- N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-acetylbenzamide;
- 30 N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphthoic amide;
- N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphthoic amide;
- 35 N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-benzoylpropionamide;

- N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-acetamidobenzamide;
- N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,5-dimethoxybenzamide;
- 5 N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,6-dimethoxybenzamide;
- N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,4-dimethoxybenzamide;
- N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,5-dimethoxybenzamide;
- 10 N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thenoyl)-propionamide;
- N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphtylacetamide
- 15 N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphtylacetamide
- N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenylbenzamide
- N-{5-benzoylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-acetamide;
- 20 N-{5-benzoylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopropanecarboxamide;
- N-{5-benzoylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-isobutyramide;
- 25 N-{5-benzoylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopentanecarboxamide;
- N-{5-benzoylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-benzamide;
- N-{5-benzoylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-picolinic amide;
- 30 N-{5-benzoylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-nicotinic amide;
- N-{5-benzoylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-isonicotinic amide;
- 35 N-{5-benzoylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-methyl-2-furoic amide;

- N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-2-carboxamide;
- N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-3-carboxamide;
- 5 N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-toluic amide;
- N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-toluic amide;
- 10 N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-toluic amide;
- N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenylacetamide;
- N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-salicylic amide;
- 15 N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-fluorobenzamide;
- N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-fluorobenzamide;
- N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-fluorobenzamide;
- 20 N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-2-acetamide;
- N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-3-acetamide;
- 25 N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenylpropionic amide;
- N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-cyanobenzamide;
- N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-cyanobenzamide;
- 30 N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-trans-cinnamic amide;
- N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cis-cinnamic amide;
- 35 N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(3-pyridyl)acrylic amide;

- N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(4-pyridyl)-acrylic amide;
- N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-phenylpropionamide;
- 5 N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-tolylacetamide;
- N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-tolylacetamide;
- N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-tolylacetamide;
- 10 N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-anisic amide;
- N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-methoxybenzamide;
- 15 N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-anisic amide;
- N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenoxyacetamide;
- N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-fluorophenylacetamide;
- 20 N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-fluorophenylacetamide;
- N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-fluorophenylacetamide;
- 25 N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thienyl)acrylic amide;
- N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(3-thienyl)-acrylic amide;
- N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thienyl)propanoic amide;
- 30 N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-chlorobenzamide;
- N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-chlorobenzamide;
- 35 N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-chlorobenzamide;

- N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-piperidinepropionamide;
- N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-acetylbenzamide;
- 5 N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-acetylbenzamide;
- N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphthoic amide;
- N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphthoic amide;
- 10 N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-benzoylpropionamide;
- N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-acetamidobenzamide;
- 15 N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,5-dimethoxybenzamide;
- N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,6-dimethoxybenzamide;
- N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,4-dimethoxybenzamide;
- 20 N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,5-dimethoxybenzamide;
- N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thenoyl)-propionamide;
- 25 N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphtylacetamide
- N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphtylacetamide
- N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenylbenzamide
- 30 N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-acetamide;
- N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopropanecarboxamide;
- 35 N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-isobutyramide;

- N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
cyclopentanecarboxamide;
- N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
benzamide;
- 5 N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
picolinic amide;
- N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
nicotinic amide;
- N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
10 isonicotinic amide;
- N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
3-methyl-2-furoic amide;
- N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
thiophene-2-carboxamide;
- 15 N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
thiophene-3-carboxamide;
- N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
o-toluic amide;
- N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
20 m-toluic amide;
- N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
p-toluic amide;
- N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
phenylacetamide;
- 25 N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
salicylic amide;
- N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
2-fluorobenzamide;
- N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
30 3-fluorobenzamide;
- N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
4-fluorobenzamide;
- N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
thiophene-2-acetamide;
- 35 N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
thiophene-3-acetamide;

- N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenylpropionic amide;
- N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-cyanobenzamide;
- 5 N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-cyanobenzamide;
- N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-trans-cinnamic amide;
- N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-10 cis-cinnamic amide;
- N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(3-pyridyl)acrylic amide;
- N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(4-pyridyl)-acrylic amide;
- 15 N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-phenylpropionamide;
- N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-tolylacetamide;
- N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-20 m-tolylacetamide;
- N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-tolylacetamide;
- N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-anisic amide;
- 25 N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-methoxybenzamide;
- N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-anisic amide;
- N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-30 phenoxyacetamide;
- N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-fluorophenylacetamide;
- N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-fluorophenylacetamide;
- 35 N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-fluorophenylacetamide;

- N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
3-(2-thienyl)acrylic amide;
- N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
3-(3-thienyl)-acrylic amide;
- 5 N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
3-(2-thienyl)propanoic amide;
- N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
2-chlorobenzamide;
- N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
10 3-chlorobenzamide;
- N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
4-chlorobenzamide;
- N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
1-piperidinepropionamide;
- 15 N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
2-acetylbenzamide;
- N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
4-acetylbenzamide;
- N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
20 1-naphthoic amide;
- N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
2-naphthoic amide;
- N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
3-benzoylpropionamide;
- 25 N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
4-acetamidobenzamide;
- N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
2,5-dimethoxybenzamide;
- N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
30 2,6-dimethoxybenzamide;
- N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
3,4-dimethoxybenzamide;
- N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
3,5-dimethoxybenzamide;
- 35 N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
3-(2-thenoyl)-propionamide;

- N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
2-naphtylacetamide
- N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
1-naphtylacetamide
- 5 N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
4-phenylbenzamide
- N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
acetamide;
- N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
10 cyclopropanecarboxamide;
- N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
isobutyramide;
- N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
cyclopentanecarboxamide;
- 15 N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
benzamide;
- N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
picolinic amide;
- N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
20 nicotinic amide;
- N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
isonicotinic amide;
- N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
3-methyl-2-furoic amide;
- 25 N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
thiophene-2-carboxamide;
- N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
thiophene-3-carboxamide;
- N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
30 o-toluic amide;
- N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
m-toluic amide;
- N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
p-toluic amide;
- 35 N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
phenylacetamide;

- N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
salicylic amide;
- N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
2-fluorobenzamide;
- 5 N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
3-fluorobenzamide;
- N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
4-fluorobenzamide;
- 10 N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
thiophene-2-acetamide;
- N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
thiophene-3-acetamide;
- N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
phenylpropionic amide;
- 15 N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
3-cyanobenzamide;
- N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
4-cyanobenzamide;
- N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
20 trans-cinnamic amide;
- N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
cis-cinnamic amide;
- N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
3-(3-pyridyl)acrylic amide;
- 25 N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
3-(4-pyridyl)-acrylic amide;
- N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
2-phenylpropionamide;
- N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
30 o-tolylacetamide;
- N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
m-tolylacetamide;
- N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
p-tolylacetamide;
- 35 N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
o-anisic amide;

- N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
3-methoxybenzamide;
- N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
p-anisic amide;
- 5 N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
phenoxyacetamide;
- N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
2-fluorophenylacetamide;
- N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
10 3-fluorophenylacetamide;
- N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
4-fluorophenylacetamide;
- N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
3-(2-thienyl)acrylic amide;
- 15 N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
3-(3-thienyl)-acrylic amide;
- N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
3-(2-thienyl)propanoic amide;
- N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
20 2-chlorobenzamide;
- N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
3-chlorobenzamide;
- N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
4-chlorobenzamide;
- 25 N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
1-piperidinepropionamide;
- N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
2-acetylbenzamide;
- N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
30 4-acetylbenzamide;
- N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
1-naphthoic amide;
- N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
2-naphthoic amide;
- 35 N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
3-benzoylpropionamide;

- N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
4-acetamidobenzamide;
- N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
2,5-dimethoxybenzamide;
- 5 N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
2,6-dimethoxybenzamide;
- N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
3,4-dimethoxybenzamide;
- N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
10 3,5-dimethoxybenzamide;
- N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
3-(2-thenoyl)-propionamide;
- N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
2-naphtylacetamide
- 15 N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
1-naphtylacetamide
- N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
4-phenylbenzamide
- N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-
20 yl}-acetamide;
- N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-
yl}-cyclopropanecarboxamide;
- N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-
yl}-isobutyramide;
- 25 N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-
yl}-cyclopentanecarboxamide;
- N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-
yl}-benzamide;
- N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-
30 yl}-picolinic amide;
- N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-
yl}-nicotinic amide;
- N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-
yl}-isonicotinic amide;
- 35 N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-
yl}-3-methyl-2-furoic amide;

- N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-2-carboxamide;
- N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-3-carboxamide;
- 5 N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-toluic amide;
- N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-toluic amide;
- N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-toluic amide;
- 10 N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-salicylic amide;
- N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-fluorobenzamide;
- 15 N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-fluorobenzamide;
- N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-fluorobenzamide;
- N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-2-acetamide;
- 20 N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-3-acetamide;
- N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenylpropionic amide;
- 25 N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-cyanobenzamide;
- N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-cyanobenzamide;
- N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-trans-cinnamic amide;
- 30 N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cis-cinnamic amide;
- N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(3-pyridyl)acrylic amide;
- 35 N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(4-pyridyl)-acrylic amide;

N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-phenylpropionamide;

N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-tolylacetamide;

5 N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-tolylacetamide;

N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-tolylacetamide;

10 N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-anisic amide;

N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-methoxybenzamide;

N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-anisic amide;

15 N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenoxyacetamide;

N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-fluorophenylacetamide;

20 N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-fluorophenylacetamide;

N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-fluorophenylacetamide;

N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thienyl)acrylic amide;

25 N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(3-thienyl)-acrylic amide;

N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thienyl)propanoic amide;

30 N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-chlorobenzamide;

N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-chlorobenzamide;

N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-chlorobenzamide;

35 N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-piperidinepropionamide;

- N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-acetylbenzamide;
N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-acetylbenzamide;
5 N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphthoic amide;
N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphthoic amide;
N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-benzoylpropionamide;
10 N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-acetamidobenzamide;
N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,5-dimethoxybenzamide;
15 N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,6-dimethoxybenzamide;
N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,4-dimethoxybenzamide;
N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,5-dimethoxybenzamide;
20 N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thenoyl)-propionamide;
N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphtylacetamide
25 N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphtylacetamide
N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenylbenzamide
N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-acetamide;
30 N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopropanecarboxamide;
N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-isobutyramide;
35 N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopentanecarboxamide;

- N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-benzamide;
- N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-picolinic amide;
- 5 N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-nicotinic amide;
- N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-isonicotinic amide;
- 10 N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-methyl-2-furoic amide;
- N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-2-carboxamide;
- N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-3-carboxamide;
- 15 N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-toluic amide;
- N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-toluic amide;
- N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-toluic amide;
- 20 N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenylacetamide;
- N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-salicylic amide;
- 25 N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-fluorobenzamide;
- N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-fluorobenzamide;
- N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-fluorobenzamide;
- 30 N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-2-acetamide;
- N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-3-acetamide;
- 35 N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenylpropionic amide;

- N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-cyanobenzamide;
- N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-cyanobenzamide;
- 5 N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-trans-cinnamic amide;
- N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cis-cinnamic amide;
- N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(3-pyridyl)acrylic amide;
- 10 N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(4-pyridyl)-acrylic amide;
- N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-phenylpropionamide;
- 15 N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-tolylacetamide;
- N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-tolylacetamide;
- N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-anisic amide;
- 20 N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-methoxybenzamide;
- N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-anisic amide;
- 25 N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenoxyacetamide;
- N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-fluorophenylacetamide;
- N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-fluorophenylacetamide;
- 30 N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-fluorophenylacetamide;
- N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thienyl)acrylic amide;
- 35 N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(3-thienyl)-acrylic amide;

- N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thienyl)propanoic amide;
- N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-chlorobenzamide;
- 5 N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-chlorobenzamide;
- N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-chlorobenzamide;
- N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-piperidinepropionamide;
- 10 N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-acetylbenzamide;
- N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-acetylbenzamide;
- 15 N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphthoic amide;
- N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphthoic amide;
- N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-benzoylpropionamide;
- 20 N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-acetamidobenzamide;
- N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,5-dimethoxybenzamide;
- 25 N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,6-dimethoxybenzamide;
- N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,4-dimethoxybenzamide;
- N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,5-dimethoxybenzamide;
- 30 N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thenoyl)-propionamide;
- N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphtylacetamide
- 35 N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphtylacetamide

N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenylbenzamide

N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl},N'-(4-chlorobenzyl) urea;

5 N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl},N'-(4-chlorobenzyl) urea;

N-{5-phenyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl},N'-(4-chlorobenzyl) urea;

10 N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl},N'-(4-chlorobenzyl) urea;

N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl},N'-(4-chlorobenzyl) urea;

N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl},N'-(4-chlorobenzyl) urea;

15 N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl},N'-(4-chlorobenzyl) urea;

N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl},N'-(4-chlorobenzyl) urea;

20 N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl},N'-(4-chlorobenzyl) urea; and

N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl},N'-(4-chlorobenzyl) urea

Example 13

25 Preparation of N-{3-phenylacetamido-5-(carbo-tbutoxy)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylnopolystyrene urea

A solution of phenylacetyl chloride (24.08 mmol, 3.18 ml) in 10 ml of anhydrous dichlorometane was added dropwise to
 30 N-{3-amino-5-(carbo-tbutoxy)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylnopolystyrene urea (3.01 mmol, 3.5 g) previously swelled in 90 ml of anhydrous dichlorometane and 16.5 ml of DIEA (96.32 mmol). The resulting suspension was gently stirred at 22°C for 18 hours. The resin was then

filtered, washed with dichloromethane, methanol and dried under vacuum.

Analogously, the following compounds can be prepared by
5 using the appropriate acyl chloride:

N-{3-acetamido-5-(carbo-tbutoxy)-4,5,6,7-
tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene
urea

N-{3-cyclopropanecarboxamido-5-(carbo-tbutoxy)-4,5,6,7-
10 tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene
urea

N-{3-isobutyramido-5-(carbo-tbutoxy)-4,5,6,7-
tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene
urea

15 N-{3-cyclopentanecarboxamido-5-(carbo-tbutoxy)-4,5,6,7-
tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene
urea

N-{3-benzamido-5-(carbo-tbutoxy)-4,5,6,7-
2 tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene
20 urea

N-{3-picolinic-amido-5-(carbo-tbutoxy)-4,5,6,7-
tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene
urea

N-{3-nicotinic-amido-5-(carbo-tbutoxy)-4,5,6,7-
25 tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene
urea

N-{3-isonicotinic-amido-5-(carbo-tbutoxy)-4,5,6,7-
tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene
urea

30 N-{3-(3-methyl-2-furoic)-amido-5-(carbo-tbutoxy)-4,5,6,7-
tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene
urea

N-{3-(thiophene-2-carboxamido)-5-(carbo-tbutoxy)-4,5,6,7-
tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene
35 urea

N-{3-(thiophene-3-carboxamido)-5-(carbo-tbutoxy)-4,5,6,7-

- tetrahydropyridine [4,3-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
- N-{3-(o-toluic-amido)-5-(carbo-tbutoxy)-4,5,6,7-
tetrahydropyridine [4,3-c]pyrazol-1-yl}, N'-methylpolystyrene
5 urea
- N-{3-(m-toluic-amido)-5-(carbo-tbutoxy)-4,5,6,7-
tetrahydropyridine [4,3-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
- N-{3-(p-toluic-amido)-5-(carbo-tbutoxy)-4,5,6,7-
10 tetrahydropyridine [4,3-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
- N-{3-salicylic-amido-5-(carbo-tbutoxy)-4,5,6,7-
tetrahydropyridine [4,3-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
- 15 N-{3-(2-fluorobenzamido)-5-(carbo-tbutoxy)-4,5,6,7-
tetrahydropyridine [4,3-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
- N-{3-(3-fluorobenzamido)-5-(carbo-tbutoxy)-4,5,6,7-
tetrahydropyridine [4,3-c]pyrazol-1-yl}, N'-methylpolystyrene
20 urea
- N-{3-(4-fluorobenzamido)-5-(carbo-tbutoxy)-4,5,6,7-
tetrahydropyridine [4,3-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
- N-{3-(thiophene-2-acetamido)-5-(carbo-tbutoxy)-4,5,6,7-
25 tetrahydropyridine [4,3-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
- N-{3-(thiophene-3-acetamido)-5-(carbo-tbutoxy)-4,5,6,7-
tetrahydropyridine [4,3-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
- 30 N-{3-phenylpropionic-amido-5-(carbo-tbutoxy)-4,5,6,7-
tetrahydropyridine [4,3-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
- N-{3-(3-cyanobenzamido)-5-(carbo-tbutoxy)-4,5,6,7-
tetrahydropyridine [4,3-c]pyrazol-1-yl}, N'-methylpolystyrene
35 urea
- N-{3-(4-cyanobenzamido)-5-(carbo-tbutoxy)-4,5,6,7-

- tetrahydropyridine[4,3-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
- N-{3-trans-cinnamic-amido-5-(carbo-tbutoxy)-4,5,6,7-
tetrahydropyridine[4,3-c]pyrazol-1-yl}, N'-methylpolystyrene
5 urea
- N-{3-cis-cinnamic-amido-5-(carbo-tbutoxy)-4,5,6,7-
tetrahydropyridine[4,3-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
- N-{3-[3-(3-pyridyl)acrylic-amido]-5-(carbo-tbutoxy)-
10 4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl}, N'-
methylpolystyrene urea
- N-{3-[3-(4-pyridyl)-acrylic-amido]-5-(carbo-tbutoxy)-
4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl}, N'-
methylpolystyrene urea
- 15 N-{3-(2-phenylpropionamido)-5-(carbo-tbutoxy)-4,5,6,7-
tetrahydropyridine[4,3-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
- N-{3-o-tolylacetamido-5-(carbo-tbutoxy)-4,5,6,7-
tetrahydropyridine[4,3-c]pyrazol-1-yl}, N'-methylpolystyrene
20 urea
- N-{3-m-tolylacetamido-5-(carbo-tbutoxy)-4,5,6,7-
tetrahydropyridine[4,3-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
- N-{3-p-tolylacetamido-5-(carbo-tbutoxy)-4,5,6,7-
25 tetrahydropyridine[4,3-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
- N-{3-o-anisic-amido-5-(carbo-tbutoxy)-4,5,6,7-
tetrahydropyridine[4,3-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
- 30 N-{3-(3-methoxybenzamido)-5-(carbo-tbutoxy)-4,5,6,7-
tetrahydropyridine[4,3-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
- N-{3-p-anisic-amido-5-(carbo-tbutoxy)-4,5,6,7-
tetrahydropyridine[4,3-c]pyrazol-1-yl}, N'-methylpolystyrene
35 urea
- N-{3-phenoxyacetamido-5-(carbo-tbutoxy)-4,5,6,7-

- tetrahydropyridine [4,3-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
- N-{3-(2-fluorophenylacetamido)-5-(carbo-tbutoxy)-4,5,6,7-
tetrahydropyridine [4,3-c]pyrazol-1-yl}, N'-methylpolystyrene
5 urea
- N-{3-(3-fluorophenylacetamido)-5-(carbo-tbutoxy)-4,5,6,7-
tetrahydropyridine [4,3-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
- N-{3-(4-fluorophenylacetamido)-5-(carbo-tbutoxy)-4,5,6,7-
10 tetrahydropyridine [4,3-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
- N-{3-[3-(2-thienyl)acrylicamido]-5-(carbo-tbutoxy)-4,5,6,7-
tetrahydropyridine [4,3-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
- 15 N-{3-[3-(3-thienyl)-acrylicamido]-5-(carbo-tbutoxy)-
4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-1-yl}, N'-
methylpolystyrene urea
- N-{3-[3-(2-thienyl)propanoic-amido]-5-(carbo-tbutoxy)-
4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-1-yl}, N'-
20 methylpolystyrene urea
- N-{3-[2-chlorobenzamido]-5-(carbo-tbutoxy)-4,5,6,7-
tetrahydropyridine [4,3-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
- N-{3-[3-chlorobenzamido]-5-(carbo-tbutoxy)-4,5,6,7-
25 tetrahydropyridine [4,3-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
- N-{3-(4-chlorobenzamido)-5-(carbo-tbutoxy)-4,5,6,7-
tetrahydropyridine [4,3-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
- 30 N-{3-(1-piperidinepropionamido)-5-(carbo-tbutoxy)-4,5,6,7-
tetrahydropyridine [4,3-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
- N-{3-(2-acetylbenzamido)-5-(carbo-tbutoxy)-4,5,6,7-
tetrahydropyridine [4,3-c]pyrazol-1-yl}, N'-methylpolystyrene
35 urea
- N-{3-(4-acetylbenzamido)-5-(carbo-tbutoxy)-4,5,6,7-

- tetrahydropyridine [4,3-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
N-{3-(1-naphthoicamido)-5-(carbo-tbutoxy)-4,5,6,7-
tetrahydropyridine [4,3-c]pyrazol-1-yl}, N'-methylpolystyrene
5 urea
N-{3-(2-naphthoicamido)-5-(carbo-tbutoxy)-4,5,6,7-
tetrahydropyridine [4,3-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
N-{3-(3-benzoylpropionamido)-5-(carbo-tbutoxy)-4,5,6,7-
10 tetrahydropyridine [4,3-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
N-{3-(4-acetamidobenzamido)-5-(carbo-tbutoxy)-4,5,6,7-
tetrahydropyridine [4,3-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
15 N-{3-(2,5-dimethoxybenzamido)-5-(carbo-tbutoxy)-4,5,6,7-
tetrahydropyridine [4,3-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
N-{3-(2,6-dimethoxybenzamido)-5-(carbo-tbutoxy)-4,5,6,7-
tetrahydropyridine [4,3-c]pyrazol-1-yl}, N'-methylpolystyrene
20 urea
N-{3-(3,4-dimethoxybenzamido)-5-(carbo-tbutoxy)-4,5,6,7-
tetrahydropyridine [4,3-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
N-{3-(3,5-dimethoxybenzamido)-5-(carbo-tbutoxy)-4,5,6,7-
25 tetrahydropyridine [4,3-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
N-{3-3-(2-thenoyl)-propionamido-5-(carbo-tbutoxy)-4,5,6,7-
tetrahydropyridine [4,3-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
30 N-{3-(2-naphtylacetamide)-5-(carbo-tbutoxy)-4,5,6,7-
tetrahydropyridine [4,3-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
N-{3-(1-naphtylacetamido)-5-(carbo-tbutoxy)-4,5,6,7-
tetrahydropyridine [4,3-c]pyrazol-1-yl}, N'-methylpolystyrene
35 urea
N-{3-(4-phenylbenzamido)-5-(carbo-tbutoxy)-4,5,6,7-

- tetrahydropyridine [4,3-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
- N-{3-(2-furamido)-5-(carbo-tbutoxy)-4,5,6,7-
tetrahydropyridine [4,3-c]pyrazol-1-yl}, N'-methylpolystyrene
5 urea
- N-{3-(4-phenoxybenzamido)-5-(carbo-tbutoxy)-4,5,6,7-
tetrahydropyridine [4,3-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
- N-{3-(3-phenoxybenzamido)-5-(carbo-tbutoxy)-4,5,6,7-
10 tetrahydropyridine [4,3-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
- N-{3-(4-tertbutyl-benzamido)-5-(carbo-tbutoxy)-4,5,6,7-
tetrahydropyridine [4,3-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
- 15 N-{3-piperonylcarboxamido-5-(carbo-tbutoxy)-4,5,6,7-
tetrahydropyridine [4,3-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
- N-{3-(2-naphtalene)propionamido-5-(carbo-tbutoxy)-4,5,6,7-
tetrahydropyridine [4,3-c]pyrazol-1-yl}, N'-methylpolystyrene
20 urea
- N-{3-(6-methoxy-2-naphtalene)propionamido-5-(carbo-
tbutoxy)-4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-1-yl}, N'-
methylpolystyrene urea
- N-{3-(2-ethylbutyramido)-5-(carbo-tbutoxy)-4,5,6,7-
25 tetrahydropyridine [4,3-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
- N-{3-(4-pyrrolidin-1-yl-phenyl)propionamido-5-(carbo-
tbutoxy)-4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-1-yl}, N'-
methylpolystyrene urea
- 30 N-{3-(2-oxo-pyrrolidin-1-yl)phenyl}propionamido-5-(carbo-
tbutoxy)-4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-1-yl}, N'-
methylpolystyrene urea
- N-{3-(bicyclo[4.2.0]octa-1,3,5-triene-7-carboxamido)-5-
(carbo-tbutoxy)-4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-1-
35 yl}, N'-methylpolystyrene urea
- N-{3-(2-oxo-pyrrolidin-1-yl)phenylacetamido-5-(carbo-

- tbutoxy)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-
methylnpolystyrene urea
- N-{3-(4-pyrrolidin-1-yl-phenylacetamido-5-(carbo-tbutoxy)-
4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-
5 methylnpolystyrene urea
- N-{3-(4-trifluoromethyl)phenylacetamido-5-(carbo-tbutoxy)-
4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-
methylnpolystyrene urea
- N-{3-(2-bromo)phenylacetamido-5-(carbo-tbutoxy)-4,5,6,7-
10 tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylnpolystyrene
urea
- N-{3-[4-(pyrrolidin-1-yl-
carbonylmethyloxy)]phenylacetamido-5-(carbo-tbutoxy)-
4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-
15 methylnpolystyrene urea
- N-{3-[3-(aminocarbonylmethyloxy)phenylacetamido]-5-(carbo-
tbutoxy)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-
methylnpolystyrene urea
- N-{3-[4-(2-oxo-oxazolidin-3-yl)phenylacetamido]-5-(carbo-
20 tbutoxy)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-
methylnpolystyrene urea
- N-{3-[4-(4-methylpiperazino)benzamide]-5-(carbo-tbutoxy)-
4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-
methylnpolystyrene urea
- 25 N-{3-(benzo[1,3]dioxol-5-yl)acetamido-5-(carbo-tbutoxy)-
4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-
methylnpolystyrene urea
- N-{3-[4-(2-oxo-oxazolidin-3-yl)phenylacetamido]-5-(carbo-
tbutoxy)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-
30 methylnpolystyrene urea
- N-{3-(2-phenyl-1,3-thiazol-4-yl)acetamido-5-(carbo-
tbutoxy)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-
methylnpolystyrene urea
- N-{3-[4-(1-pyrrolidin-2-one)benzamide]-5-(carbo-tbutoxy)-
35 4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-
methylnpolystyrene urea

- N-{3-[2-(3-oxo-3,4,4a,8a-tetrahydro-2H-benzo[1,4]oxazin-6-yl)acetamido]-5-(carbo-tbutoxy)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl}, N'-methylpolystyrene urea
- 5 N-{3-(1-methyl-indol-3-yl)acetamido-5-(carbo-tbutoxy)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl}, N'-methylpolystyrene urea
- N-{3-(6-oxo-6H-pyridazin-1-yl)acetamido)-5-(carbo-tbutoxy)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl}, N'-methylpolystyrene urea
- 10 N-{3-(4-(morpholin-1-yl)-phenyl)acetamido)-5-(carbo-tbutoxy)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl}, N'-methylpolystyrene urea
- N-{3-(4-pyridylacetamido)-5-(carbo-tbutoxy)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl}, N'-methylpolystyrene urea
- 15 N-{3-phenoxyacetamido-5-(carbo-tbutoxy)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl}, N'-methylpolystyrene urea
- 20 N-{3-(3-pyridylacetamido)-5-(carbo-tbutoxy)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl}, N'-methylpolystyrene urea
- N-{3-[5-(4-chlorophenyl)furan-2-carboxamido]-5-(carbo-tbutoxy)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl}, N'-methylpolystyrene urea
- 25 N-{3-[quinoline-6-carboxamido]-5-(carbo-tbutoxy)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl}, N'-methylpolystyrene urea
- N-{3-[2-methyl-5-phenyl-furan-3-carboxamido]-5-(carbo-tbutoxy)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl}, N'-methylpolystyrene urea
- 30 N-{3-[benzofuran-2-carboxamido]-5-(carbo-tbutoxy)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl}, N'-methylpolystyrene urea
- 35 N-{3-[6-chloronicotinamido]-5-(carbo-tbutoxy)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl}, N'-methylpolystyrene

urea

N-{3-[5-chlorothiophene-2-carboxamido]-5-(carbo-tbutoxy)-
4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-
methylpolystyrene urea

5

Example 14

Preparation of N-{3-phenylacetamido-4,5,6,7-
tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene
urea

- 10 N-{3-phenylacetamido-5-(carbo-tbutoxy)-4,5,6,7-
tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene
urea (3.01 mmol) was treated with a solution of TFA 50% in
anhydrous dichloromethane. The resulting suspension was
gently stirred at 22°C for 2 hours, then washed with a
15 solution of TEA 10% in anhydrous dichloromethane,
dichloromethane, methanol and dried under vacuum.

Analogously, the following compounds can be prepared by
using the appropriate N-{3-amido-5-(carbo-tbutoxy)-4,5,6,7-
20 tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene
urea:

- N-{3-acetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-
yl},N'-methylpolystyrene urea
N-{3-cyclopropanecarboxamido-4,5,6,7-
25 tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene
urea
N-{3-isobutyramido-4,5,6,7-tetrahydropyridine[4,3-
c]pyrazol-1-yl},N'-methylpolystyrene urea
N-{3-cyclopentanecarboxamido-4,5,6,7-
30 tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene
urea
N-{3-benzamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-
yl},N'-methylpolystyrene urea
N-{3-picolinic-amido-4,5,6,7-tetrahydropyridine[4,3-

- c]pyrazol-1-yl}, N'-methylpolystyrene urea
N-{3-nicotinic-amido-4,5,6,7-tetrahydropyridine[4,3-
c]pyrazol-1-yl}, N'-methylpolystyrene urea
N-{3-isonicotinic-amido-4,5,6,7-tetrahydropyridine[4,3-
5 c]pyrazol-1-yl}, N'-methylpolystyrene urea
N-{3-(3-methyl-2-furoic)-amido-4,5,6,7-
tetrahydropyridine[4,3-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
N-{3-(thiophene-2-carboxamido)-4,5,6,7-
10 tetrahydropyridine[4,3-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
N-{3-(thiophene-3-carboxamido)-4,5,6,7-
tetrahydropyridine[4,3-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
15 N-{3-(o-toluic-amido)-4,5,6,7-tetrahydropyridine[4,3-
c]pyrazol-1-yl}, N'-methylpolystyrene urea
N-{3-(m-toluic-amido)-4,5,6,7-tetrahydropyridine[4,3-
c]pyrazol-1-yl}, N'-methylpolystyrene urea
N-{3-(p-toluic-amido)-4,5,6,7-tetrahydropyridine[4,3-
20 c]pyrazol-1-yl}, N'-methylpolystyrene urea
N-{3-salicylic-amido-4,5,6,7-tetrahydropyridine[4,3-
c]pyrazol-1-yl}, N'-methylpolystyrene urea
N-{3-(2-fluorobenzamido)-4,5,6,7-tetrahydropyridine[4,3-
c]pyrazol-1-yl}, N'-methylpolystyrene urea
25 N-{3-(3-fluorobenzamido)-4,5,6,7-tetrahydropyridine[4,3-
c]pyrazol-1-yl}, N'-methylpolystyrene urea
N-{3-(4-fluorobenzamido)-4,5,6,7-tetrahydropyridine[4,3-
c]pyrazol-1-yl}, N'-methylpolystyrene urea
N-{3-(thiophene-2-acetamido)-4,5,6,7-
30 tetrahydropyridine[4,3-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
N-{3-(thiophene-3-acetamido)-4,5,6,7-
tetrahydropyridine[4,3-c]pyrazol-1-yl}, N'-methylpolystyrene
urea
35 N-{3-phenylpropionic-amido-4,5,6,7-tetrahydropyridine[4,3-
c]pyrazol-1-yl}, N'-methylpolystyrene urea

- N-{3-(3-cyanobenzamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-(4-cyanobenzamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 5 N-{3-trans-cinnamic-amido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-cis-cinnamic-amido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-[3-(3-pyridyl)acrylic-amido]-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 10 N-{3-[3-(4-pyridyl)-acrylic-amido]-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 15 N-{3-(2-phenylpropionamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-o-tolylacetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-m-tolylacetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 20 N-{3-p-tolylacetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-o-anisic-amido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 25 N-{3-(3-methoxybenzamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-p-anisic-amido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-phenoxyacetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 30 N-{3-(2-fluorophenylacetamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-(3-fluorophenylacetamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 35

- N-{3-(4-fluorophenylacetamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-[3-(2-thienyl)acrylicamido]-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 5 N-{3-[3-(3-thienyl)-acrylicamido]-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 10 N-{3-[3-(2-thienyl)propanoic-amido]-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-[2-chlorobenzamido]-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 15 N-{3-[3-chlorobenzamido]-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-(4-chlorobenzamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-(1-piperidinepropionamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 20 N-{3-(2-acetylbenzamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-(4-acetylbenzamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 25 N-{3-(1-naphthoicamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-(2-naphthoicamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 30 N-{3-(3-benzoylpropionamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-(4-acetamidobenzamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 35 N-{3-(2,5-dimethoxybenzamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene

urea

N-{3-(2,6-dimethoxybenzamido)-4,5,6,7-

tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene

urea

5 N-{3-(3,4-dimethoxybenzamido)-4,5,6,7-

tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene

urea

N-{3-(3,5-dimethoxybenzamido)-4,5,6,7-

tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene

10 urea

N-{3-3-(2-thenoyl)-propionamido-4,5,6,7-

tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene

urea

N-{3-(2-naphtylacetamide)-4,5,6,7-tetrahydropyridine[4,3-

15 c]pyrazol-1-yl},N'-methylpolystyrene urea

N-{3-(1-naphtylacetamido)-4,5,6,7-tetrahydropyridine[4,3-

c]pyrazol-1-yl},N'-methylpolystyrene urea

N-{3-(4-phenylbenzamido)-4,5,6,7-tetrahydropyridine[4,3-

c]pyrazol-1-yl},N'-methylpolystyrene urea

20 N-{3-(2-furamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene urea

N-{3-(4-phenoxybenzamido)-4,5,6,7-tetrahydropyridine[4,3-

c]pyrazol-1-yl},N'-methylpolystyrene urea

N-{3-(3-phenoxybenzamido)-4,5,6,7-tetrahydropyridine[4,3-

25 c]pyrazol-1-yl},N'-methylpolystyrene urea

N-{3-(4-tertbutyl-benzamido)-4,5,6,7-

tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene

urea

N-{3-piperonylcarboxamido-4,5,6,7-tetrahydropyridine[4,3-

30 c]pyrazol-1-yl},N'-methylpolystyrene urea

N-{3-(2-naphtalene)propionamido-4,5,6,7-

tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene

urea

N-{3-(6-methoxy-2-naphtalene)propionamido-4,5,6,7-

35 tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene

urea

- N-{3-(2-ethylbutyramido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-(4-pyrrolidin-1-yl-phenyl)propionamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene
- 5 urea
- N-{3-(2-oxo-pyrrolidin-1-yl)phenyl]propionamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-(bicyclo[4.2.0]octa-1,3,5-triene-7-carboxamido)-
- 10 4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-(2-oxo-pyrrolidin-1-yl)phenylacetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 15 N-{3-(4-pyrrolidin-1-yl-phenylacetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-(4-trifluoromethyl)phenylacetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene
- 20 urea
- N-{3-(2-bromo)phenylacetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-[4-(pyrrolidin-1-yl-
- 25 carbonylmethyloxy)]phenylacetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-[3-(aminocarbonylmethyloxy)phenylacetamido]-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene
- 30 urea
- N-{3-[4-(2-oxo-oxazolidin-3-yl)phenylacetamido]-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-[4-(4-methylpiperazino)benzamide]-4,5,6,7-
- 35 tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene urea

- N-{3-(benzo[1,3]dioxol-5-yl)acetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-[4-(2-oxo-oxazolidin-3-yl)phenylacetamido]-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 5 N-{3-(2-phenyl-1,3-thiazol-4-yl)acetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 10 N-{3-[4-(1-pyrrolidin-2-one)benzamido]-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-[2-(3-oxo-3,4,4a,8a-tetrahydro-2H-benzo[1,4]oxazin-6-yl)acetamido]-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 15 N-{3-(1-methyl-indol-3-yl)acetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-(6-oxo-6H-pyridazin-1-yl)acetamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 20 N-{3-(4-(morpholin-1-yl)-phenyl)acetamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 25 N-{3-(4-pyridylacetamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-phenoxyacetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-(3-pyridylacetamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 30 N-{3-[5-(4-chlorophenyl)furan-2-carboxamido]-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-[quinoline-6-carboxamido]-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 35

N-{3-[2-methyl-5-phenyl-furan-3-carboxamido]-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene urea

5 N-{3-[benzofuran-2-carboxamido]-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene urea

N-{3-[6-chloronicotinamido]-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene urea

10 N-{3-[5-chlorothiophene-2-carboxamido]-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene urea

Example 5

Preparation of N-{3-phenylacetamido-5-phenylacetyl]-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene
15 urea

Phenylacetic acid (0.43 mmol, 58.5 mg), NMM (0.43 mmol, 47.3 mcl) and PyBop (0.43 mmol, 223.8 mg) were added to N-{3-phenylacetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene urea. (0.086 mmol, 100 mg) previously swelled in 4 ml of anhydrous N,N-dimethylformamide. The resulting suspension was gently stirred at 22°C for 24 hours. The resin was then filtered, washed with N,N-dimethylformamide, dichloromethane,
25 methanol,, and dried under vacuum.

Example 15

Preparation of a library of 4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl derivatives

30 Step a:

540 g of 3-amino-5-(carbo-tbutoxy)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazole were prepared according to the procedure reported in example 4.

Step b:

The obtained 3-amino-5-(carbo-tbutoxy 4,5,6,7-tetrahydropyridine[4,3-c]pyrazole was supported on methylisocyanate polystyrene resin (200-400 mesh, 2% DVB, loading 1.49 mmol/g, 900 g) according to the procedure reported in example 5.

Step c

The obtained N-{3-amino-5-(carbo-tbutoxy)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl},N'-methylpolystyrene urea was partitioned in 96 different batches (15 g each). Each batch was reacted with the appropriate acyl chloride, according to the procedure described in example 13, to obtain the products listed in example 13.

Step d

The 96 batches of N-{3-acyl-amido-5-(carbo-tbutoxy)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene ureas were individually treated with a solution of TFA 50% in anhydrous dichloromethane according to the procedure described in example 14, to obtain the products listed in example 14.

Step e

One out of the 96 lots obtained in step d was partitioned in 149 batches (50 mg each). Each of these 149 batches was individually reacted with all the carboxylic acids, sulfonylchlorides, or isocyanates used for the preparation of the products listed in examples 8, 9, 10.

Step f

One out of the 96 lots obtained in step d was partitioned in 149 batches (50 mg each). These 149 batches were individually reacted with the 95 carboxylic acids used in example 8, 15 sulfonylchlorides used in example 9, and 15 isocyanates used in example 10.

Step g

Each of the remaining 95 lots of step d underwent steps e, and f.

The overall combinatorial chemistry process gave a library of $96 \times 149 = 14304$ 4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-1-yl derivatives.

Representative compounds of the above combinatorial library

5 are:

N-{5-benzensulfonyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-4-fluorobenzamide 1H-NMR (DMSO-d₆) d ppm 2.7 (m); 3.4 (m); 4.1 (s); 7.25-8.1 (m)

10 N-[5-(methylsulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]benzamide 1H-NMR (DMSO-d₆) d ppm 2.78 (m), 2.89 (s), 3.45 (m), 4.15 (s), 7.4-8.0 (m).

N-isopropyl-N'-{3-benzamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea; 1H-NMR (DMSO-d₆) d ppm 1 (d), 2.6 (m), 3.57 (m), 3.75 (m), 4.2 (s), 7.4-8.0 (m).

15 N-isopropyl-N'-{3-phenylacetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea; 1H-NMR (DMSO-d₆) d ppm 1 (d) 1.01 (s, 3H), 1.04 (s, 3H), 2.55 (t, 2H), 3.50 (t, 2H), 3.60 (s, 2H), 3.62-3.80 (m, 1H), 4.15 (s, 2H), 6.15 (d, 1H), 7.20-7.40 (m, 5H)."

20 N-[5-(methylsulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]cyclopropanecarboxamide 1H-NMR (DMSO-d₆) d ppm 0.75 (m), 1.8 (m), 2.7 (m), 2.85 (s), 3.4 (m), 4.1 (s).

25 N-(5-benzoyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl)cyclopropanecarboxamide 1H-NMR (DMSO-d₆) d ppm 0.75 (m), 1.8 (m), 2.7 (m), 3.65 (bs), 4.4 (s), 7.3-7.5 (m).

30 N-[5-phenylacetyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]cyclopropanecarboxamide 1H-NMR (DMSO-d₆) d ppm 0.75 (bs), 1.8 (m), 2.6 (bs), 4.2-4.4 (2s), 7.1-7.35 (m).

N-isopropyl-N'-{3-cyclopropanecarboxamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea; 1H-NMR (DMSO-d₆) d ppm 0.75 (bs), 1.0 (d), 1.8 (m), 2.55 (m), 3.5 (m), 3.75 (m), 4.05 (s)."

35

- N-[5-(methylsulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]-4-phenoxybenzamide 1H-NMR (DMSO-d6) d ppm 2.8 (bs), 2.9 (s), 3.5 (m), 4.2 (s), 7.0-8.0 (m).
- 5 N-(5-benzoyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl)-4-phenoxybenzamide 1H-NMR (DMSO-d6) d ppm 2.75 (bs), 3.7 (bs), 4.5 (bs), 7.0-8.0 (m).
- N-[5-phenylacetyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]-4-phenoxybenzamide 1H-NMR (DMSO-d6) d ppm 2.6 (bs), 3.75 (bs), 4.4 (bs), 7.0-8.0 (m).
- 10 N-isopropyl-N'-{3-(4-fluoro-benzamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea; 1H-NMR (DMSO-d6) d ppm 1.0 (d); 2.6 (m); 3.55 (m); 3.7 (m); 4.2 (s); 6.2 (d); 7.3-8.1 (m)
- 15 N-(5-(4-fluoro-benzoyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl)-4-fluorobenzamide 1H-NMR (DMSO-d6) d ppm 2.7 (bs); 3.5-4.0 (2bs); 4.4 (bs); 7.1-8.2 (m)
- N-isopropyl-N'-{3-(4-tertbutyl-benzamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea; 1H-NMR (DMSO-d6) d ppm 1.0 (d); 1.3 (s); 2.6 (m); 3.6 (m); 3.7 (m); 4.15 (s); 7.45-7.95 (m)
- 20 N-[5-(methylsulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]-4-fluorobenzamide 1H-NMR (DMSO-d6) d ppm 2.8 (m); 2.9 (s); 3.5 (m); 4.2 (s); 7.2-8.1 (m)
- 25 N-{5-benzensulfonyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-4-phenoxybenzamide 1H-NMR (DMSO-d6) d ppm 2.7 (m), 3.4 (m), 4.05 (s), 7.0-8.0 (m).
- N-{5-benzylsulfonyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-4-phenoxybenzamide 1H-NMR (DMSO-d6) d ppm 2.6 (m), 3.4 (m), 4.2 (s), 4.4 (s), 7.0-8.0 (m).
- 30 N-phenyl-N'-{3-(4-phenoxy-benzamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea; 1H-NMR (DMSO-d6) d ppm 2.7 (m), 3.7 (m), 4.35 (s), 6.9-8.0 (m).
- 35

- N-[5-(quinoline-8-sulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]-4-phenoxybenzamide 1H-NMR (DMSO-d6) d ppm 2.6 (m), 3.75 (m), 4.3 (s), 7.0-9.0 (m).
- 5 N-{5-(2-thienyl)acetyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-4-phenoxybenzamide; 1H-NMR (DMSO-d6) d ppm 2.65 (bs), 3.8 (m), 3.9-4.1 (2s), 4.4-4.5 (2s), 6.8-8.0 (m).
- N-[5-isobutyryl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]-4-fluorobenzamide 1H-NMR (DMSO-d6) d ppm 1.0 (d); 2.5-2.7 (2m); 2.9 (m); 3.7 (m); 4.3-4.5 (2s); 7.3-8.1 (m)
- 10 N-(5-benzoyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl)-4-tertbutyl-benzamide 1H-NMR (DMSO-d6) d ppm 1.3 (s); 2.7 (m); 3.7 (m); 4.45 (s); 7.3-7.9 (m)
- 15 N-{5-benzensulfonyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-4-tertbutyl-benzamide 1H-NMR (DMSO-d6) d ppm 1.3 (s); 2.7 (m); 3.4 (m); 4.1 (s); 7.45-7.95 (m)
- N-phenyl-N'-{3-(4-tertbutyl-benzamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea; 1H-NMR (DMSO-d6) d ppm 1.3 (s); 2.7 (m); 3.7 (m); 4.35 (s); 6.8-8.0 (m)"
- 20 N-{5-(quinoline-8-sulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-4-tertbutyl-benzamide 1H-NMR (DMSO-d6) d ppm 1.3 (s); 2.6 (m); 3.7 (m); 4.3 (s); 7.4-9.0 (m)
- 25 N-(5-benzylsulfonyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl)cyclopropanecarboxamide 1H-NMR (DMSO-d6) d ppm 0.75 (m), 1.8 (m), 2.55 (m), 3.35 (m), 4.1 (s), 4.4 (s), 7.2-7.4 (m).
- 30 N-phenyl-N'-{3-cyclopropanecarboxamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea; 1H-NMR (DMSO-d6) d ppm 0.75 (m), 1.8 (m), 2.6 (m), 3.7 (m), 4.3 (s), 4.3 (s), 6.8-7.5 (m)."
- 35 N-{5-(2-thienyl)acetyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-cyclopropanecarboxamide 1H-NMR

(DMSO-d6) d ppm 0.75 (m), 1.8 (m), 2.6 (m), 3.7 (m),
3.85-4.05 (2s), 4.3-4.5 (2s), 6.8-7.4 (m).

N-{5-(quinoline-8-sulfonyl)-4,5,6,7-tetrahydropyridine[4,3-
c]pyrazol-3-yl}-cyclopropanecarboxamide 1H-NMR

5 (DMSO-d6) d ppm 0.75 (bs), 1.8 (m), 2.5 (m), 3.7 (m),
4.25 (s), 7.6-9.0 (m).

N-(5-acetyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-
yl)benzamide 1H-NMR (DMSO-d6) d ppm 2.05 (s),
2.6-2.8 (2m), 3.6-3.7 (2m), 4.3-4.4 (2s), 7.4-8.0 (m).

10 N-(5-benzoyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-
3yl)benzamide 1H-NMR (DMSO-d6) d ppm 2.75 (m),
3.7 (bs), 4.5 (s), 7.4-8.0 (m).

N-[5-(2-phenylacetyl)-4,5,6,7-tetrahydropyridine[4,3-
c]pyrazol-3-yl]benzamide 1H-NMR (DMSO-d6) d
15 ppm 2.6 (bs), 3.75 (bs), 4.5 (bs), 7.1-8.0 (m).

N-{5-benzensulfonyl-4,5,6,7-tetrahydropyridine[4,3-
c]pyrazol-3-yl}benzamide 1H-NMR (DMSO-d6) d
ppm 2.7 (m), 4.05 (s), 7.4-8.0 (m).

N-butyl-N'-{3-benzamido-4,5,6,7-tetrahydropyridine[4,3-
c]pyrazol-5-yl}urea;
20 1H-NMR (DMSO-d6) d ppm 0.8 (m), 1.2-1.4 (m), 2.6
(m), 3.0 (m), 3.6 (m), 4.2 (s), 7.4-8.0 (m)."

N-ethyl-N'-{3-benzamido-4,5,6,7-tetrahydropyridine[4,3-
c]pyrazol-5-yl}urea;
25 1H-NMR (DMSO-d6) d ppm 1 (m), 2.6 (m), 3.0 (q), 4.2
(s), 7.4-8.0 (m)."

N-{5-(2-furoyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-
yl}-4-tertbutyl-benzamide; 1H-NMR (DMSO-d6) d
ppm 1.3 (s); 2.8 (m); 3.9 (m); 4.6 (bs); 6.5-8.0 (m)

30 N-{5-(2-thienyl)acetyl-4,5,6,7-tetrahydropyridine[4,3-
c]pyrazol-3-yl}-4-tertbutyl-benzamide; 1H-NMR
(DMSO-d6) d ppm 1.3 (s); 2.6 (m); 3.75 (m); 3.9-4.1 (2s);
4.3-4.5 (2s); 6.8-7.9 (m)

N-phenyl-N'-{3-acetamido-4,5,6,7-tetrahydropyridine[4,3-
35 c]pyrazol-5-yl}urea;

- 1H-NMR (DMSO-d6) d ppm 2.0 (s), 2.7 (m), 3.7 (m), 4.35 (s), 6.8-7.5 (m)."
- N-[5-(2-phenylacetyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]acetamide 1H-NMR (DMSO-d6) d ppm
- 5 2.0 (s), 2.4-2.6 (2m), 3.6-3.9 (m), 4.3-4.5 (2s), 7.15-7.35 (m).
- N-{5-benzensulfonyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-acetamide 1H-NMR (DMSO-d6) d ppm
- 2.0 (s), 2.65 (m), 3.4 (m), 4.0 (s), 7.5-7.8 (m).
- 10 N-[5-(benzylsulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]acetamide 1H-NMR (DMSO-d6) d ppm
- 2.0 (s), 2.6 (m), 3.4 (m), 4.15 (s), 4.4 (s), 7.35 (s).
- N-(5-benzoyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl)acetamide 1H-NMR (DMSO-d6) d ppm 1.8-2.0
- 15 (2bs), 2.7 (bs), 3.4-3.9 (2bs), 4.1-4.5 (2bs), 7.4 (bs).
- N-[5-(quinoline-8-sulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]acetamide 1H-NMR (DMSO-d6) d ppm
- 2.0 (s), 2.55 (m), 3.7 (m), 4.25 (s), 7.4-9.0 (m).
- N-{5-(quinoline-8-sulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-4-fluoro-benzamide 1H-NMR (DMSO-
- 20 d6) d ppm 2.6 (m); 3.7 (m); 4.3 (s); 7.3-9.0 (m)
- N-[5-phenylacetyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]-4-tertbutyl-benzamide 1H-NMR (DMSO-d6) d
- ppm 2.5-2.7 (2m); 3.65-3.8 (m); 4.3-4.5 (2s); 7.15-8.0 (m)
- 25 N-{5-benzylsulfonyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-4-tertbutyl-benzamide 1H-NMR
- (DMSO-d6) d ppm 2.6 (m); 3.4 (m); 4.2 (s); 4.4 (s); 7.3-7.9 (m)
- N-isopropyl-N'-{3-acetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
- 30 1H-NMR (DMSO-d6) d ppm 1.0 (d), 1.95 (s), 2.55 (m), 3.55 (m), 3.7 (m), 4.15 (s)."
- N-[5-(methylsulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]acetamide 1H-NMR (DMSO-d6) d ppm
- 35 1.95 (s), 2.7 (m), 2.85 (s), 3.4 (m), 4.1 (s).

- N-(5-acetyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl)acetamide 1H-NMR (DMSO-d6) d ppm 1.9-2.1 (2s), 2.5-2.7 (2m), 3.55-3.7 (2m), 4.25-4.35 (2s).
- 5 N-{5-(2-thienyl)acetyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-acetamide 1H-NMR (DMSO-d6) d ppm 1.95 (s), 2.6 (m), 3.75 (m), 3.9-4.1 (2s), 4.3-4.5 (2s), 6.9-7.5 (m).
- 10 N-(5-benzoyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl)-4-fluorobenzamide 1H-NMR (DMSO-d6) d ppm 2. (bs); 3.3-3.9 (2bs); 4.3-4.6 (2bs); 7.2-8.1 (m)
- N-[5-(methylsulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]-4-tertbutyl-benzamide 1H-NMR (DMSO-d6) d ppm 1.3 (s); 2.75 (m); 2.9 (s); 3.5 (m); 4.15 (s); 7.4-7.9 (m)
- 15 N-(5-(1-naphthalenecarbonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl)-4-tertbutyl-benzamide 1H-NMR (DMSO-d6) d ppm 1.2-1.3 (2s); 2.45-2.9 (2bs); 3.35 (bs); 4.4-4.8 (m); 7.3-8.0 (m)
- 20 N-{5-benzylsulfonyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-4-fluorobenzamide 1H-NMR (DMSO-d6) d ppm 2.6 (m); 3.4 (m); 4.2 (s); 4.4 (s); 7.15-8.1 (m)
- N-[5-phenylacetyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]-4-fluorobenzamide 1H-NMR (DMSO-d6) d ppm 2.5-2.7 (2m); 3.7-3.8 (2m); 3.85 (s); 4.35-4.5 (2s); 25 7.1-8.1 (m)
- N-[5-(methylsulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]-4-phenoxy-benzamide 1H-NMR (DMSO-d6) d ppm 2.75 (m); 2.9 (s); 3.5 (m); 4.15 (s); 7.0-7.8 (m)
- 30 N-[5-(methylsulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]-3-methoxy-benzamide 1H-NMR (DMSO-d6) d ppm 2.75 (m); 2.9 (s); 3.5 (m); 3.8 (s); 4.2 (s); 7.1-7.6 (m)
- 35 N-{5-(quinoline-8-sulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-4-phenoxy-benzamide 1H-NMR (DMSO-d6) d ppm 2.6 (m); 3.7 (m); 4.3 (s); 7.0-9.0 (m)

- N-{5-(quinoline-8-sulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-3-methoxy-benzamide 1H-NMR
(DMSO-d6) d ppm 2.6 (m); 3.7 (m); 3.8 (s); 4.3 (s); 7.0-9.0 (m)
- 5 N-phenyl-N'-{3-benzamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea; 1H-NMR (DMSO-d6) d ppm 2.7 (m), 3.7 (m), 4.4 (s), 6.9-8.0 (m), 8.6 (s).
- N-[5-(methylsulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]-phenylacetamide 2.65 (t, 2H), 2.85 (s, 3H), 3.40 (t, 2H), 3.80 (s, 2H), 4.10 (s, 2H), 7.20-7.40 (m, 5H).
- 10 N-{5-[2-(2-thienyl)acetyl]-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}benzamide 1H-NMR (DMSO-d6) d ppm 2.6 (m), 3.77 (m), 3.9-4.1 (2s), 4.4-4.5 (2s), 6.9-8.0 (m).
- 15 N-{5-(quinoline-8-sulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-benzamide 1H-NMR (DMSO-d6) d ppm 2.6 (m), 3.75 (m), 4.35 (s), 7.4-9.0 (m).
- N-[5-(methylsulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]-3-fluoro-benzamide 1H-NMR (DMSO-d6) d ppm 2.8 (m), 2.9 (s), 3.45 (m), 4.2 (s), 7.35-7.9 (m).
- 20 N-[5-(benzylsulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]-3-fluorobenzamide 1H-NMR (DMSO-d6) d ppm 2.6 (m), 3.4 (m), 4.2 (s), 4.4 (s), 7.3-7.9 (m).
- 25 N-[5-phenylacetyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]-3-fluorobenzamide 1H-NMR (DMSO-d6) d ppm 2.5-2.65 (2m), 3.75-3.85 (2m), 4.35-4.6 (2s), 7.15-7.95 (m).
- 30 N-(5-acetyl-4,5,6,7-tetrahydro-1H-pyrazolo[4,3-c]pyridin-3-yl)-3-fluorobenzamide 1H-NMR (DMSO-d6) d ppm 2.0-2.1 (2s), 2.6-2.8 (2m), 3.6-3.8 (2m), 4.3-4.4 (2s), 7.4-7.9 (m).

- N- (5-benzoyl-4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-3-yl)-3-fluorobenzamide 1H-NMR (DMSO-d6) d ppm 2.75 (bs), 3.5-3.9 (2bs), 4.3-4.6 (2bs), 7.3-7.9 (m).
- 5 N-{5-benzensulfonyl-4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-3-yl}-3-fluorobenzamide 1H-NMR (DMSO-d6) d ppm 2.65 (m), 3.4 (m), 4.1 (s), 7.4-7.9 (m).
- "N-isopropyl-N'-(3-(3-fluorobenzamido)-4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-5-yl}urea; 1H-NMR (DMSO-d6) d ppm 1.0 (d), 2.6 (m), 3.6 (m), 3.7 (m), 4.2 (s), 6.2 (d), 7.4-7.9 (m)."
- 10 N-{5-benzensulfonyl-4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-3-yl}-3-phenoxybenzamide 1H-NMR (DMSO-d6) d ppm 2.6 (m); 3.4 (m); 4.0 (s); 7.0-7.8 (m)
- N- (5-benzoyl-4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-3-yl)-3-phenoxy-benzamide 1H-NMR (DMSO-d6) d ppm 2.7 (bs); 3.5 (bs); 4.15-4.25 (2bs); 7.0-7.9 (m)
- 15 N-{5-benzylsulfonyl-4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-3-yl}-3-phenoxybenzamide 1H-NMR (DMSO-d6) d ppm 2.6 (m); 3.4 (m); 4.1 (s); 4.4 (s); 7.0-7.8 (m)
- 20 N- (5-(1-naphthalenecarbonyl)-4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-3-yl)-3-tphenoxy-benzamide 1H-NMR (DMSO-d6) d ppm 2.5-2.9 (2bs); 4.0-4.2 (2bs); 4.5-4.9 (2bs); 6.9-8.0 (m)
- N- [5-phenylacetyl-4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-3-yl]-3-phenoxybenzamide 1H-NMR (DMSO-d6) d ppm 2.4-2.7 (2m); 3.6-3.8 (2m); 4.3-4.5 (2s); 7.0-7.8 (m)
- 25 N-{5-(2-thienyl)acetyl-4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-3-yl}-3-phenoxybenzamide; 1H-NMR (DMSO-d6) d ppm 2.6 (m); 3.75 (m); 3.9-4.1 (2s); 4.3-4.5 (2s); 6.8-7.8 (m)
- 30 N-{5-(quinoxaline-2-carbonyl)-4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-3-yl}-4-tertbutylbenzamide; 1H-NMR (DMSO-d6) d ppm 1.3 (s); 2.85 (m); 3.85 (m); 4.5-4.7 (2s); 7.3-8.2 (m)
- 35 N-{5-(quinoxaline-2-carbonyl)-4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-3-yl}-3-phenoxybenzamide;

¹H-NMR (DMSO-d₆) δ ppm 2.8 (m); 3.7-4.05 (2m); 4.5-4.7 (2s); 6.9-8.2 (m)

N-phenyl-N'-{3-(3-phenoxy-benzamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;

5 ¹H-NMR (DMSO-d₆) δ ppm 2.7 (m); 3.7 (m); 4.35 (s); 6.8-7.8 (m) "

N-(5-benzoyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl)-phenylacetamide 2.70 (t, 2H), 3.58 (s, 2H), 3.60 (t, 2H), 4.20 (s, 2H), 7.20-7.50 (m, 10H).

10 N-(5-phenylacetyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl)-phenylacetamide 2.60 (t, 2H), 3.60 (s, 2H), 3.70 (t, 2H), 3.80 (s, 2H), 4.30 (s, 2H), 7.08-7.40 (m, 10H).

N-(5-aminocarbonyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl)-phenylacetamide 2.58 (t, 2H), 3.50 (t, 2H), 3.60 (s, 2H), 4.15 (s, 2H), 5.90 (s, 2H), 7.15-7.35 (m, 5H), 10.15 (bs, 1H), 12.10 (bs, 1H).

N-butyl-N'-{3-phenylacetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;

20 0.80 (t, 3H), 1.18-1.28 (m, 2H), 1.30-1.40 (m, 2H), 2.55 (t, 2H), 3.00 (t, 2H), 3.50 (t, 2H), 3.60 (s, 2H), 4.15 (s, 2H), 6.45 (bs, 1H), 7.20-7.45 (m, 5H), 10.22 (bs, 1H) ."

N-ethyl-N'-{3-phenylacetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;

25 ¹H-NMR (DMSO-d₆) δ ppm 1.00 (t, 3H), 2.80 (t, 2H), 2.95-3.05 (m, 2H), 3.50 (t, 2H), 3.60 (s, 2H), 4.20 (s, 2H), 6.50 (bs, 1H), 7.20-7.35 (m, 5H), 10.35 (s, 1H) ."

N-phenyl-N'-{3-phenylacetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;

30 2.65 (t, 2H), 3.60 (s, 2H), 3.65 (t, 2H), 4.35 (s, 2H), 6.90 (t, 1H), 7.15-7.40 (m, 9H), 8.60 (s, 1H), 10.25 (s, 1H) . "

N-benzyl-N'-{3-phenylacetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;

1H-NMR (DMSO-d6) δ ppm1(d) 2.60 (t, 2H), 3.60 (t, 2H), 3.70 (s, 2H), 4.18-4.22 (m, 4H), 7.10 (bs, 1H), 7.15-7.25 (m, 10H), 10.20 (bs, 1H)."

5 N-ethyl-N'-{3-(2-naphthalene)acetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;

0.95 (t, 3H), 2.65 (t, 2H), 2.95-3.05 (m, 2H), 3.50 (t, 2H), 3.80 (s, 2H), 4.15 (s, 2H), 6.45 (t, 1H), 7.40-7.50 (m, 3H), 7.80-7.90 (m, 4H)."

10 N-(5-(2-methoxybenzoyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl)-(2-naphthalene)acetamide 2.55-2.65 (m, 2H), 3.40 (t, 2H), 3.50-3.60 (m, 2H), 3.75 (s, 2H), 4.00-4.45 (m, 2H), 6.80-7.20 (m, 3H), 7.25-7.55 (m, 4H), 7.65-7.90 (m, 4H).

15 N-phenyl-N'-{3-(2-naphthalene)acetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;

1H-NMR (DMSO-d6) δ ppm1(d) 2.68 (t, 2H), 3.65 (t, 2H), 3.80 (s, 2H), 4.35 (s, 2H), 6.90 (t, 1H), 7.25-7.32 (m, 2H), 7.35-7.50 (m, 5H), 7.80 (s, 1H), 7.85-7.90 (m, 4H), 8.60 (s, 1H)."

20 N-[5-benzoyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]-(2-naphthalene)acetamide 2.65 (t, 2H), 3.65 (bs, 2H), 3.75 (bs, 2H), 7.30-7.50 (m, 8H), 7.70-7.90 (m, 4H).

25 N-(5-phenylacetyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl)-(2-naphthalene)acetamide 2.58 (t, 2H), 3.65 (t, 2H), 3.70-3.80 (m, 4H), 4.30-4.40 (m, 2H), 7.02-7.30 (m, 5H), 7.40-7.52 (m, 3H), 7.80-7.90 (m, 4H).

30 N-(5-acetyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl)-(2-naphthalene)acetamide 2.05 (s, 3H), 2.55-2.70 (m, 2H), 3.60-3.70 (m, 2H), 3.80 (s, 2H), 4.25-4.35 (m, 2H), 7.40-7.50 (m, 3H), 7.80-7.90 (m, 4H).

N-butyl-N'-{3-(2-naphthalene)acetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;

35 1H-NMR (DMSO-d6) δ ppm1(d) 0.83 (t, 3H), 1.18-1.28 (m, 2H), 1.30-1.40 (m, 2H), 2.55 (t, 2H), 2.90-3.00 (m, 2H), 3.50 (t, 2H), 3.78 (s, 2H), 4.15 (s, 2H), 6.40 (t, 1H), 7.40-7.50 (m, 3H), 7.80-7.90 (m, 4H)."

N-benzyl-N'-{3-(2-naphthalene)acetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;

- 1H-NMR (DMSO-d6) δ ppm1(d) 2.60 (t, 2H), 3.55 (t, 2H), 3.75 (s, 2H), 4.15-4.25 (m, 4H), 7.08 (t, 1H), 7.12-7.28 (m, 5H), 7.40-7.50 (m, 3H), 7.80-7.90 (m, 4H). "
- 5 N-(5-(2-furoyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl)-(2-naphthalene)acetamide 2.75 (bs, 2H), 3.75 (bs, 2H), 3.80 (bs, 2H), 4.50 (bs, 2H), 6.55 (bs, 1H), 6.95 (bs, 1H), 7.40-7.55 (m, 3H), 7.70 (bs, 1H), 7.80-7.90 (m, 4H).
- 10 N-(5-acetyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl)-3-methylbutanamide 0.88 (s, 3H), 0.90 (s, 3H), 2.00-2.10 (m, 4H), 2.15 (d, 2H), 2.60-2.70 (m, 2H), 3.60-3.70 (m, 2H), 4.25-4.35 (m, 2H).
- 15 N-(5-benzoyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl)-3-methylbutanamide 0.90-0.95 (m, 6H), 2.00-2.20 (m, 3H), 2.70 (bs, 2H), 3.50-3.90 (m, 2H), 4.20-4.50 (m, 2H), 7.30-7.50 (m, 5H).
- 20 N-(5-phenylacetyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl)-3-methylbutanamide 0.85-0.95 (m, 6H), 1.95-2.10 (m, 1H), 2.15 (d, 2H), 2.85 (t, 2H), 3.70 (t, 2H), 3.80 (s, 2H), 4.35 (s, 2H), 7.15-7.30 (m, 5H).
- 25 N-(5-(2-furoyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl)-3-methylbutanamide 0.85-0.95 (m, 6H), 1.95-2.05 (m, 1H), 2.15 (d, 2H), 2.75 (bs, 2H), 3.80 (t, 2H), 4.50 (bs, 2H), 6.58-6.62 (m, 1H), 6.98 (bs, 1H), 7.80 (bs, 1H).
- N-isopropyl-N'-{3-(3-methyl-butanamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
- 1H-NMR (DMSO-d6) δ ppm1(d) 0.90 (s, 3H), 0.95 (s, 3H), 1.02 (s, 3H), 1.04 (s, 3H), 2.00-2.10 (m, 1H), 2.15 (d, 2H), 2.65 (t, 2H), 3.60 (t, 2H), 3.65-3.75 (m, 1H), 4.15 (s, 2H), 6.15 (d, 1H). "
- 30 N-benzyl-N'-{3-(3-methyl-butanamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
- 1H-NMR (DMSO-d6) δ ppm1(d) 0.88 (s, 3H), 0.90 (s, 3H), 1.95-2.10 (m, 1H), 2.15 (d, 2H), 2.60 (t, 2H),
- 35

3.60 (t, 2H), 4.20-4.28 (m, 4H), 7.10 (t, 1H), 7.15-7.30 (m, 5H)."

N-butyl-N'-{3-(3-methyl-butanamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;

5 0.85 (t, 3H), 0.88 (s, 3H), 0.90 (s, 3H), 1.20-1.30 (m, 2H), 1.32-1.40 (m, 2H), 1.95-2.10 (m, 1H), 2.15 (d, 2H), 2.55 (t, 2H), 2.95-3.02 (m, 2H), 3.55 (t, 2H), 4.15 (s, 2H), 6.45 (t, 1H)."

N-phenyl-N'-{3-(3-methyl-butanamido)-4,5,6,7-

10 tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;

0.90-0.95 (m, 6H), 2.00-2.10 (m, 1H), 2.15 (d, 2H), 2.65 (t, 2H), 3.65 (t, 2H), 4.25 (s, 2H), 6.85 (t, 1H), 7.15-7.22 (m, 2H), 7.28-7.32 (m, 2H), 8.60 (s, 1H)."

N-ethyl-N'-{3-(3-methyl-butanamido)-4,5,6,7-

15 tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;

0.88-0.90 (m, 6H), 1.00 (t, 3H), 1.95-2.10 (m, 1H), 2.15 (d, 2H), 2.58 (t, 2H), 2.95-3.08 (m, 2H), 3.55 (t, 2H), 4.15 (s, 2H), 6.45 (t, 1H)."

N-ethyl-N'-{3-(4-phenyl)phenylacetamido-4,5,6,7-

20 tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;

0.95 (t, 3H), 2.58 (t, 2H), 2.95-3.05 (m, 2H), 3.50 (t, 2H), 3.65 (s, 2H), 4.15 (s, 2H), 6.45 (t, 1H), 7.30-7.50 (m, 4H), 7.55-7.65 (m, 3H)."

N-isopropyl-N'-{3-(4-phenyl)phenylacetamido-4,5,6,7-

25 tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;

1.00-1.05 (m, 6H), 2.55 (t, 2H), 3.40 (t, 2H), 3.65 (s, 2H), 3.70-3.80 (m, 1H), 4.15 (s, 2H), 6.15 (d, 1H), 7.30-7.45 (m, 5H), 7.55-7.65 (m, 4H)."

N-(5-benzoyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-

30 yl)-(4-phenyl)phenylacetamide 2.70 (t, 2H), 3.60-3.70 (m, 4H), 4.40 (bs, 2H), 7.30-7.62 (m, 14H).

N-(5-(2-furoyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl)-(4-phenyl)phenylacetamide 2.75 (bs, 2H), 3.65 (bs,

35 2H), 3.80 (bs, 2H), 4.50 (bs, 2H), 6.60 (bs, 1H), 6.95 (bs, 1H), 7.30-7.50 (m, 5H), 7.55-7.65 (m, 4H), 7.80 (bs, 1H),

N-propyl-N'-{3-(4-phenyl)phenylacetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;

0.85 (t, 3H), 1.20-1.30 (m, 2H), 1.35-1.40 (m, 2H), 2.55 (t, 2H), 2.95-3.00 (m, 2H), 3.50 (t, 2H), 3.62 (s, 2H),
5 4.15 (s, 2H), 6.42 (t, 1H), 7.30-7.50 (m, 5H), 7.55-7.65 (m, 4H). "

N-(5-(2-methoxyphenyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl)-(4-phenyl)phenylacetamide 2.50-2.65 (m, 2H), 3.40-3.70 (m, 2H), 3.75 (s, 3H), 4.00-4.45 (m, 2H),
10 6.85-7.25 (m, 4H), 7.30-7.55 (m, 5H), 7.57-7.64 (m, 4H).

N-benzyl-N'-{3-(4-phenyl)phenylacetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;

2.60 (t, 2H), 3.55 (t, 2H), 3.62 (s, 2H), 4.20-4.30 (m, 4H), 7.10 (t, 1H), 7.15-7.65 (m, 14H). "

15 N-phenyl-N'-{3-(4-phenyl)phenylacetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;

2.65 (t, 2H), 3.60-3.70 (m, 4H), 4.35 (s, 2H), 6.90 (t, 1H), 7.15-7.20 (m, 2H), 7.30-7.50 (m, 8H), 7.55-7.65 (m, 3H), 8.60 (s, 1H). "

20 N-isopropyl-N'-{3-[4-(1-pyrrolidin-2-on)]phenylacetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;

1.02-1.07 (m, 6H), 2.00-2.10 (m, 2H), 2.45 (t, 2H), 2.55 (t, 2H), 3.50 (t, 2H), 3.55 (s, 2H), 3.62-3.75 (m, 1H), 3.80 (t, 2H), 4.15 (s, 2H), 6.15 (d, 1H), 7.25-7.35 (m,
25 2H), 7.55-7.60 (m, 2H). "

N-ethyl-N'-{3-(2-(2-naphthalene)propionamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;

0.98 (t, 3H), 1.48 (d, 3H), 2.55 (t, 2H), 2.95-3.05 (m, 2H), 3.55 (t, 2H), 4.00 (m, 1H), 4.10-4.22 (m, 2H), 6.42
30 (t, 1H), 7.40-7.58 (m, 3H), 7.80-7.90 (m, 4H). "

N-isopropyl-N'-{3-(2-(2-naphthalene)propionamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;

1.00-1.05 (m, 6H), 1.50 (d, 3H), 2.55 (t, 2H), 3.45-3.55 (m, 2H), 3.62-3.75 (m, 1H), 4.00 (m, 1H), 4.10-4.25 (m, 2H), 6.15 (d, 1H), 7.40-7.55 (m, 3H), 7.80-7.90 (m, 4H). "

N-butyl-N'-{3-(2-(2-naphthalene)propionamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;

0.80 (t, 3H), 1.18-1.27 (m, 2H), 1.30-1.40 (m, 2H), 1.48 (d, 3H), 2.55 (t, 2H), 2.95-3.02 (m, 2H), 3.40-3.60 (m, 2H), 4.00 (m, 1H), 4.08-4.22 (m, 2H), 6.40 (t, 1H), 7.40-7.55 (m, 3H), 7.80-7.90 (m, 4H)."

"N-benzyl-N'-{3-(2-(2-naphthalene)propionamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;

10 1.45 (d, 3H), 2.60 (t, 2H), 3.50-3.62 (m, 2H), 4.00 (m, 1H), 4.20 (s, 2H), 4.25 (d, 2H), 7.08 (t, 1H), 7.15-7.30 (m, 5H), 7.40-7.55 (m, 4H), 7.80-7.90 (m, 3H), 10.10 (s, 1H), 12.10 (s, 1H)."

15 N-(5-(2-furoyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl)-propanamide 1.50 (d, 3H), 2.70 (bs, 2H), 3.80 (bs, 2H), 4.00 (m, 1H), 4.30-4.55 (m, 2H), 6.50 (bs, 1H), 6.90 (bs, 1H), 7.40-7.58 (m, 4H), 7.70 (bs, 1H), 7.80-7.90 (m, 3H), 10.18 (s, 1H), 12.18 (s, 1H).

20 N-(5-(2-methoxy-benzoyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl)-[4-(1-pyrrolidin-2-on)]phenylacetamide 2.00-2.10 (m, 2H), 2.45 (t, 2H), 2.55-2.65 (m, 2H), 3.30-3.45 (m, 2H), 3.60 (s, 2H), 3.80 (t, 2H), 4.00-4.45 (m, 2H), 6.90-7.15 (m, 4H), 7.30-7.40 (m, 2H), 7.50-7.60 (m, 2H).

25 N-ethyl-N'-{3-[2-(4-phenyl-3-fluoro-phenyl)propionamido]-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;

0.95 (t, 3H), 1.42 (d, 3H), 2.55 (t, 2H), 2.95-3.05 (m, 2H), 3.40-3.60 (m, 2H), 3.95 (m, 1H), 4.10-4.22 (m, 2H), 6.45 (t, 1H), 7.25-7.55 (m, 8H)."

30 N-isopropyl-N'-{3-[2-(4-phenyl-3-fluoro-phenyl)propionamido]-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;

1.00-1.05 (m, 6H), 1.42 (d, 3H), 2.55 (t, 2H), 3.40-3.60 (m, 2H), 3.70 (m, 1H), 4.08-4.22 (m, 2H), 6.15 (t, 1H), 35 7.22-7.57 (m, 8H)."

N-butyl-N'-{3-[2-(4-phenyl-3-fluoro-phenyl)propionamido]-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;

0.82 (t, 3H), 1.18-1.28 (m, 2H), 1.30-1.38 (m, 2H), 1.42 (d, 3H), 2.55 (t, 2H), 2.95-3.02 (m, 2H), 3.40-3.60 (m, 2H), 3.90 (m, 1H), 4.10-4.20 (m, 2H), 6.42 (t, 1H), 7.25-7.58 (m, 8H)."

N-(5-(2-furoyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl)-2-(3-fluoro-4-phenyl-phenyl)propanamide 1.40 (d, 3H), 2.75 (bs, 2H), 3.80 (bs, 2H), 3.90 (m, 1H), 4.40-4.60 (m, 2H), 6.60 (bs, 1H), 6.95 (bs, 1H), 7.25-7.55 (m, 8H), 7.80 (bs, 1H).

N-isopropyl-N'-{3-(1-methyl-indol-3-yl)acetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;

1.00-1.05 (m, 6H), 2.55 (t, 2H), 3.50 (t, 2H), 3.65-3.75 (m, 6H), 4.15 (s, 2H), 6.12 (d, 1H), 7.00 (t, 1H), 7.12 (t, 1H), 7.20 (s, 1H), 7.35 (d, 1H), 7.60 (d, 1H)."

N,N-isopropyl-N'-{3-(benzo[1,3]dioxol-5-yl)acetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;

1.00-1.05 (m, 6H), 2.55 (t, 2H), 3.45-3.55 (m, 4H), 3.65-3.75 (m, 1H), 4.15 (s, 2H), 5.95 (s, 2H), 6.15 (d, 1H), 6.75 (d, 1H), 6.80-6.88 (m, 3H)."

N,N-dimethyl-N'-{3-(benzo[1,3]dioxol-5-yl)acetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;

2.65 (t, 2H), 2.70 (s, 6H), 3.48 (s, 2H), 4.00 (s, 2H), 5.95 (s, 2H), 6.75 (d, 1H), 6.80-6.88 (m, 3H)."

N-ethyl-N'-{3-(2-(6-methoxy-2-naphthalene)propionamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;

0.95 (t, 3H), 1.42 (d, 3H), 2.55 (t, 2H), 2.95-3.05 (m, 2H), 3.40-3.60 (m, 2H), 3.82 (s, 3H), 3.95 (m, 1H), 4.10-4.22 (m, 2H), 6.42 (t, 1H), 7.10 (d, 1H), 7.25 (s, 1H), 7.45 (d, 1H), 7.65-7.82 (m, 3H)

N-isopropyl-N'-{3-(2-(6-methoxy-2-naphthalene)propionamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;

1.00-1.05 (m, 6H), 1.45 (d, 3H), 2.53 (t, 2H), 3.40-3.60 (m, 2H), 3.65-3.75 (m, 1H), 3.85 (s, 3H), 3.95 (m, 1H),

4.05-4.22 (m, 2H), 6.15 (d, 1H), 7.12 (d, 1H), 7.25 (s, 1H), 7.45 (d, 1H), 7.70-7.81 (m, 3H)."

N-butyl-N'-{3-(2-(6-methoxy-2-naphthalene)propionamido)-

5 4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;

0.82 (t, 3H), 1.18-1.28 (m, 2H), 1.30-1.40 (m, 2H), 1.45 (d, 3H), 2.55 (t, 2H), 2.90-3.00 (m, 2H), 3.40-3.60 (m, 2H), 3.85 (s, 3H), 3.95 (m, 1H), 4.08-4.22 (m, 2H), 6.41 (t, 1H), 7.12 (d, 1H), 7.25 (s

10 , 1H), 7.45 (d, 1H), 7.70-7.80 (m, 3H)."

N-benzyl-N'-{3-(2-(6-methoxy-2-naphthalene)propionamido)-

4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;

1.42 (d, 3H), 2.58 (t, 2H), 3.45-3.65 (m, 2H), 3.82 (s, 3H), 3.95 (m, 1H), 4.10-4.30 (m, 2H), 7.10 (t, 1H), 7.15-
15 7.30 (m, 7H), 7.45 (d, 1H), 7.70-7.80 (m, 3H)."

N-phenyl-N'-{3-(3-fluorobenzamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;

¹H-NMR (DMSO-d₆) δ ppm 2.7 (m), 3.7 (m), 4.4 (s), 6.9-8.6 (m)."

20 N-{5-benzensulfonyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-cyclopropanecarboxamide

¹H-NMR

(DMSO-d₆) δ ppm 0.7 (m), 1.8 (m), 2.6 (m), 3.4 (m), 4.0 (s), 7.5-7.8 (m).

N-{5-(quinoline-8-sulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-3-fluorobenzamide

¹H-NMR

(DMSO-

25 d₆) δ ppm 2.6 (m), 3.75 (m), 4.35 (s), 7.35-9.0 (m).

N-[5-(benzylsulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]benzamide

¹H-NMR

(DMSO-d₆) δ

ppm 2.6 (m), 3.4 (m), 4.2 (s), 4.4 (s), 7.3-8.0 (m).

30 N-{5-benzensulfonyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-3-bromobenzamide

¹H-NMR

(DMSO-

d₆) δ ppm 2.65 (m), 4.05 (s), 7.4-8.0 (m).

N-[5-(benzylsulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]-3-bromobenzamide

¹H-NMR

(DMSO-

35 d₆) δ ppm 2.6 (m), 4.15 (s), 4.4 (s), 7.3-8.0 (m).

- N-{5-(4-fluorobenzene)sulfonyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-3-bromobenzamide
1H-NMR (DMSO-d6) d ppm 2.7 (m); 3.4 (m); 4.1 (s); 7.4-8.2 (m)
- 5 N-{5-(3-trifluoromethylbenzene)sulfonyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-3-bromo-benzamide
1H-NMR (DMSO-d6) d ppm 2.6 (m); 3.5 (m); 4.2 (s); 7.4-8.2 (m)
- 10 N-{5-(4-toluensulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-3-bromobenzamide 1H-NMR (DMSO-d6) d ppm 2.4 (s); 2.7 (m); 3.3 (m); 4.0 (s); 7.4-8.2 (m)
- N-{5-(4-methoxybenzene)sulfonyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-3-bromobenzamide
1H-NMR (DMSO-d6) d ppm 2.7 (m); 3.3 (m); 3.8 (s); 4.0 (s); 7.1-8.2 (m)
- 15 N-{5-(4-tertbutylbenzene)sulfonyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-3-bromobenzamide
1H-NMR (DMSO-d6) d ppm 1.3 (s); 2.7 (m); 3.3 (m); 4.1 (s); 7.4-8.2 (m)
- 20 N-{5-(4-chlorobenzene)sulfonyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-3-bromobenzamide
1H-NMR (DMSO-d6) d ppm 2.7 (m); 3.4 (m); 4.1 (s); 7.4-8.2 (m)
- N-{5-(2-naphthalene)sulfonyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-4-fluorobenzamide; 1H-NMR (DMSO-d6) d ppm 2.6 (m); 3.75 (m); 3.9-4.1 (2s); 4.35-4.5 (2s); 6.8-8.1 (m)
- 25 N-{5-(2-thienyl)acetyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-3-bromobenzamide
1H-NMR (DMSO-d6) d ppm 2.7 (m); 3.6 (m); 4.3 (s); 7.4-8.6 (m)
- 30 N-{5-(2-thienyl)acetyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-3-methoxybenzamide; 1H-NMR (DMSO-d6) d ppm 2.6 (m); 3.75 (m); 3.8 (s); 3.9-4.1 (2s); 4.35-4.5 (2s); 6.8-7.6 (m)
- 35

- N-[5-(1,3-benzodioxol-5-ylcarbonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]-4-tertbutylbenzamide 1H-NMR (DMSO-d6) d ppm 1.3 (s); 2.75 (m); 4.4 (s); 6.0 (s); 6.9-7.6 (m)
- 5 N-[5-(1,3-benzodioxol-5-ylcarbonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]-3-methoxybenzamide 1H-NMR (DMSO-d6) d ppm 2.75 (m); 3.6 (m); 3.8 (s); 4.4 (s); 6.0 (s); 6.9-7.6 (m)
- 10 N-[5-(1,3-benzodioxol-5-ylcarbonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]-3-phenoxybenzamide 1H-NMR (DMSO-d6) d ppm 2.7 (m); 4.4 (s); 6.0 (s); 6.9-7.8 (m)
- 15 N-[5-(1,3-benzodioxol-5-ylcarbonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]-3-phenoxybenzamide 1H-NMR (DMSO-d6) d ppm 1.95-2.05 (2s); 2.55-2.65 (2m); 3.55-3.75 (2m); 4.3-4.4 (2s); 7.0-7.8 (m)
- N-[5-phenylacetyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]-3-methoxybenzamide 1H-NMR (DMSO-d6) d ppm 2.5-2.65 (2m); 3.5-3.7 (2m); 3.8 (s); 4.35-4.5 (2s); 7.1-7.6 (m)
- 20 N-benzyl-N'-{3-(3-methoxy-benzamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea; 1H-NMR (DMSO-d6) d ppm 2.65 (m); 3.65 (m); 3.8 (s); 4.15-4.3 (m); 7.1-7.6 (m) "
- 25 N-{5-benzylsulfonyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-3-methoxybenzamide 1H-NMR (DMSO-d6) d ppm 2.6 (m); 3.4 (m); 3.8 (s); 4.2 (s); 4.4 (s); 7.1-7.6 (m)
- N-isopropyl-N'-{3-(3-methoxy-benzamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea; 1H-NMR (DMSO-d6) d ppm 1.0 (d); 2.6 (m); 3.55 (m); 4.2 (s); 7.1-7.6 (m) "
- 30 N,N-dimethyl-N'-{3-(2-phenyl-thiazol-4-yl)acetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea; 2.60-2.75 (m, 6H), 3.30 (t, 2H), 3.82 (s, 2H), 4.10 (s, 2H), 7.40-7.55 (m, 4H), 7.85-7.95 (m, 2H) .
- 35

N-isopropyl-N'-{3-(2-phenyl-1,3-thiazol-4-yl)acetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;

1.02 (s, 3H), 1.04 (s, 3H), 2.55 (t, 2H), 3.55 (t, 2H),
3.65-3.88 (m, 1H), 3.95 (s, 2H), 4.20 (s, 2H), 6.15 (d,
5 1H), 7.40-7.55 (m, 4H), 7.88-7.98 (m, 2H).

N-ethyl-N'-{3-(4-fluorobenzamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;

¹H-NMR (DMSO-d₆) δ ppm: 8.08-7.34 (m, 4H), 4.17 (s, 2H),
3.58-2.7 (6H), 1.00 (m, 3H).

10

Example 16

Preparation of N-{3-phenylacetamido-5-(carbo-tbutoxy)-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea

15 A solution of phenylacetyl chloride (24.08 mmol, 3.18 ml) in 10 ml of anhydrous dichlorometane was added dropwise to N-{3-amino-5-(carbo-tbutoxy)-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea (3.01 mmol, 3.5 g) previously swelled in 90 ml of anhydrous
20 dichlorometane and 16.5 ml of DIEA (96.32 mmol). The resulting suspension was gently stirred at 22°C for 18 hours. The resin was then filtered, washed with dichloromethane, methanol and dried under vacuum.

25 Analogously, the following compounds can be prepared by using the appropriate acyl chloride:

N-{3-(2-naphthalene)acetamido-5-(carbo-tbutoxy)-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea

30 N-{3-(3-bromo)benzamido-5-(carbo-tbutoxy)-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
N-{3-cyclopropanecarboxamido-5-(carbo-tbutoxy)-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea

N-{3-(4-fluoro)benzamido-5-(carbo-tbutoxy)-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
N-{3-(4-tertbutyl)benzamido-5-(carbo-tbutoxy)-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene
5 urea

Example 17

Preparation of N-{3-substituted-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene 10 ureas

By treating compounds of example 16 with trifluoroacetic acid as described in example 7, the following compounds can be obtained:

N-{3-phenylacetyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
15 N-{3-(2-naphthalene)acetamido-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
N-{3-(3-bromo)benzamido-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
20 N-{3-cyclopropanecarboxamido-5-(carbo-tbutoxy)-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
N-{3-(4-fluoro)benzamido-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
25 N-{3-(4-tertbutyl)benzamido-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea

Example 18

Preparation of N-{3,5-substituted-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene 30 ureas

By treating compounds of example 17 with the appropriate carboxylic acid, isocyanate, or sulfonyl chloride according to the procedures described in examples 8,9,10, the following compounds can be obtained:

- 5 N-{3-phenylacetyl-5-acetyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
N-{3-(2-naphthalene)acetamido-5-acetyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
N-{3-(3-bromo)benzamido-5-acetyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 10 N-{3-cyclopropanecarboxamido-5-(carbo-tbutoxy)-5-acetyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
N-{3-(4-fluoro)benzamido-5-acetyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 15 N-{3-(4-tertbutyl)benzamido-5-acetyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
N-{3-phenylacetyl-5-(2-thienyl-acetyl)-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 20 N-{3-(2-naphthalene)acetamido-5-(2-thienyl-acetyl)-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
N-{3-(3-bromo)benzamido-5-(2-thienyl-acetyl)-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 25 N-{3-cyclopropanecarboxamido-5-(carbo-tbutoxy)-5-(2-thienyl-acetyl)-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 30 N-{3-(4-fluoro)benzamido-5-(2-thienyl-acetyl)-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea

- N-{3-(4-tertbutyl)benzamido-5-(2-thienyl-acetyl)-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-phenylacetyl-5-ethylaminocarbonyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 5 N-{3-(2-naphthalene)acetamido-5-ethylaminocarbonyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-(3-bromo)benzamido-5-ethylaminocarbonyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 10 N-{3-(4-fluoro)benzamido-5-ethylaminocarbonyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-cyclopropanecarboxamido-5-(carbo-tbutoxy)-5-ethylaminocarbonyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 15 N-{3-(4-tertbutyl)benzamido-5-ethylaminocarbonyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-(4-tertbutyl)benzamido-5-ethylaminocarbonyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 20 N-{3-phenylacetyl-5-ethylaminocarbonyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-(2-naphthalene)acetamido-5-ethylaminocarbonyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 25 N-{3-(3-bromo)benzamido-5-ethylaminocarbonyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-cyclopropanecarboxamido-5-(carbo-tbutoxy)-5-ethylaminocarbonyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 30

- N-{3-(4-fluoro)benzamido-5-ethylaminocarbonyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 5 N-{3-(4-tertbutyl)benzamido-5-ethylaminocarbonyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-phenylacetyl-5-ethylaminocarbonyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 10 N-{3-(2-naphthalene)acetamido-5-ethylaminocarbonyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-(3-bromo)benzamido-5-ethylaminocarbonyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 15 N-{3-cyclopropanecarboxamido-5-(carbo-tbutoxy)-5-ethylaminocarbonyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-(4-fluoro)benzamido-5-ethylaminocarbonyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene
- 20 urea
- N-{3-(4-tertbutyl)benzamido-5-ethylaminocarbonyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-phenylacetyl-5-butylaminocarbonyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- 25 N-{3-(2-naphthalene)acetamido-5-butylaminocarbonyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea
- N-{3-(3-bromo)benzamido-5-butylaminocarbonyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene
- 30 urea

N-{3-cyclopropanecarboxamido-5-(carbo-tbutoxy)-5-butylaminocarbonyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea

5 N-{3-(4-fluoro)benzamido-5-butylaminocarbonyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea

N-{3-(4-tertbutyl)benzamido-5-butylaminocarbonyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea

10

Example 19

Preparation of 6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol derivatives

15 By alkaline hydrolysis of compounds of example 18 according to the procedure described in example 11, the following compounds can be obtained:

N-{5-phenylacetyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-(2-naphthalene)acetamide

20 N-{5-phenylacetyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-(3-bromo)benzamide

N-{5-phenylacetyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}cyclopropanecarboxamide

N-{5-phenylacetyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-(4-fluoro)benzamide

25 N-{5-phenylacetyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-(4-tertbutyl)benzamide

N-{5-acetyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}phenylacetamide

30 N-{5-acetyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-(2-naphthalene)acetamide

N-{5-acetyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-(3-bromo)benzamide

¹H-NMR (DMSO-d₆) δ ppm: 8.2 (t), 7.7-8.0 (m), 4.6 (s), 2.0 (s), 1.6 (s).

N-{5-acetyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}cyclopropanecarboxamide

5 N-{5-acetyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-(4-fluoro)benzamide

N-{5-acetyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-(4-tertbutyl)benzamide

10 N-{5-(2-thienyl-acetyl)-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}phenylacetamide

N-{5-(2-thienyl-acetyl)-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-(2-naphthalene)acetamide

¹H-NMR (DMSO-d₆) δ ppm: 7.8-8 (m), 7.4-7.6 (m), 7.2-7.3 (m), 4.6 (s), 1.6 (s).

15 N-{5-(2-thienyl-acetyl)-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}-(3-bromo)benzamide

N-{5-(2-thienyl-acetyl)-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}cyclopropanecarboxamide

20 ¹H-NMR (DMSO-d₆) δ ppm: 7.4-7.6 (m), 6.8-7.0 (m), 4.6 (s), 3.9 (s), 0.8 (m).

N-{5-(2-thienyl-acetyl)-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-(4-fluoro)benzamide

N-{5-(2-thienyl-acetyl)-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-(4-tertbutyl)benzamide

25 N-{5-(4-fluorobenzoyl)-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}phenylacetamide

N-{5-(4-fluorobenzoyl)-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-(2-naphthalene)acetamide

30 N-{5-(4-fluorobenzoyl)-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}-(3-bromo)benzamide

N-{5-(4-fluorobenzoyl)-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}cyclopropanecarboxamide

N-{5-(4-fluorobenzoyl)-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}-(4-fluoro)benzamide

5 N-{5-(4-fluorobenzoyl)-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-(4-tertbutyl)benzamide

N-ethyl-N'-{3-phenylacetamido-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea

10 N-ethyl-N'-{3-(2-naphthalene)acetamido-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}urea

¹H-NMR (DMSO-d₆) δ ppm: 7.8-8 (m), 7.4-7.6 (m), 4.3 (s), 1.6 (s), 1.0 (t).

N-ethyl-N'-{3-(3-bromo)benzamido-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}urea

15 N-ethyl-N'-{3-cyclopropanecarboxamido-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}urea

¹H-NMR (DMSO-d₆) δ ppm: 4.6 (s), 1.75-1.85 (m), 1.6 (s), 1.0 (t).

N-ethyl-N'-{3-(4-fluoro)benzamido-6,6-dimethyl-4,6-

20 dihydropyrrolo[3,4-c]pyrazol-1-yl}urea

¹H-NMR (DMSO-d₆) δ ppm: 8.0-8.2 (m), 7.2-7.4 (m), 4.5 (s), 3.0-3.2 (m), 1.6 (s), 1.1 (t).

N-ethyl-N'-{3-(4-tertbutyl)benzamido-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl} urea

25 ¹H-NMR (DMSO-d₆) δ ppm: 8.0 (d), 7.8 (d), 4.6 (s), 3.0-3.2 (m), 1.6 (s), 0.9 (t).

N-butyl-N'-{3-phenylacetamido-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea

N-butyl-N'-{3-(2-naphthalene)acetamido-6,6-dimethyl-4,6-

30 dihydropyrrolo[3,4-c]pyrazol-1-yl}urea

¹H-NMR (DMSO-d₆) δ ppm: 7.8-8 (m), 7.4-7.6 (m), 4.3 (s), 1.6 (s), 0.9 (t).

N-butyl-N'-{3-(3-bromo)benzamido-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}urea

N-butyl-N'-{3-cyclopropanecarboxamido-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}urea

5 ¹H-NMR (DMSO-d₆) δ ppm: 4,6 (s), 3.0 (t), 1.6 (s), 0.9 (t).

N-butyl-N'-{3-(4-fluoro)benzamido-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}urea

¹H-NMR (DMSO-d₆) δ ppm: 8.0-8.2 (m), 7.2-7.4 (m), 4.5 (s), 3.0-3.2 (m), 1.6 (s), 1.2-1.3 (m), 0.9 (t).

10 N-butyl-N'-{3-(4-tertbutyl)benzamido-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl} urea

¹H-NMR (DMSO-d₆) δ ppm: 8.0 (d), 7.8 (d), 4.5 (s), 3.0-3.2 (m), 1.6 (s), 0.9 (t).

15

Example 20

Preparation of N-{3-(tertbutyl-benzetamido)-6-(carbo-tbutoxy)-4,5,6,7-tetrahydropyridine[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea

A solution of tertbutyl chloride (24.08 mmol, 4.5 ml) in 10 ml of anhydrous dichlorometane was added dropwise to N-{3-amino-6-(carbo-tbutoxy)-4,5,6,7-tetrahydropyridine[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea (3.01 mmol, 3.5 g) previously swelled in 90 ml of anhydrous dichlorometane and 16.5 ml of DIEA (96.32 mmol). The resulting suspension was gently stirred at 22°C for 18 hours. The resin was then filtered, washed with dichloromethane, methanol and dried under vacuum.

Example 21

30 Preparation of N-{3-(tertbutyl-benzetamido)-4,5,6,7-tetrahydropyridine[3,4-c]pyrazol-1-yl },N'-methylpolystyrene urea

By treating N-{3-(tertbutyl-benzetamido)-6-(carbo-tbutoxy)-4,5,6,7-tetrahydropyridine[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea with trifluoroacetic acid as described in example 7, N-{3-(tertbutyl-benzetamido)-4,5,6,7-tetrahydropyridine[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea was obtained.

Example 22

Preparation of N-{3-(tertbutyl-benzamido)-6-substituted-4,5,6,7-tetrahydropyridine[3,4-c]pyrazol-1-yl},N'-methylpolystyrene ureas

By treating N-{3-(tertbutyl-benzetamido)-4,5,6,7-tetrahydropyridine[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea with the appropriate carboxylic acid, isocyanate, or sulfonyl chloride according to the procedures described in examples 8,9,10, the following compounds can be obtained:

N-{3-(4-tertbutyl-benzamido)-6-isopropylaminocarbonyl-4,5,6,7-tetrahydropyridine[3,4-c]pyrazol-6-yl},N'-methylpolystyrene urea

N-{3-(4-tertbutyl-benzamido)-6-(2-thienyl)acetyl-4,5,6,7-tetrahydropyridine[3,4-c]pyrazol-3-yl},N'-methylpolystyrene urea

N-{3-(4-tertbutyl-benzamido)-6-acetyl-4,5,6,7-tetrahydropyridine[3,4-c]pyrazol-3-yl},N'-methylpolystyrene urea

N-{3-(4-tertbutyl-benzamido)-6-methansulfonyl-4,5,6,7-tetrahydropyridine[3,4-c]pyrazol-3-yl},N'-methylpolystyrene urea

N-{3-(4-tertbutyl-benzamido)-6-ethylaminocarbonyl-4,5,6,7-tetrahydropyridine[3,4-c]pyrazol-6-yl}urea,N'-methylpolystyrene urea

N-{3-(4-tertbutyl-benzamido)-6-(3-methyl)butyryl-4,5,6,7-tetrahydropyridine[3,4-c]pyrazol-3-yl},N'-methylpolystyrene urea

- N-{3-(4-tertbutyl-benzamido)-6-(2-furoyl)-4,5,6,7-tetrahydropyridine[3,4-c]pyrazol-3-yl},N'-methylpolystyrene urea
- 5 N-{3-(4-tertbutyl-benzamido)-6-phenylacetyl-4,5,6,7-tetrahydropyridine[3,4-c]pyrazol-3-yl},N'-methylpolystyrene urea
- N-{3-(4-tertbutyl-benzamido)-6-phenylsulfonyl-4,5,6,7-tetrahydropyridine[3,4-c]pyrazol-3-yl},N'-methylpolystyrene urea
- 10 N-{3-(4-tertbutyl-benzamido)-4,5,6,7-tetrahydropyridine[3,4-c]pyrazol-3-yl}-4-tertbutyl-benzamide,N'-methylpolystyrene urea

Example 23

15 Preparation of 3-(tertbutyl-benzamido)4,5,6,7-tetrahydropyridine[3,4-c]pyrazol-6-yl derivatives

By alkaline hydrolisis of compounds of example 22 according to the procedure described in example 11, the following compounds were obtained:

- 20 N-isopropyl-N'-{3-(4-tertbutyl-benzamido)-4,5,6,7-tetrahydropyridine[3,4-c]pyrazol-6-yl}urea, 1H-NMR (DMSO-d6) d ppm: 7.90-7.47 (m, 4H), 4.41 (s, 2H), 3.75 (m, 1H), 3.47 (m, 2H), 2.39 (m, 2H), 1.3 (s, 9H) 1.04 (6H).
- 25 N-{6-(2-thienyl)acetyl-4,5,6,7-tetrahydropyridine[3,4-c]pyrazol-3-yl}-4-tertbutyl-benzamide; 1H-NMR (DMSO-d6) d ppm: 7.9-7.47 (m, 4H), 4.58 (m, 2H), 4.04 (s, 2H), 3.71 (m, 2H), 2.44 (m, 2H), 1.3 (s, 9H).
- N-{6-acetyl-4,5,6,7-tetrahydropyridine[3,4-c]pyrazol-3-yl}-4-tertbutyl-benzamide;
- 30 N-{6-methansulfonyl-4,5,6,7-tetrahydropyridine[3,4-c]pyrazol-3-yl}-4-tertbutyl-benzamide; 1H-NMR (DMSO-d6) d ppm: 7.9-7.47 (m, 4H), 4.3 (s, 2H), 3.40 (m, 2H), 2.94 (s, 3H), 2.52 (m, 2H), 1.30 (s, 9H).
- N-ethyl-N'-{3-(4-tertbutyl-benzamido)-4,5,6,7-tetrahydropyridine[3,4-c]pyrazol-6-yl}urea; 1H-NMR (DMSO-
- 35

d6) d ppm: 7.90-7.47 (4H), 4.41 (s, 2H), 3.49-3.04 (m, 4H), 2.38 (m, 2H), 1.30 (s, 9H), 1.01 (t, 3H).

N-{6-(3-methyl)butyryl-4,5,6,7-tetrahydropyridine[3,4-c]pyrazol-3-yl}-4-tertbutyl-benzamide; 1H-NMR (DMSO-d6) d ppm: 7.91-7.47 (m, 4H), 4.56 (s, 2H), 3.62-2.27 (m, 6H), 1.30 (s, 9H), 0.88 (m, 6H).

N-{6-(2-furoyl)-4,5,6,7-tetrahydropyridine[3,4-c]pyrazol-3-yl}-4-tertbutyl-benzamide; 1H-NMR (DMSO-d6) d ppm: 7.91-6.62 (m, 7H), 3.82 (m, 2H), 2.56 (m, 2H), 1.30 (s, 9H).

10 N-{6-phenylacetyl-4,5,6,7-tetrahydropyridine[3,4-c]pyrazol-3-yl}-4-tertbutyl-benzamide; 1H-NMR (DMSO-d6) d ppm: 7.90-7.29 (m, 9H), 4.6 (2H), 3.8 (s, 2H), 3.68 (m, 2H), 2.4 (m, 2H), 1.30 (s, 9H).

15 N-{6-phenylsulfonyl-4,5,6,7-tetrahydropyridine[3,4-c]pyrazol-3-yl}-4-tertbutyl-benzamide;
N-{6-(quinoline-8-sulfonyl)-4,5,6,7-tetrahydropyridine[3,4-c]pyrazol-3-yl}-4-tertbutyl-benzamide; 1H-NMR (DMSO-d6) d ppm: 8.9-7.47 (m, 10H), 4.6 (2H), 3.56 (m, 2H), 2.26 (m, 2H), 1.30 (s, 9H).

20

Example 24

Preparation of N-{3-(4-tertbutyl)benzamido-5-(3-methylbutyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea

25 N-{3-(4-tertbutyl)benzamido-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea (0.086 mmol, 100 mg) was swollen in 4 mL of anhydrous DMF/EtOH (3:1) and treated with isovaleraldehyde (0.86 mmol, 74.1 mg) and borane-pyridine complex (BAP) (0.86 mmol, 79.9 mg). The mixture
30 was gently shaken in argon atmosphere for 4 days at 22°C. Then the resin was filtered, washed with DMF/EtOH, DCM and MeOH and dried under vacuum.

Analogously, the following compounds can be prepared:

N-{3-(4-tertbutyl)benzamido-5-(2-phenylethyl)-4,6-

35 dihydropyrrolo[3,4-c]pyrazol-1-yl},N'-methylpolystyrene urea

N-{3-(4-*t*butyl)benzamido-5-[2-(2-thienyl)ethyl]-4,6-dihydropyrrolo[3,4-*c*]pyrazol-1-yl}, N'-methylpolystyrene urea

Example 25

5 Preparation of 3-(*tert*butyl-benzamido)-4,6-
 dihydropyrrolo[3,4-*c*]pyrazol-5-alkyl derivatives

By alkaline hydrolisis of compounds of example 22 according to the procedure described in example 11, the following compounds were obtained:

- 10 N-{5-isopentyl-4,6-dihydropyrrolo[3,4-*c*]pyrazol-3-yl}-4-
tertbutylbenzamide
1H-NMR (DMSO-*d*₆) δ ppm: 7.9 - 7.8 (m); 7.5 - 7.4 (m); 4.0 -
3.8 (m); 1.7 - 1.6 (m); 1.5 - 1.4 (m); 1.30 (s); 0.90 (d).
N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-*c*]pyrazol-3-yl}-4-
15 tertbutylbenzamide
1H-NMR (DMSO-*d*₆) δ ppm: 7.9 - 7.8 (m); 7.5 - 7.4 (m); 7.3 -
7.1 (m); 4.0 - 3.8 (m); 3.1 - 2.8 (m); 1.30 (s).
N-[5-(2-thien-2-ylethyl)-4,6-dihydropyrrolo[3,4-*c*]pyrazol-
3-yl]-4-*tert*butyl-benzamide; 1H-NMR (DMSO-*d*₆) δ ppm: 7.92-
20 6.92 (m, 7H), 3.2 (m, 4H), 1.3 (9H).

Example 26

Preparation of 3-Amino-4,6-dihydro-pyrrolo[3,4-*c*]pyrazole-
1,5-dicarboxylic acid 5-*tert*-butyl ester 1-ethyl ester

- 25 A solution of ethyl chlorocarbonate (8.9 ml, 93 mmol) in
THF (250 ml) was added slowly to a mixture of
3-amino-4,6-dihydro-1H-pyrrolo[3,4-*c*]pyrazole-5-carboxylic
acid *tert*-butyl ester (20 g, 89 mmol) and DIEA (92 ml, 528
mmol) in THF (500 ml) at 0-5°C. The reaction was kept at
30 the same temperature for two hours then allowed to reach
r.t. and stirred overnight. The obtained mixture was
evaporated to dryness under vacuum. The resulting residue
was extracted with AcOEt and water. The organic phase was
separated, dried over sodium sulfate and evaporated to
35 dryness. The mixture was purified by flash-chromatography

(eluent: ethyl acetate/cyclohexane 4/6 to 7/3) to give 19 g (72% yield) of the title compound as a white solid.

Example 27

5 Preparation of 3-(2-Naphthalen-2-yl-propionylamino)-4,6-
 dihydro-pyrrolo[3,4-c]pyrazole-1,5-dicarboxylic acid 5-
 tert-butyl ester 1-ethyl ester

To a solution of 2-naphthalen-2-yl-propionic acid (1.48 g, 7.4 mmol) in DCM (40 ml) and DMF cat., (COCl)₂ (0.83 ml, 9.65 mmol) in DCM (10 ml) was added dropwise. The mixture
10 was stirred at r.t. for 30 min.. The reaction mixture was concentrated under vacuum, reconstituted twice with toluene and concentrated. A solution of the obtained acyl-chloride in THF (40 ml) was added slowly to a mixture of 3-amino-
15 4,6-dihydro-pyrrolo[3,4-c]pyrazole-1,5-dicarboxylic acid 5-tert-butyl ester 1-ethyl ester (2.0 g, 6.75 mmol) and DIEA (5.8 ml, 33.3 mmol) in THF (40 ml) at 0-5°C. The reaction was allowed to reach r.t. and stirred overnight. The mixture was filtered and the solution evaporated to dryness
20 under vacuum. The resulting residue was dissolved in DCM and the obtained solution was washed with brine, dried over sodium sulfate, filtered and evaporated to dryness. The crude product was purified by flash-chromatography (eluent: ethyl acetate/cyclohexane 3/7 then 4/6) to give 3.0 g (93%
25 yield) of the title compound as a white solid.

Example 28

30 Preparation of 3-(2-Naphthalen-2-yl-propionylamino)-5,6-
 dihydro-4H-pyrrolo[3,4-c]pyrazole-1-carboxylic acid ethyl
 ester

2.5 g (5.2 mmol) of 3-(2-naphthalen-2-yl-propionylamino)-4,6-dihydro-pyrrolo[3,4-c]pyrazole-1,5-dicarboxylic acid 5-tert-butyl ester 1-ethyl ester in 15 ml DCM was treated with 16 ml of (1:1) TFA/DCM. The reaction mixture was
35 stirred for 30 min. and evaporated to dryness. The

resulting residue was dissolved in DCM and the solution was washed with brine and then treated with NaHCO₃ aq. The obtained precipitate was filtered, washed with water and DCM, and then dried under vacuum to give 2.0 g (quantitative yield) of the title compound.

Example 29

N-{5-(piperidin-1-yl) carbamoyl}-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-naphthalen-2-yl)-propionamide

10 A solution of 4-nitrophenylchloroformate (0.213g, 1.06mmol) in dry THF (10ml) was added dropwise to a solution of 3-(2-Naphthalen-2-yl-propionylamino)-5,6-dihydro-4H-pyrrolo[3,4-c]pyrazole-1-carboxylic acid ethyl ester (0.4g, 1.06mmol) and DIEA (0.184ml, 1.06mmol) in dry THF (10ml). The
15 resulting suspension was stirred at room temperature for about 4 hours. After evaporation of the solvents the reaction mixture was dissolved in DCM, washed with water, dried over sodium sulfate and evaporated to a yellow solid (0.55g, quantitative). The solid was dissolved in
20 acetonitrile (15ml), treated with 4-DMAP (130mg, 1.06mmol) and piperidine (2.75mmol, 0.27ml). The reaction mixture was refluxed for about 24 hours, evaporated, dissolved in DCM, washed with 1N NaOH, brine, 0.1N HCl, brine, dried over sodium sulfate, filtered and evaporated. The title compound
25 was obtained after chromatographic purification on silica gel using DCM/MeOH 95:5 as eluent (0.115g, 26% yield).
1H-NMR (DMSO-d₆) δ ppm: 7.8 - 7.5 (m); 4.4(m); 4.0(m); 3.1(m); 1.5(m).

30 Analogously the following derivatives can be prepared starting from the appropriate amine:

N,N-dimethyl-N'-{3-(2-naphthalen-2-yl-propionamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea

¹H-NMR (DMSO-d₆) δ ppm: 7.8 - 7.5 (m); 4.4 (m); 4.0 (m); 2.8 (s); 1.5 (d).

N,N-dimethyl-N'-{3-(2-phenyl-thiazol-4-yl)acetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;

- 5 ¹H-NMR (DMSO-d₆) δ ppm: 2.60-2.75 (m, 6H), 3.30 (t, 2H), 3.82 (s, 2H), 4.10 (s, 2H), 7.40-7.55 (m, 4H), 7.85-7.95 (m, 2H).

Formulation Examples

10

Example 1: Dry Capsules

5000 capsules, each of which contain 0.25 g of one of the compounds of the formula (I) mentioned in the preceding Examples as active ingredient, are prepared as follows:

- 15 - Composition Active ingredient 1250 g
- Talc 180 g
- Wheat starch 120 g
- Magnesium stearate 80 g
- Lactose 20 g

- 20 Preparation process: The powdered substances mentioned are pressed through a sieve of mesh width 0.6 mm. Portions of 0.33 g of the mixture are transferred to gelatine capsules with the aid of a capsule-filling machine.

Example 2: Soft Capsules

5000 soft gelatine capsules, each of which contain 0.05 g of one of the compounds of the formula (I) mentioned in the preceding Examples as active ingredient, are prepared as follows:

- 30 - Composition Active ingredient 250 g
- Lauroglycol 2 litres

- Preparation process: The powdered active ingredient is suspended in Lauroglykole (propylene glycol laurate, Gattefoss S.A., Saint Priest, France) and ground in a wet-
35 pulveriser to a particle size of about 1 to 3 µm. Portions

of in each case 0.419 g of the mixture are then transferred to soft gelatine capsules by means of a capsule-filling machine.

5 **Example 3: Soft Capsules**


5000 soft gelatine capsules, each of which contain 0.05 g of one of the compounds of the formula (I) mentioned in the preceding or following Examples as active ingredient, are prepared as follows:

- 10 - Composition Active ingredient 250 g
- PEG 400 1 litre
- Tween 80 1 litre

Preparation process: The powdered active ingredient is suspended in PEG 400 (polyethylene glycol of Mr between 380
15 and about 420, Sigma, Fluka, Aldrich, USA) and Tween' 80 (polyoxyethylene sorbitan monolaurate, Atlas Chem. Inc., USA, supplied by Sigma, Fluka, Aldrich) and ground in a wet-pulveriser to a particle size of about 1 to 3 mm. Portions of in each case 0.43 g of the mixture are then
20 transferred to soft gelatine capsules by means of a capsule-filling machine.

CLAIMS

1. A bicyclo-pyrazole compound of formula (I):



5 wherein

R and R₁, being the same or different, are independently a hydrogen atom or an optionally substituted group selected from R', -COR', -COOR', -CONHR', -CONR'R'', -NH-C(=NH)NHR', -C(=NH)NHR', -SO₂R', -SO₂NHR' or -SO₂NR'R''; wherein R' and
 10 R'', the same or different, are independently selected from hydrogen or optionally further substituted straight or branched C₁-C₆ alkyl, aryl, C₃-C₆ cycloalkyl or aryl C₁-C₆ alkyl or R' and R'' taken together form a C₄-C₆ alkylene chain;

15 Ra, Rb, Rc and Rd, being the same or different, are independently selected among hydrogen, optionally further substituted straight or branched C₁-C₆ alkyl, aryl, aryl C₁-C₆ alkyl or -CH₂OR' groups, wherein R' is as above defined, or Ra and Rb and/or Rc and Rd, taken together with the
 20 carbon atom to which they are bonded, form an optionally substituted C₃-C₆ cycloalkyl group;

m and n, each independently, represent 0 or an integer from 1 to 2, provided that m + n is lower than, or equal to, 2 (m + n ≤ 2);

25 and the pharmaceutically acceptable salt thereof.

2. A compound according to claim 1, wherein R is -COR' or -CONHR' and R₁ is R', -COR', -CONHR', -CONR'R'', -SO₂R',

-SO₂NHR' or -SO₂NR'R", wherein R' and R", the same or different, are selected from hydrogen or optionally substituted straight or branched C₁-C₆ alkyl, aryl C₃-C₆ cycloalkyl or aryl C₁-C₆ alkyl or R' and R" taken together
5 form a C₄-C₆ alkylene chain;
Ra and Rb, the same or different, are selected from hydrogen or straight or branched C₁-C₃ alkyl or, taken together with the carbon atom to which they are bonded, Ra and Rb form a C₃-C₆ cycloalkyl group;
10 Rc and Rd are both hydrogen atoms;
m is 0 or 1;
n is 0 or 1.

3. A compound according to claim 1, wherein R is -COR' or
15 -CONHR' and R₁ is R', -COR', -CONHR', -CONR'R", -SO₂R',
-SO₂NHR' or -SO₂NR'R", wherein R' and R", the same or different, are selected from hydrogen or optionally substituted straight or branched C₁-C₆ alkyl, aryl, C₃-C₆ cycloalkyl or aryl C₁-C₆ alkyl groups or R' and R" taken
20 together form a C₄-C₆ alkylene chain; Ra is hydrogen; Rb is a -CH₂OR' group wherein R' is as defined above; Rc and Rd are both hydrogen atoms; m is 0 or 1; n is 0.

4. A compound according to claim 1, wherein R is -COR' or
25 -CONHR' and R₁ is R', -COR', -CONHR', -CONR'R", -SO₂R',
-SO₂NHR' or -SO₂NR'R", wherein R' and R", the same or different, are selected from hydrogen or optionally substituted straight or branched C₁-C₆ alkyl, aryl, C₃-C₆ cycloalkyl or aryl C₁-C₆ alkyl groups or R' and R" taken
30 together form a C₄-C₆ alkylene chain; Ra, Rb, Rc and Rd are all hydrogen atoms; m and n are both 0.

5. A compound according to claim 1, wherein R is -COR' or
-CONHR' and R₁ is R', -COR', -CONHR', -CONR'R" or -SO₂R',
35 wherein R' and R", the same or different, are selected from

hydrogen or optionally substituted straight or branched C₁-C₆ alkyl, aryl, C₃-C₆ cycloalkyl or aryl C₁-C₆ alkyl groups or R' and R" taken together form a C₄-C₆ alkylene chain;
Ra and Rb, the same or different, are selected from
5 hydrogen or straight or branched C₁-C₃ alkyl or, taken together with the carbon atom to which they are bonded, Ra and Rb form a C₃-C₆ cycloalkyl group;
Rc and Rd are both hydrogen atoms;
m is 1;
10 n is 0.

6. A compound according to claim 1, wherein R is -COR' or -CONHR' and R₁ is R', -COR', -CONHR', -CONR'R" or -SO₂R', wherein R' and R", the same or different, are selected from
15 hydrogen or optionally substituted straight or branched C₁-C₆ alkyl, aryl, C₃-C₆ cycloalkyl or aryl C₁-C₆ alkyl groups or R' and R" taken together form a C₄-C₆ alkylene chain;
Ra and Rb, the same or different, are selected from hydrogen or straight or branched C₁-C₃ alkyl or, taken
20 together with the carbon atom to which they are bonded, Ra and Rb form a C₃-C₆ cycloalkyl group;
Rc and Rd are both hydrogen atoms;
m is 0;
n is 1.

25

7. A compound according to claim 1, wherein R is -COR' or -CONHR' and R₁ is R', -COR', -CONHR', -CONR'R", -SO₂R', -SO₂NHR' or -SO₂NR'R", wherein R' and R", the same or different, are selected from hydrogen or optionally
30 substituted straight or branched C₁-C₆ alkyl, aryl, C₃-C₆ cycloalkyl or aryl C₁-C₆ alkyl groups or R' and R" taken together form a C₄-C₆ alkylene chain;
m and n are both 0;
each of Ra and Rb independently is hydrogen or C₁-C₄ alkyl
35 or Ra and Rb, taken together with the carbon atom to which

they are bonded form a C₃-C₆ cycloalkyl ring; and R_c and R_d are hydrogen.

8. A compound according to claim 1, wherein R is -COR' or
5 -CONHR' and R₁ is R', -COR', -CONHR', -CONR'R'', -SO₂R',
-SO₂NHR' or -SO₂NR'R'', wherein R' and R'', the same or
different, are selected from hydrogen or optionally
substituted straight or branched C₁-C₆ alkyl, aryl, C₃-C₆
cycloalkyl or aryl C₁-C₆ alkyl groups or R' and R'' taken
10 together form a C₄-C₆ alkylene chain;
m and n are both 0;
R_a, R_b, R_c and R_d are hydrogen.

9. A compound according to claim 1, which is selected from:
15 1. N-{5-phenylacetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-
yl}phenylacetamide;
2. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-
yl}phenylacetamide;
3. N-benzyl-N'-{3-phenylacetamido-4,6-dihydropyrrolo[3,4-
20 c]pyrazol-5-yl}urea;
4. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-
yl}phenylacetamide;
5. N-ethyl-N'-{3-phenylacetamido-4,6-dihydropyrrolo[3,4-
c]pyrazol-5-yl}urea;
25 6. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-
(phenyl)phenylacetamide;
7. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-
naphtylacetamide;
8. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
30 furan-2-carboxamide;
9. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-5-
chlorothiophene-2-carboxamide;
10. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-6-
chloronicotinamide;

11. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
benzofuran-2-carboxamide;
12. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-
phenoxybenzamide;
- 5 13. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-
tertbutylbenzamide;
14. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
piperonylamide;
15. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-[2-
10 methyl-5-phenyl-furan-3-carboxamide;];
16. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
(quinoline-6-carboxamide;);
17. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-[5-
(4-chlorophenyl)furan-2-carboxamide;];
- 15 18. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-
yl}-4-tertbutylbenzamide;
19. N-{5-benzensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-
yl}-4-tertbutylbenzamide;
20. N-{5-benzoyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-
20 tertbutylbenzamide;
21. N-{5-(1-naphthalene)sulfonyl-4,6-dihydropyrrolo[3,4-
c]pyrazol-3-yl}-4-tertbutylbenzamide;
22. N-{5-(1-naphtoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-
yl}-4-tertbutylbenzamide;
- 25 23. N-{5-phenylacetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-
yl}-4-tertbutylbenzamide;
24. N-phenyl-N'-{3-(4-tertbutyl-benzamido)-4,6-
dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
25. N-isopropyl-N'-{3-(4-tertbutyl-benzamido)-4,6-
30 dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
26. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-
yl}-4-phenoxybenzamide;
27. N-{5-benzoyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-
phenoxybenzamide;
- 35 28. N-{5-(1-naphtoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-
yl}-4-phenoxybenzamide;

29. N-isopropyl-N'-{3-(4-phenoxy-benzamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
30. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-[2-(2-naphtyl)propionamide];
- 5 31. N-isopropyl-N'-{3-piperonylcarboxamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
32. N-cyclohexyl-N'-{3-(4-tertbutyl-benzamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
33. N-ethyl-N'-{3-(4-tertbutyl-benzamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
- 10 34. N-(2,6-diethylphenyl)-N'-{3-(4-tertbutyl-benzamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
35. N-cyclohexyl-N'-{3-(2-ethyl-butyramido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
- 15 36. N-(2,6-diethylphenyl)-N'-{3-piperonylcarboxamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
37. N-2-methoxyphenyl-N'-{3-(2-naphthalen-2-yl-propionamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
38. N-(1-phenyl)ethyl-N'-{3-(2-naphthalen-2-yl-propionamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
- 20 39. N-{5-phenylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-naphthalen-2-yl)-propionamide;
40. N-(2,5-dimethylphenyl)-N'-{3-(4-tertbutyl-benzamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
- 25 41. N-(2,5-dimethylphenyl)-N'-{3-(2-ethyl-butyramido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
42. N-(4-fluorobenzyl)-N'-{3-(2-ethyl-butyramido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
43. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
- 30 44. N-2-chlorophenyl-N'-{3-(2-naphthalen-2-yl-propionamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
45. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-(2-naphtyl)propionamide;
- 35 46. N-{5-(3-methyl-butanoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;

47. N-{5-(2-phenyl-thiazol-4-yl)acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;
48. N-{5-(2-thienyl-acetyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
- 5 49. N-{5-(3-pyridinyl-acetyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
50. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;
51. N-{5-(2-methylpropyl)carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
- 10 52. N-{5-(2-phenyl-thiazol-4-yl)acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
53. N-{5-(2-thienyl)acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;
- 15 54. N-{5-(benzo[1,3]dioxol-5-yl)acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-methylbutanamide;
55. N-{5-(1-naphthalene)sulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopropylcarboxamide;
56. N-{5-(2-methoxyphenyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-naphthalen-2-yl)-propionylamide;
- 20 57. N-{5-(2-furoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-naphthalen-2-yl)-propionylamide;
58. N-{5-[5-(1-morfolinomethyl)furan-2-carbonyl]-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
- 25 59. N-{5-{4-[2-(1-pyrrolidinyl)ethoxy]phenyl}acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
60. N-{5-(1-H-benzotriazole-5-carbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
61. N-{5-(pirrole-3-carbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
- 30 62. N-{5-{4-[2-oxo-2-(1-pyrrolidinyl)ethoxy]phenyl}acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;
63. N-{5-(4-methylsulfonamido-phenyl)acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;
- 35 64. N-{5-[2-(6-oxo-1(6H)-pyridazinyl)acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl]-4-phenoxybenzamide;

65. N-{5-(3-carbamoylmethoxy-phenyl)acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;
66. N-{5-(4-carbamoylmethoxy-phenyl)acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;
- 5 67. N-{5-[4-(1-pyrrolidinyl)phenyl]acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;
68. N-{5-carbamoyloxyacetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;
69. N-{5-{4-[2-(4-methylpiperazin-2-yl)ethoxy]phenyl}acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;
- 10 70. N-{5-{4-[2-(1-pyrrolidinyl)ethoxy]phenyl}acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;
71. N-{5-{4-[2-oxo-2-(1-pyrrolidinyl)ethoxy]phenyl}acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
- 15 72. N-{5-(4-methylsulfonamido-phenyl)acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
73. N-{5-(pyridine-3-carbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
- 20 74. N-{5-(pyridine-3-carbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
75. N-{5-(pyridine-4-carbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
- 25 76. N-{5-(2-methyl-pyridine-3-carbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
77. N-{5-(2-thiomethyl-pyridine-3-carbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
78. N-{5-(pyrazine-2-carbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
- 30 79. N-{5-(3-furoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;
80. N-{5-(2-thenoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;
- 35 81. N-{5-(7-methoxy-benzofuran-2-carbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;

82. N-{5-(benzofuran-2-carbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
83. N-{5-(2-furoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
- 5 84. N-{5-(3-furoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
85. N-{5-(2-furoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;
86. N-{5-(3-thenoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
- 10 87. N-{5-(quinoxaline-2-carbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;
88. N-{5-(2-thienyl)acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
- 15 89. N-{5-(quinoline-6-carbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
90. N-{5-(3-furoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;
91. N-{5-(pyrazine-2-carbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;
- 20 92. N-{5-[2-(6-oxo-1(6H)-pyridazinyl)acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl]-4-tertbutylbenzamide;
93. N-{5-(4-carbamoylmethoxy-phenyl)acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
- 25 94. N-{5-carbamoyloxyacetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
95. N-{5-{4-[2-(4-methylpiperazin-2-yl)ethoxy]phenyl}acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
- 30 96. N-{5-(2-methylsulfonamidothiazole-4-carbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
97. N-{5-(benzofuran-2-carbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;
98. N-{5-(pyridine-2-carbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;
- 35

99. N-{5-(2-methyl-pyridine-3-carbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;
100. N-{5-(quinoline-4-carbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;
- 5 101. N-{5-[4-(1-pyrrolidin-2-on)benzoyl]-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
102. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
103. N-n-butyl-N'-{3-(2-naphthalen-2-yl-propionamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
- 10 104. N-isopropyl-N'-{3-(2-naphthalen-2-yl-propionamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
105. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphtylpropionamide;
- 15 106. N-{5-ethoxycarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-naphthalen-2-yl)-propionamide;
107. N-{5-(3-methylbutyroyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-naphthalen-2-yl)-propionylamide;
108. N-{5-aminocarbonylmethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-naphthalen-2-yl)-propionamide;
- 20 109. N-{5-(pyrrol-3-ylcarbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-naphthalen-2-yl)-propionamide;
110. N-{5-ethoxycarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
- 25 111. N-{5-isopentyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
112. N-butyl-N'-{3-(4-tertbutyl-benzamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
113. N-{5-(indol-2-yl)carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
- 30 114. N-{5-(1-methyl-indol-3-yl)acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
115. N-{5-[4-(1-imidazolylmethyl)benzoyl]-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;
- 35 116. N-{5-[4-(1-imidazolylmethyl)benzoyl]-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;

117. N-{5-[4-(1-pyrrolidin-2-on)benzoyl]-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;
118. N-{5-(2-morfolinomethyl-5-furoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;
- 5 119. N-{5-(5-acetylamino-2-furoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-naphthalen-2-yl)-propionamide;
120. N-{5-(4-methyl-piperazin-1-yl)acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-naphthalen-2-yl)-propionamide;
- 10 121. N-{5-(piperidin-1-yl)acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-naphthalen-2-yl)-propionamide;
122. N-{5-(pirrolidin-1-ylcarbonyl)methyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-naphthalen-2-yl)-propionamide;
- 15 123. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-(4-pyrrolidin-1-yl)phenylacetamide;
124. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-((4-pyrrolidin-1-yl)phenyl)propionamide;
125. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-(4-20 (2-oxo-pyrrolidin-1-yl)phenyl)acetamide;
126. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-(4-(2-oxo-pyrrolidin-1-yl)phenyl)propionamide;
127. N-2-methoxyphenyl-N'-{2-[4-(2-oxo-pyrrolidin-1-yl)phenyl]-propionamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-25 yl}urea;
128. N-2,4-difluorophenyl-N'-{2-[4-(2-oxo-pyrrolidin-1-yl)phenyl]-propionamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
129. N-(1-phenyl)ethyl-N'-{2-[4-(2-oxo-pyrrolidin-1-30 yl)phenyl]-propionamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
130. N-2-methoxyphenyl-N'-{2-(4-pyrrolidin-1-yl-phenyl)-propionamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
131. N-2,4-difluorophenyl-N'-{2-(4-pyrrolidin-1-yl-phenyl)-35 propionamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;

132. N-(1-phenyl)ethyl-N'-{2-(4-pyrrolidin-1-yl-phenyl)-propionamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
133. N-{5-phenylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-(4-pyrrolidin-1-yl-phenyl)-propionamide;
- 5 134. N-2-methoxyphenyl-N'-{[4-(2-oxo-pyrrolidin-1-yl)-phenyl]-acetamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
135. N-2-chlorophenyl-N'-{[4-(2-oxo-pyrrolidin-1-yl)-phenyl]-acetamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
- 10 136. N-(1-phenyl)ethyl-N'-{[4-(2-oxo-pyrrolidin-1-yl)-phenyl]-acetamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
137. N-n-butyl-N'-{[4-(2-oxo-pyrrolidin-1-yl)-phenyl]-acetamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
- 15 138. N-{5-phenylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-(2-oxo-pyrrolidin-1-yl)-phenyl-acetamide;
139. N-n-butyl-N'-{2-[4-(2-oxo-pyrrolidin-1-yl)phenyl]-propionamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
- 20 140. N-{5-phenylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-[4-(2-oxo-pyrrolidin-1-yl)-phenyl]-propionamide;
141. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-(2-oxo-pyrrolidin-1-yl)-phenyl-acetamide;
142. N-n-butyl-N'-{2-(4-pyrrolidin-1-yl-phenyl)-propionamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
- 25 143. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-(4-pyrrolidin-1-yl-phenyl)-propionamide;
144. N-2-methoxyphenyl-N'-{(4-pyrrolidin-1-yl-phenyl)-acetamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
- 30 145. N-2-chlorophenyl-N'-{(4-pyrrolidin-1-yl-phenyl)-acetamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
146. N-(1-phenyl)ethyl-N'-{(4-pyrrolidin-1-yl-phenyl)-acetamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
147. N-n-butyl-N'-{(4-pyrrolidin-1-yl-phenyl)-acetamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
- 35

148. N-{5-phenylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-(4-pyrrolidin-1-yl-phenyl)-acetamide;
149. N-ethyl-N'-{[4-(2-oxo-pyrrolidin-1-yl)-phenyl]-acetamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
- 5 150. N-i-propyl-N'-{[4-(2-oxo-pyrrolidin-1-yl)-phenyl]-acetamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
151. N-{5-(2-furoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-(2-oxo-pyrrolidin-1-yl)-phenyl-acetamide;
152. N-{5-(2-methoxyphenyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-(2-oxo-pyrrolidin-1-yl)-phenyl-acetamide;
- 10 153. N-{5-aminocarbonylmethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-(2-oxo-pyrrolidin-1-yl)-phenyl-acetamide;
154. N-i-propyl-N'-{(4-pyrrolidin-1-yl-phenyl)-acetamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
- 15 155. N-ethyl-N'-{(4-pyrrolidin-1-yl-phenyl)-acetamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
156. N-{5-aminocarbonylmethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-(4-pyrrolidin-1-yl-phenyl)-acetamide;
157. N-{5-(3-methylbutyroyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-(2-oxo-pyrrolidin-1-yl)-phenyl-acetamide;
- 20 158. N-n-butyl-N'-{3-(naphth-2-yl)acetamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
159. N-n-butyl-N'-{3-(3-methyl-phenyl)acetamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
- 25 160. N-n-butyl-N'-{3-(3-fluoro-phenyl)acetamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
161. N-n-butyl-N'-{3-(3-pyridyl)acetamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
162. N-n-butyl-N'-{3-(bicyclo[4.2.0]octa-1,3,5-triene-7-carboxamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
- 30 163. N-n-butyl-N'-{3-phenoxyacetamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
164. N-n-butyl-N'-{3-(4-methyl-phenyl)acetamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
- 35 165. N-n-butyl-N'-{3-(4-fluoro-phenyl)acetamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;

166. N-n-butyl-N'-{3-(3,4-difluoro-phenyl)acetamido}-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
167. N-n-butyl-N'-{3-(4-trifluoromethoxy-phenyl)acetamido}-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
- 5 168. N-n-butyl-N'-{3-(2-methyl-phenyl)acetamido}-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
169. N-n-butyl-N'-{3-(2-bromo-phenyl)acetamido}-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
170. N-n-butyl-N'-{3-(2,5-difluoro-phenyl)acetamido}-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
- 10 171. N-n-butyl-N'-{3-(4-(pyrrolidin-1-yl-carbonylmethyloxy)-phenyl)acetamido}-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
172. N-n-butyl-N'-{3-(3-(aminocarbonylmethyloxy)-phenyl)acetamido}-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
- 15 173. N-n-butyl-N'-{3-(pyrid-4-yl-acetamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
174. N-n-butyl-N'-{3-(4-(morpholin-1-yl)-phenyl)acetamido}-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
- 20 175. N-n-butyl-N'-{3-(2-fluoro-phenyl)acetamido}-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
176. N-n-butyl-N'-{3-(3,5-difluoro-phenyl)acetamido}-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
- 25 177. N-n-butyl-N'-{3-(6-oxo-6H-pyridazin-1-yl)acetamido}-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
178. N-{5-picolinoyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-(2-oxo-oxazolidin-3-yl)-phenyl-acetamide;
179. N-{5-(thien-2-yl)acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-(2-oxo-oxazolidin-3-yl)-phenyl-acetamide;
- 30 180. N-{5-(2-furoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-(2-oxo-oxazolidin-3-yl)-phenyl-acetamide;
181. N-{5-ethoxyacetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-(2-oxo-oxazolidin-3-yl)-phenyl-acetamide;
- 35 182. N-{5-(3-methyl-butyroyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-(2-oxo-oxazolidin-3-yl)-phenyl-acetamide;

183. N-{5-butyroyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
4-(2-oxo-oxazolidin-3-yl)-phenyl-acetamide;
184. N-isopropyl-N'-{3-[4-(2-oxo-oxazolidin-3-yl)-phenyl-
acetamido]}-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
- 5 185. N-(n-butyl)-N'-{3-[4-(2-oxo-oxazolidin-3-yl)-phenyl-
acetamido]}-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
186. N-{5-ethoxycarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-
3-yl}-4-(2-oxo-oxazolidin-3-yl)-phenyl-acetamide;
187. N-isopropyl-N'-{3-[2-(3-oxo-3,4,4a,8a-tetrahydro-2H-
10 benzo[1,4]oxazin-6-yl)acetamido]}-4,6-dihydropyrrolo[3,4-
c]pyrazol-5-yl}urea;
188. N-isopropyl-N'-{3-(3-bromo-benzamido)}-4,6-
dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
189. N-{5-benzensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-
15 3-yl}-3-bromobenzamide;
190. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-[4-
(1-pyrrolidin-2-one)benzamide];
191. N-ethyl-N'-{3-(3-bromo-benzamido)}-4,6-
dihydropyrrolo[3,4-c]pyrazol-5-yl}urea
- 20 192. N-{5-(8-quinoline)sulfonyl-4,6-dihydropyrrolo[3,4-
c]pyrazol-3-yl}-p-toluic amide;
193. N-phenyl-N'-{3-(3-bromo-benzamido)}-4,6-
dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
194. N-{5-phenylacetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-
25 yl}-3-bromobenzamide;
195. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-
3-yl}-3-bromobenzamide;
196. N-isopropyl-N'-{3-[4-(1-pyrrolidin-2-on)benzamido]}-
4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
- 30 197. N-{5-(8-quinoline)carbonyl-4,6-dihydropyrrolo[3,4-
c]pyrazol-3-yl}-p-toluic amide;
198. N-{5-(1-naphthalene)sulfonyl-4,6-dihydropyrrolo[3,4-
c]pyrazol-3-yl}-4-phenylbenzamide;
199. N-{5-(1-naphtoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-
35 yl}-4-phenylbenzamide;

200. N-{5-(1-naphtoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;
201. N-phenyl-N'-{3-(4-phenyl-benzamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
- 5 202. N-{5-phenylacetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenylbenzamide;
203. N-{5-(1-naphthalene)sulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-toluic amide;
204. N-{5-(1-naphtoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-toluic amide;
- 10 205. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-phenoxybenzamide;
206. N-[5-(4-chloro-2,5-difluorobenzoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl]-2-(2-naphthyl)acetamide;
- 15 207. N-{5-[tert-butyl carboxylate]-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-(2-naphthyl)acetamide;
208. N-{5-[(1-methylcyclopropyl)carbonyl]-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-(2-naphthyl)acetamide;
209. N-[5-(cyclobutylcarbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl]-2-(2-naphthyl)acetamide;
- 20 210. N-[5-(2-fluorobenzoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl]-2-(2-naphthyl)acetamide;
211. N-[5-(pyridin-3-ylcarbonyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl]-2-(2-naphthyl)acetamide;
- 25 212. N-{5-[(2,2,3,3-tetramethylcyclopropyl)carbonyl]-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-(2-naphthyl)acetamide;
213. N-[5-(2,4,5-trifluorobenzoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl]-2-(2-naphthyl)acetamide;
214. N-[5-(2-methylpent-4-enoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl]-2-(2-naphthyl)acetamide;
- 30 215. N-[5-(cyclopropylacetyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl]-2-(2-naphthyl)acetamide;
216. N-[5-(5-fluoro-2-methylbenzoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl]-2-(2-naphthyl)acetamide;
- 35 217. N-{5-[2-fluoro-5-(trifluoromethyl)benzoyl]-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-(2-naphthyl)acetamide;

218. N-{5-[(3-methoxycyclohexyl)carbonyl]-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-(2-naphthyl)acetamide;
219. N-[5-(2,4-dichloro-5-fluorobenzoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl]-2-(2-naphthyl)acetamide;
- 5 220. N-[5-(2-chloro-4,5-difluorobenzoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl]-2-(2-naphthyl)acetamide;
221. N-{5-[4-(1H-imidazol-1-yl)benzoyl]-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-(2-naphthyl)acetamide;
222. N-{5-[4-(aminosulfonyl)butanoyl]-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-(2-naphthyl)acetamide;
- 10 223. N-{5-[(8-oxo-5,6,7,8-tetrahydronaphthalen-2-yl)carbonyl]-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-(2-naphthyl)acetamide;
224. N-(5-pyruvoyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl)-2-(2-naphthyl)acetamide;
- 15 225. N-[5-(2,2-dimethylpropanoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl]-2-(2-naphthyl)acetamide;
226. N-(5-but-2-ynoyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl)-2-(2-naphthyl)acetamide;
- 20 227. N-[5-(3-iodo-4-methylbenzoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl]-2-(2-naphthyl)acetamide;
228. N-{5-[(benzyloxy)acetyl]-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-(2-naphthyl)acetamide;
229. N-{5-(2-fluoro-2-phenylacetyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
- 25 230. N-{5-(2-fluoro-2-phenylacetyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenoxybenzamide;
231. N-{5-(2-thienyl-acetyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-(4-methylpiperazino)benzamide;
- 30 232. N-{5-(3-methyl-butanoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-(4-methylpiperazino)benzamide;
233. N-{5-(2-furoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-(4-methylpiperazino)benzamide;
234. N-{5-phenylacetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-(4-methylpiperazino)benzamide;
- 35

235. N-{5-benzenesulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-(4-methylpiperazino)benzamide;
236. N-(2,6-diethylphenyl)-N'-{3-[4-(4-methylpiperazino)benzamide;]-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
237. N-ethyl-N'-{3-[4-(4-methylpiperazino)benzamide;]-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
238. N-{5-(2-fluoro-2-phenylacetyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-[4-(1-pyrrolidin-2-one)benzamide;];
239. N-{5-(2-fluoro-2-phenylacetyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-(4-methylpiperazino)benzamide;
240. N-{5-(2-thienyl-acetyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-piperonylamide;
241. N-{5-(3-methyl-butanoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-piperonylamide;
242. N-{5-(2-furoyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-piperonylamide;
243. N-{5-phenylacetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-piperonylamide;
244. N-{5-benzenesulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-piperonylamide;
245. N-{5-(2-trifluoromethyl)benzenesulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-piperonylamide;
246. N-ethyl-N'-{3-piperonylcarboxamido-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
247. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-acetamide;
248. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopropanecarboxamide;
249. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-isobutyramide;
250. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopentanecarboxamide;
251. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-benzamide;

252. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-picolinic amide;
253. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-nicotinic amide;
- 5 254. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-isonicotinic amide;
255. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-methyl-2-furoic amide;
256. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-10 thiophene-2-carboxamide;
257. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-3-carboxamide;
258. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-toluic amide;
- 15 259. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-toluic amide;
260. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-toluic amide;
261. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-20 salicylic amide;
262. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-fluorobenzamide;
263. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-fluorobenzamide;
- 25 264. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-fluorobenzamide;
265. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-2-acetamide;
266. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-30 thiophene-3-acetamide;
267. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenylpropionic amide;
268. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-cyanobenzamide;
- 35 269. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-cyanobenzamide;

270. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
trans-cinnamic amide;
271. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
cis-cinnamic amide;
- 5 272. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-
(3-pyridyl)acrylic amide;
273. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-
(4-pyridyl)-acrylic amide;
274. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-
10 phenylpropionamide;
275. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-
tolylacetamide;
276. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-
tolylacetamide;
- 15 277. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-
tolylacetamide;
278. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-
anisic amide;
279. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-
20 methoxybenzamide;
280. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-
anisic amide;
281. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
phenoxyacetamide;
- 25 282. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-
fluorophenylacetamide;
283. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-
fluorophenylacetamide;
284. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-
30 fluorophenylacetamide;
285. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-
(2-thienyl)acrylic amide;
286. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-
(3-thienyl)-acrylic amide;
- 35 287. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-
(2-thienyl)propanoic amide;

288. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-chlorobenzamide;
289. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-chlorobenzamide;
- 5 290. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-chlorobenzamide;
291. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-piperidinepropionamide;
292. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-
10 acetylbenzamide;
293. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-acetylbenzamide;
294. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphthoic amide;
- 15 295. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphthoic amide;
296. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-benzoylpropionamide;
297. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-
20 acetamidobenzamide;
298. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,5-dimethoxybenzamide;
299. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,6-dimethoxybenzamide;
- 25 300. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,4-dimethoxybenzamide;
301. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,5-dimethoxybenzamide;
302. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-
30 (2-thenoyl)-propionamide;
303. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphtylacetamide;
304. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenylbenzamide;
- 35 305. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-acetamide;

306. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
cyclopropanecarboxamide;
307. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
isobutyramide;
- 5 308. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
cyclopentanecarboxamide;
309. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
benzamide;
310. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
10 picolinic amide;
311. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
nicotinic amide;
312. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
isonicotinic amide;
- 15 313. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-
methyl-2-furoic amide;
314. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
thiophene-2-carboxamide;
315. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
20 thiophene-3-carboxamide;
316. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-
toluic amide;
317. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-
toluic amide;
- 25 318. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-
toluic amide;
319. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
phenylacetamide;
320. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
30 salicylic amide;
321. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-
fluorobenzamide;
322. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-
fluorobenzamide;
- 35 323. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-
fluorobenzamide;

324. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
thiophene-2-acetamide;
325. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
thiophene-3-acetamide;
- 5 326. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
phenylpropionic amide;
327. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-
cyanobenzamide;
328. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-
10 cyanobenzamide;
329. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}
330. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
cis-cinnamic amide;
331. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-
15 (3-pyridyl)acrylic amide;
332. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-
(4-pyridyl)-acrylic amide;
333. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-
phenylpropionamide;
- 20 334. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-
tolylacetamide;
335. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-
tolylacetamide;
336. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-
25 tolylacetamide;
337. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-
anisic amide;
338. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-
methoxybenzamide;
- 30 339. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-
anisic amide;
340. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
phenoxyacetamide;
341. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-
35 fluorophenylacetamide;

342. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-fluorophenylacetamide;
343. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-fluorophenylacetamide;
- 5 344. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thienyl)acrylic amide;
345. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(3-thienyl)-acrylic amide;
346. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-
10 (2-thienyl)propanoic amide;
347. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-chlorobenzamide;
348. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-chlorobenzamide;
- 15 349. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-chlorobenzamide;
350. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-piperidinepropionamide;
351. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-
20 acetylbenzamide;
352. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-acetylbenzamide;
353. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphthoic amide;
- 25 354. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphthoic amide;
355. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-benzoylpropionamide;
356. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-
30 acetamidobenzamide;
357. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,5-dimethoxybenzamide;
358. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,6-dimethoxybenzamide;
- 35 359. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,4-dimethoxybenzamide;

360. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-
3,5-dimethoxybenzamide;
361. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-
(2-thenoyl)-propionamide;
- 5 362. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-
naphtylacetamide;
363. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-
naphtylacetamide;
364. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-
10 phenylbenzamide;
365. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-
yl}-acetamide;
366. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-
yl}-cyclopropanecarboxamide;
- 15 367. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-
yl}-isobutyramide;
368. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-
yl}-cyclopentanecarboxamide;
369. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-
20 yl}-benzamide;
370. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-
yl}-picolinic amide;
371. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-
yl}-nicotinic amide;
- 25 372. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-
yl}-isonicotinic amide;
373. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-
yl}-3-methyl-2-furoic amide;
374. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-
30 yl}-thiophene-2-carboxamide;
375. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-
yl}-thiophene-3-carboxamide;
376. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-
yl}-o-toluic amide;
- 35 377. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-
yl}-m-toluic amide;

378. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-toluic amide;
379. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenylacetamide;
- 5 380. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-salicylic amide;
381. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-fluorobenzamide;
382. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-fluorobenzamide;
- 10 383. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-fluorobenzamide;
384. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-2-acetamide;
- 15 385. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-3-acetamide;
386. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenylpropionic amide;
387. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-cyanobenzamide;
- 20 388. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-cyanobenzamide;
389. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-trans-cinnamic amide;
- 25 390. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cis-cinnamic amide;
391. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(3-pyridyl)acrylic amide;
392. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(4-pyridyl)-acrylic amide;
- 30 393. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-phenylpropionamide;
394. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-tolylacetamide;
- 35 395. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-tolylacetamide;

396. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-tolylacetamide;
397. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-anisic amide;
- 5 398. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-methoxybenzamide;
399. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-anisic amide;
400. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenoxyacetamide;
- 10 401. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-fluorophenylacetamide;
402. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-fluorophenylacetamide;
- 15 403. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-fluorophenylacetamide;
404. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thienyl)acrylic amide;
405. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(3-thienyl)-acrylic amide;
- 20 406. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thienyl)propanoic amide;
407. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-chlorobenzamide;
- 25 408. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-chlorobenzamide;
409. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-chlorobenzamide;
410. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-piperidinepropionamide;
- 30 411. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-acetylbenzamide;
412. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-acetylbenzamide;
- 35 413. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphthoic amide;

414. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphthoic amide;
415. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-benzoylpropionamide;
- 5 416. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-acetamidobenzamide;
417. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,5-dimethoxybenzamide;
418. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,6-dimethoxybenzamide;
- 10 419. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,4-dimethoxybenzamide;
420. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,5-dimethoxybenzamide;
- 15 421. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thenoyl)-propionamide;
422. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphtylacetamide;
423. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphtylacetamide;
- 20 424. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenylbenzamide;
425. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-acetamide;
- 25 426. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopropanecarboxamide;
427. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-isobutyramide;
428. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopentanecarboxamide;
- 30 429. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-benzamide;
430. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-picolinic amide;
- 35 431. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-nicotinic amide;

432. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-isonicotinic amide;
433. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-methyl-2-furoic amide;
- 5 434. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-2-carboxamide;
435. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-3-carboxamide;
436. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-toluic amide;
- 10 437. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-toluic amide;
438. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-toluic amide;
- 15 439. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenylacetamide;
440. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-salicylic amide;
441. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-fluorobenzamide;
- 20 442. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-fluorobenzamide;
443. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-fluorobenzamide;
- 25 444. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-2-acetamide;
445. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-3-acetamide;
446. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenylpropionic amide;
- 30 447. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-cyanobenzamide;
448. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-cyanobenzamide;
- 35 449. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-trans-cinnamic amide;

450. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cis-cinnamic amide;
451. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(3-pyridyl)acrylic amide;
- 5 452. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(4-pyridyl)-acrylic amide;
453. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-phenylpropionamide;
454. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-tolylacetamide;
- 10 455. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-tolylacetamide;
456. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-tolylacetamide;
- 15 457. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-anisic amide;
458. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-methoxybenzamide;
459. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-anisic amide;
- 20 460. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenoxyacetamide;
461. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-fluorophenylacetamide;
- 25 462. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-fluorophenylacetamide;
463. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-fluorophenylacetamide;
464. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thienyl)acrylic amide;
- 30 465. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(3-thienyl)-acrylic amide;
466. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thienyl)propanoic amide;
- 35 467. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-chlorobenzamide;

468. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-chlorobenzamide;
469. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-chlorobenzamide;
- 5 470. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-piperidinepropionamide;
471. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-acetylbenzamide;
472. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-acetylbenzamide;
- 10 473. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphthoic amide;
474. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphthoic amide;
- 15 475. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-benzoylpropionamide;
476. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-acetamidobenzamide;
477. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,5-dimethoxybenzamide;
- 20 478. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,6-dimethoxybenzamide;
479. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,4-dimethoxybenzamide;
- 25 480. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,5-dimethoxybenzamide;
481. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thenoyl)-propionamide;
482. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphtylacetamide;
- 30 483. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphtylacetamide;
484. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenylbenzamide;
- 35 485. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-acetamide;

486. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopropanecarboxamide;
487. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-isobutyramide;
- 5 488. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopentanecarboxamide;
489. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-benzamide;
490. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-picolinic amide;
- 10 491. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-nicotinic amide;
492. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-isonicotinic amide;
- 15 493. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-methyl-2-furoic amide;
494. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-2-carboxamide;
495. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-3-carboxamide;
- 20 496. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-toluic amide;
497. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-toluic amide;
- 25 498. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-salicylic amide;
499. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-fluorobenzamide;
500. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-fluorobenzamide;
- 30 501. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-fluorobenzamide;
502. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-2-acetamide;
- 35 503. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-3-acetamide;

504. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenylpropionic amide;
505. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-cyanobenzamide;
- 5 506. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-cyanobenzamide;
507. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-trans-cinnamic amide;
508. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cis-cinnamic amide;
- 10 509. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(3-pyridyl)acrylic amide;
510. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(4-pyridyl)-acrylic amide;
- 15 511. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-phenylpropionamide;
512. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-tolylacetamide;
513. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-tolylacetamide;
- 20 514. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-tolylacetamide;
515. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-anisic amide;
- 25 516. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-methoxybenzamide;
517. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-anisic amide;
518. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenoxyacetamide;
- 30 519. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-fluorophenylacetamide;
520. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-fluorophenylacetamide;
- 35 521. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-fluorophenylacetamide;

522. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thienyl)acrylic amide;
523. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(3-thienyl)-acrylic amide;
- 5 524. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thienyl)propanoic amide;
525. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-chlorobenzamide;
526. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-chlorobenzamide;
- 10 527. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-chlorobenzamide;
528. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-piperidinepropionamide;
- 15 529. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-acetylbenzamide;
530. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-acetylbenzamide;
531. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphthoic amide;
- 20 532. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphthoic amide;
533. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-benzoylpropionamide;
- 25 534. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-acetamidobenzamide;
535. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,5-dimethoxybenzamide;
536. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,6-dimethoxybenzamide;
- 30 537. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,4-dimethoxybenzamide;
538. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,5-dimethoxybenzamide;
- 35 539. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thenoyl)-propionamide;

540. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphtylacetamide;
541. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphtylacetamide;
- 5 542. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenylbenzamide;
543. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-acetamide;
544. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopropanecarboxamide;
- 10 545. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-isobutyramide;
546. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopentanecarboxamide;
- 15 547. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-benzamide;
548. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-picolinic amide;
549. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-nicotinic amide;
- 20 550. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-isonicotinic amide;
551. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-methyl-2-furoic amide;
- 25 552. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-2-carboxamide;
553. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-3-carboxamide;
554. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-toluic amide;
- 30 555. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-toluic amide;
556. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-toluic amide;
- 35 557. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenylacetamide;

558. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-salicylic amide;
559. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-fluorobenzamide;
- 5 560. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-fluorobenzamide;
561. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-fluorobenzamide;
562. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-2-acetamide;
- 10 563. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-3-acetamide;
564. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenylpropionic amide;
- 15 565. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-cyanobenzamide;
566. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-cyanobenzamide;
567. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-trans-cinnamic amide;
- 20 568. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cis-cinnamic amide;
569. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(3-pyridyl)acrylic amide;
- 25 570. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(4-pyridyl)-acrylic amide;
571. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-phenylpropionamide;
572. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-tolylacetamide;
- 30 573. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-tolylacetamide;
574. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-tolylacetamide;
- 35 575. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-anisic amide;

576. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-methoxybenzamide;
577. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-anisic amide;
- 5 578. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenoxyacetamide;
579. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-fluorophenylacetamide;
580. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-fluorophenylacetamide;
- 10 581. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-fluorophenylacetamide;
582. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thienyl)acrylic amide;
- 15 583. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(3-thienyl)-acrylic amide;
584. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thienyl)propanoic amide;
585. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-chlorobenzamide;
- 20 586. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-chlorobenzamide;
587. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-chlorobenzamide;
- 25 588. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-piperidinepropionamide;
589. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-acetylbenzamide;
590. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-acetylbenzamide;
- 30 591. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphthoic amide;
592. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphthoic amide;
- 35 593. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-benzoylpropionamide;

594. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-acetamidobenzamide;
595. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,5-dimethoxybenzamide;
- 5 596. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,6-dimethoxybenzamide;
597. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,4-dimethoxybenzamide;
598. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,5-dimethoxybenzamide;
- 10 599. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thenoyl)-propionamide;
600. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphtylacetamide;
- 15 601. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphtylacetamide;
602. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenylbenzamide;
603. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-acetamide;
- 20 604. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopropanecarboxamide;
605. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-isobutyramide;
- 25 606. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopentanecarboxamide;
607. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-benzamide;
608. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-picolinic amide;
- 30 609. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-nicotinic amide;
610. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-isonicotinic amide;
- 35 611. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-methyl-2-furoic amide;

612. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-2-carboxamide;
613. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-3-carboxamide;
- 5 614. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-toluic amide;
615. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-toluic amide;
616. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-toluic amide;
- 10 617. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-salicylic amide;
618. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-fluorobenzamide;
- 15 619. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-fluorobenzamide;
620. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-fluorobenzamide;
621. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-2-acetamide;
- 20 622. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-3-acetamide;
623. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenylpropiolic amide;
- 25 624. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-cyanobenzamide;
625. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-cyanobenzamide;
626. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-trans-cinnamic amide;
- 30 627. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cis-cinnamic amide;
628. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(3-pyridyl)acrylic amide;
- 35 629. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(4-pyridyl)-acrylic amide;

630. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-phenylpropionamide;
631. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-tolylacetamide;
- 5 632. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-tolylacetamide;
633. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-tolylacetamide;
634. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-anisic amide;
- 10 635. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-methoxybenzamide;
636. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-anisic amide;
- 15 637. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenoxyacetamide;
638. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-fluorophenylacetamide;
639. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-fluorophenylacetamide;
- 20 640. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-fluorophenylacetamide;
641. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thienyl)acrylic amide;
- 25 642. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(3-thienyl)-acrylic amide;
643. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thienyl)propanoic amide;
644. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-chlorobenzamide;
- 30 645. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-chlorobenzamide;
646. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-chlorobenzamide;
- 35 647. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-piperidinepropionamide;

648. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-acetylbenzamide;
649. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-acetylbenzamide;
- 5 650. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphthoic amide;
651. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphthoic amide;
652. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-benzoylpropionamide;
- 10 653. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-acetamidobenzamide;
654. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,5-dimethoxybenzamide;
- 15 655. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,6-dimethoxybenzamide;
656. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,4-dimethoxybenzamide;
657. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,5-dimethoxybenzamide;
- 20 658. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thenoyl)-propionamide;
659. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphtylacetamide;
- 25 660. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphtylacetamide;
661. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenylbenzamide;
662. N-{5-benzoylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-acetamide;
- 30 663. N-{5-benzoylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopropanecarboxamide;
664. N-{5-benzoylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-isobutyramide;
- 35 665. N-{5-benzoylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopentanecarboxamide;

666. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-benzamide;
667. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-picolinic amide;
- 5 668. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-nicotinic amide;
669. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-isonicotinic amide;
670. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-methyl-2-furoic amide;
- 10 671. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-2-carboxamide;
672. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-3-carboxamide;
- 15 673. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-toluic amide;
674. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-toluic amide;
675. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-toluic amide;
- 20 676. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenylacetamide;
677. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-salicylic amide;
- 25 678. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-fluorobenzamide;
679. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-fluorobenzamide;
680. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-fluorobenzamide;
- 30 681. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-2-acetamide;
682. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-3-acetamide;
- 35 683. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenylpropionic amide;

684. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-cyanobenzamide;
685. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-cyanobenzamide;
- 5 686. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-trans-cinnamic amide;
687. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cis-cinnamic amide;
688. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(3-pyridyl)acrylic amide;
- 10 689. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(4-pyridyl)-acrylic amide;
690. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-phenylpropionamide;
- 15 691. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-tolylacetamide;
692. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-tolylacetamide;
693. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-tolylacetamide;
- 20 694. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-anisic amide;
695. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-methoxybenzamide;
- 25 696. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-anisic amide;
697. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenoxyacetamide;
698. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-fluorophenylacetamide;
- 30 699. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-fluorophenylacetamide;
700. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-fluorophenylacetamide;
- 35 701. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thienyl)acrylic amide;

702. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(3-thienyl)-acrylic amide;
703. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thienyl)propanoic amide;
- 5 704. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-chlorobenzamide;
705. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-chlorobenzamide;
706. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-chlorobenzamide;
- 10 707. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-piperidinepropionamide;
708. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-acetylbenzamide;
- 15 709. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-acetylbenzamide;
710. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphthoic amide;
711. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphthoic amide;
- 20 712. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-benzoylpropionamide;
713. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-acetamidobenzamide;
- 25 714. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,5-dimethoxybenzamide;
715. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,6-dimethoxybenzamide;
716. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,4-dimethoxybenzamide;
- 30 717. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,5-dimethoxybenzamide;
718. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thenoyl)-propionamide;
- 35 719. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphtylacetamide;

720. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphtylacetamide;
721. N-{5-benzoylamino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenylbenzamide;
- 5 722. N-{5-amino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-acetamide;
723. N-{5-amino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopropanecarboxamide;
724. N-{5-amino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-isobutyramide;
- 10 725. N-{5-amino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopentanecarboxamide;
726. N-{5-amino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-benzamide;
- 15 727. N-{5-amino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-picolinic amide;
728. N-{5-amino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-nicotinic amide;
729. N-{5-amino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-isonicotinic amide;
- 20 730. N-{5-amino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-methyl-2-furoic amide;
731. N-{5-amino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-2-carboxamide;
- 25 732. N-{5-amino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-3-carboxamide;
733. N-{5-amino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-toluic amide;
734. N-{5-amino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-toluic amide;
- 30 735. N-{5-amino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-toluic amide;
736. N-{5-amino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenylacetamide;
- 35 737. N-{5-amino-carbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-salicylic amide;

738. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-fluorobenzamide;
739. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-fluorobenzamide;
- 5 740. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-fluorobenzamide;
741. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-2-acetamide;
742. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-3-acetamide;
- 10 743. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenylpropionic amide;
744. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-cyanobenzamide;
- 15 745. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-cyanobenzamide;
746. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-trans-cinnamic amide;
747. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cis-cinnamic amide;
- 20 748. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(3-pyridyl)acrylic amide;
749. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(4-pyridyl)-acrylic amide;
- 25 750. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-phenylpropionamide;
751. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-tolylacetamide;
752. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-tolylacetamide;
- 30 753. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-tolylacetamide;
754. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-anisic amide;
- 35 755. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-methoxybenzamide;

756. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-anisic amide;
757. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenoxyacetamide;
- 5 758. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-fluorophenylacetamide;
759. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-fluorophenylacetamide;
760. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-fluorophenylacetamide;
- 10 761. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thienyl)acrylic amide;
762. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(3-thienyl)-acrylic amide;
- 15 763. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thienyl)propanoic amide;
764. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-chlorobenzamide;
765. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-chlorobenzamide;
- 20 766. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-chlorobenzamide;
767. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-piperidinepropionamide;
- 25 768. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-acetylbenzamide;
769. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-acetylbenzamide;
770. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphthoic amide;
- 30 771. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphthoic amide;
772. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-benzoylpropionamide;
- 35 773. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-acetamidobenzamide;

774. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,5-dimethoxybenzamide;
775. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,6-dimethoxybenzamide;
- 5 776. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,4-dimethoxybenzamide;
777. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,5-dimethoxybenzamide;
778. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thenoyl)-propionamide;
- 10 779. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphtylacetamide;
780. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphtylacetamide;
- 15 781. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenylbenzamide;
782. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-acetamide;
783. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopropanecarboxamide;
- 20 784. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-isobutyramide;
785. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopentanecarboxamide;
- 25 786. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-benzamide;
787. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-picolinic amide;
788. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-nicotinic amide;
- 30 789. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-isonicotinic amide;
790. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-methyl-2-furoic amide;
- 35 791. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-2-carboxamide;

792. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-3-carboxamide;
793. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-toluic amide;
- 5 794. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-toluic amide;
795. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-toluic amide;
796. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenylacetamide;
- 10 797. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-salicylic amide;
798. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-fluorobenzamide;
- 15 799. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-fluorobenzamide;
800. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-fluorobenzamide;
801. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-2-acetamide;
- 20 802. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-3-acetamide;
803. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenylpropiolic amide;
- 25 804. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-cyanobenzamide;
805. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-cyanobenzamide;
806. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-trans-cinnamic amide;
- 30 807. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cis-cinnamic amide;
808. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(3-pyridyl)acrylic amide;
- 35 809. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(4-pyridyl)-acrylic amide;

810. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-phenylpropionamide;
811. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-tolylacetamide;
- 5 812. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-tolylacetamide;
813. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-tolylacetamide;
814. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-anisic amide;
- 10 815. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-methoxybenzamide;
816. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-anisic amide;
- 15 817. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenoxyacetamide;
818. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-fluorophenylacetamide;
819. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-fluorophenylacetamide;
- 20 820. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-fluorophenylacetamide;
821. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thienyl)acrylic amide;
- 25 822. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(3-thienyl)-acrylic amide;
823. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thienyl)propanoic amide;
824. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-chlorobenzamide;
- 30 825. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-chlorobenzamide;
826. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-chlorobenzamide;
- 35 827. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-piperidinepropionamide;

828. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-acetylbenzamide;
829. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-acetylbenzamide;
- 5 830. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphthoic amide;
831. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphthoic amide;
832. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-benzoylpropionamide;
- 10 833. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-acetamidobenzamide;
834. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,5-dimethoxybenzamide;
- 15 835. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,6-dimethoxybenzamide;
836. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,4-dimethoxybenzamide;
837. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,5-dimethoxybenzamide;
- 20 838. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thenoyl)-propionamide;
839. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphtylacetamide;
- 25 840. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphtylacetamide;
841. N-{5-aminosulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenylbenzamide;
842. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-acetamide;
- 30 843. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopropanecarboxamide;
844. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-isobutyramide;
- 35 845. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopentanecarboxamide;

846. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-benzamide;
847. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-picolinic amide;
- 5 848. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-nicotinic amide;
849. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-isonicotinic amide;
850. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-methyl-2-furoic amide;
- 10 851. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-2-carboxamide;
852. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-3-carboxamide;
- 15 853. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-toluic amide;
854. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-toluic amide;
855. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-toluic amide;
- 20 856. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-salicylic amide;
857. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-fluorobenzamide;
- 25 858. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-fluorobenzamide;
859. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-fluorobenzamide;
860. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-2-acetamide;
- 30 861. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-3-acetamide;
862. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenylpropionic amide;
- 35 863. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-cyanobenzamide;

864. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-cyanobenzamide;
865. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-trans-cinnamic amide;
- 5 866. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cis-cinnamic amide;
867. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(3-pyridyl)acrylic amide;
868. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(4-pyridyl)-acrylic amide;
- 10 869. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-phenylpropionamide;
870. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-tolylacetamide;
- 15 871. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-tolylacetamide;
872. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-tolylacetamide;
873. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-anisic amide;
- 20 874. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-methoxybenzamide;
875. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-anisic amide;
- 25 876. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenoxyacetamide;
877. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-fluorophenylacetamide;
878. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-fluorophenylacetamide;
- 30 879. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-fluorophenylacetamide;
880. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thienyl)acrylic amide;
- 35 881. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(3-thienyl)-acrylic amide;

882. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thienyl)propanoic amide;
883. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-chlorobenzamide;
- 5 884. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-chlorobenzamide;
885. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-chlorobenzamide;
886. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-piperidinepropionamide;
- 10 887. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-acetylbenzamide;
888. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-acetylbenzamide;
- 15 889. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphthoic amide;
890. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphthoic amide;
891. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-benzoylpropionamide;
- 20 892. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-acetamidobenzamide;
893. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,5-dimethoxybenzamide;
- 25 894. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,6-dimethoxybenzamide;
895. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,4-dimethoxybenzamide;
896. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,5-dimethoxybenzamide;
- 30 897. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thenoyl)-propionamide;
898. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphtylacetamide;
- 35 899. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphtylacetamide;

900. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenylbenzamide;
901. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-acetamide;
- 5 902. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopropanecarboxamide;
903. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-isobutyramide;
904. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cyclopentanecarboxamide;
- 10 905. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-benzamide;
906. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-picolinic amide;
- 15 907. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-nicotinic amide;
908. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-isonicotinic amide;
909. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-methyl-2-furoic amide;
- 20 910. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-2-carboxamide;
911. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-3-carboxamide;
- 25 912. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-toluic amide;
913. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-toluic amide;
914. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-toluic amide;
- 30 915. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenylacetamide;
916. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-salicylic amide;
- 35 917. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-fluorobenzamide;

918. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-fluorobenzamide;
919. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-fluorobenzamide;
- 5 920. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-2-acetamide;
921. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-thiophene-3-acetamide;
922. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenylpropionic amide;
- 10 923. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-cyanobenzamide;
924. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-cyanobenzamide;
- 15 925. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-trans-cinnamic amide;
926. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-cis-cinnamic amide;
927. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(3-pyridyl)acrylic amide;
- 20 928. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(4-pyridyl)-acrylic amide;
929. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-phenylpropionamide;
- 25 930. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-m-tolylacetamide;
931. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-tolylacetamide;
932. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-o-anisic amide;
- 30 933. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-methoxybenzamide;
934. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-p-anisic amide;
- 35 935. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-phenoxyacetamide;

936. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-fluorophenylacetamide;
937. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-fluorophenylacetamide;
- 5 938. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-fluorophenylacetamide;
939. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thienyl)acrylic amide;
940. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(3-thienyl)-acrylic amide;
- 10 941. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thienyl)propanoic amide;
942. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-chlorobenzamide;
- 15 943. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-chlorobenzamide;
944. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-chlorobenzamide;
945. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-piperidinepropionamide;
- 20 946. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-acetylbenzamide;
947. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-acetylbenzamide;
- 25 948. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphthoic amide;
949. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphthoic amide;
950. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-benzoylpropionamide;
- 30 951. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-acetamidobenzamide;
952. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,5-dimethoxybenzamide;
- 35 953. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2,6-dimethoxybenzamide;

954. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,4-dimethoxybenzamide;
955. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3,5-dimethoxybenzamide;
- 5 956. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-thenoyl)-propionamide;
957. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-2-naphtylacetamide;
958. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-1-naphtylacetamide;
- 10 959. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-phenylbenzamide;
960. N-{5-acetyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl},N'-(4-chlorobenzyl) urea;
- 15 961. N-{5-benzyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl},N'-(4-chlorobenzyl) urea;
962. N-{5-phenyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl},N'-(4-chlorobenzyl) urea;
963. N-{5-aminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl},N'-(4-chlorobenzyl) urea;
- 20 964. N-{5-ethylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl},N'-(4-chlorobenzyl) urea;
965. N-{5-methansulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl},N'-(4-chlorobenzyl) urea;
- 25 966. N-{5-benzylsulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl},N'-(4-chlorobenzyl) urea;
967. N-{5-toluensulfonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl},N'-(4-chlorobenzyl) urea;
968. N-{5-benzylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl},N'-(4-chlorobenzyl) urea; and
- 30 969. N-{5-phenylaminocarbonyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl},N'-(4-chlorobenzyl) urea;
970. N-(5-(1-naphthalenecarbonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl)-3-tphenoxybenzamide;
- 35

971. N- (5- (1-naphthalenecarbonyl) -4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-3-yl) -4-tertbutylbenzamide;
972. N- (5- (2-furoyl) -4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-3-yl) - (4-phenyl)phenylacetamide;
973. N- (5- (2-furoyl) -4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-3-yl) -2- (2-naphthyl)propanamide;
974. N- (5- (2-furoyl) -4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-3-yl) -2- (3-fluoro-4-phenyl-phenyl)propanamide;
975. N- (5- (2-methoxybenzoyl) -4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-3-yl) - (2-naphtalene) acetamide;
976. N- (5- (2-methoxy-benzoyl) -4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-3-yl) - [4- (1-pirrolidin-2-on)]phenylacetamide;
977. N- (5- (2-methoxyphenyl) -4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-3-yl) - (4-phenyl)phenylacetamide;
978. N- (5- (4-fluoro-benzoyl) -4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-3-yl) -4-fluorobenzamide;
979. N- (5-acetyl-4,5,6,7-tetrahydro-1H-pyrazolo [4,3-c]pyridin-3-yl) -3-fluorobenzamide;
980. N- (5-acetyl-4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-3-yl) - (2-naphtalene) acetamide;
981. N- (5-acetyl-4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-3-yl) acetamide;
982. N- (5-acetyl-4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-3-yl) benzamide;
983. N- (5-aminocarbonyl-4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-3-yl) -phenylacetamide;
984. N- (5-benzoyl-4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-3-yl) - (4-phenyl)phenylacetamide;
985. N- (5-benzoyl-4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-3-yl) -3-fluorobenzamide;
986. N- (5-benzoyl-4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-3-yl) -3-phenoxy-benzamide;

987. N- (5-benzoyl-4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-3-yl) -4-fluorobenzamide;
988. N- (5-benzoyl-4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-3-yl) -4-phenoxybenzamide;
- 5 989. N- (5-benzoyl-4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-3-yl) -4-tertbutyl-benzamide;
990. N- (5-benzoyl-4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-3-yl) acetamide;
991. N- (5-benzoyl-4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-3-yl) benzamide;
- 10 992. N- (5-benzoyl-4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-3-yl) cyclopropanecarboxamide;
993. N- (5-benzoyl-4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-3-yl) -phenylacetamide;
- 15 994. N- (5-benzylsulfonyl-4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-3-yl) cyclopropanecarboxamide;
995. N- (5-phenylacetyl-4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-3-yl) - (2-naphtalene) acetamide;
996. N- (5-phenylacetyl-4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-3-yl) -phenylacetamide;
- 20 997. N,N-dimethyl-N' - {3- (2-phenyl-thiazol-4-yl) acetamido-4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-5-yl} urea;
998. N,N-dimethyl-N' - {3- (benzo [1,3] dioxol-5-yl) acetamido-4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-5-yl} urea;
- 25 999. N,N-isopropyl-N' - {3- (benzo [1,3] dioxol-5-yl) acetamido-4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-5-yl} urea;
1000. N- [5- (1,3-benzodioxol-5-ylcarbonyl) -4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-3-yl] -3-methoxybenzamide;
1001. N- [5- (1,3-benzodioxol-5-ylcarbonyl) -4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-3-yl] -3-phenoxybenzamide;
- 30 1002. N- [5- (1,3-benzodioxol-5-ylcarbonyl) -4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-3-yl] -3-phenoxybenzamide;
1003. N- [5- (1,3-benzodioxol-5-ylcarbonyl) -4,5,6,7-tetrahydropyridine [4,3-c]pyrazol-3-yl] -4-tertbutyl-benzamide;
- 35

1004. N-[5-(2-phenylacetyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]acetamide;
1005. N-[5-(2-phenylacetyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]benzamide;
- 5 1006. N-[5-(benzylsulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]-3-bromobenzamide;
1007. N-[5-(benzylsulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]-3-fluorobenzamide;
1008. N-[5-(benzylsulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]acetamide;
- 10 1009. N-[5-(benzylsulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]benzamide;
1010. N-[5-(methylsulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]-3-fluoro-benzamide;
- 15 1011. N-[5-(methylsulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]-3-methoxy-benzamide;
1012. N-[5-(methylsulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]-4-fluorobenzamide;
1013. N-[5-(methylsulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]-4-phenoxybenzamide;
- 20 1014. N-[5-(methylsulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]-4-phenoxy-benzamide;
1015. N-[5-(methylsulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]-4-tertbutyl-benzamide;
- 25 1016. N-[5-(methylsulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]acetamide;
1017. N-[5-(methylsulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]benzamide;
1018. N-[5-(methylsulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]cyclopropanecarboxamide;
- 30 1019. N-[5-(methylsulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]-phenylacetamide;
1020. N-[5-(quinoline-8-sulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]-4-phenoxybenzamide;
- 35 1021. N-[5-(quinoline-8-sulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]acetamide;

1022. N-[5-benzoyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]-(2-naphtalene)acetamide;
1023. N-[5-isobutyryl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]-4-fluorobenzamide;
- 5 1024. N-[5-phenylacetyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]-3-fluorobenzamide;
1025. N-[5-phenylacetyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]-3-methoxybenzamide;
1026. N-[5-phenylacetyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]-3-phenoxybenzamide;
- 10 1027. N-[5-phenylacetyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]-4-fluorobenzamide;
1028. N-[5-phenylacetyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]-4-phenoxybenzamide;
- 15 1029. N-[5-phenylacetyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]-4-tertbutyl-benzamide;
1030. N-[5-phenylacetyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl]cyclopropanecarboxamide;
1031. N-{5-(2-furoyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-4-tertbutyl-benzamide;
- 20 1032. N-{5-(2-naphthalene)sulfonyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-3-bromobenzamide;
1033. N-{5-(2-thienyl)acetyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-3-methoxybenzamide;
- 25 1034. N-{5-(2-thienyl)acetyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-3-phenoxybenzamide;
1035. N-{5-(2-thienyl)acetyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-4-fluorobenzamide;
1036. N-{5-(2-thienyl)acetyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-4-phenoxybenzamide;
- 30 1037. N-{5-(2-thienyl)acetyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-4-tertbutyl-benzamide;
1038. N-{5-(2-thienyl)acetyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-acetamide;
- 35

1039. N-{5-(2-thienyl)acetyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-cyclopropanecarboxamide;
1040. N-{5-(3-trifluoromethylbenzene)sulfonyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-3-bromo-benzamide;
1041. N-{5-(4-chlorobenzene)sulfonyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-3-bromobenzamide;
1042. N-{5-(4-fluorobenzene)sulfonyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-3-bromobenzamide;
1043. N-{5-(4-methoxybenzene)sulfonyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-3-bromobenzamide;
1044. N-{5-(4-tertbutylbenzene)sulfonyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-3-bromobenzamide;
1045. N-{5-(4-toluensulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-3-bromobenzamide;
1046. N-{5-(quinoline-8-sulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-3-fluorobenzamide;
1047. N-{5-(quinoline-8-sulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-3-methoxy-benzamide;
1048. N-{5-(quinoline-8-sulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-4-fluoro-benzamide;
1049. N-{5-(quinoline-8-sulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-4-phenoxy-benzamide;
1050. N-{5-(quinoline-8-sulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-4-tertbutyl-benzamide;
1051. N-{5-(quinoline-8-sulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-benzamide;
1052. N-{5-(quinoline-8-sulfonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-cyclopropanecarboxamide;
1053. N-{5-(quinoxaline-2-carbonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-3-phenoxybenzamide;
1054. N-{5-(quinoxaline-2-carbonyl)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-4-tertbutyl-benzamide;

1055. N-{5-[2-(2-thienyl)acetyl]-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}benzamide;
1056. N-{5-benzensulfonyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-3-bromobenzamide;
- 5 1057. N-{5-benzensulfonyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-3-fluorobenzamide;
1058. N-{5-benzensulfonyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-3-phenoxybenzamide;
1059. N-{5-benzensulfonyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-4-fluorobenzamide;
- 10 1060. N-{5-benzensulfonyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-4-phenoxybenzamide;
1061. N-{5-benzensulfonyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-4-tertbutyl-benzamide;
- 15 1062. N-{5-benzensulfonyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-acetamide;
1063. N-{5-benzensulfonyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}benzamide;
1064. N-{5-benzensulfonyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-cyclopropanecarboxamide;
- 20 1065. N-{5-benzylsulfonyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-3-methoxybenzamide;
1066. N-{5-benzylsulfonyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-3-phenoxybenzamide;
- 25 1067. N-{5-benzylsulfonyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-4-fluorobenzamide;
1068. N-{5-benzylsulfonyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-4-phenoxybenzamide;
1069. N-{5-benzylsulfonyl-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-3-yl}-4-tertbutyl-benzamide;
- 30 1070. N-benzyl-N'-{3-(2-(2-naphthalene)propionamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
1071. N-benzyl-N'-{3-(2-(6-methoxy-2-naphthalene)propionamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
- 35

1072. N-benzyl-N'-{3-(2-naphthalene)acetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
1073. N-benzyl-N'-{3-(3-methoxy-benzamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
- 5 1074. N-benzyl-N'-{3-(3-methyl-butanamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
1075. N-benzyl-N'-{3-(4-phenyl)phenylacetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
1076. N-butyl-N'-{3-(2-(2-naphthalene)propionamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
- 10 1077. N-butyl-N'-{3-(2-(6-methoxy-2-naphthalene)propionamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
1078. N-butyl-N'-{3-(2-naphthalene)acetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
- 15 1079. N-butyl-N'-{3-(3-methyl-butanamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
1080. N-butyl-N'-{3-[2-(4-phenyl-3-fluorophenyl)propionamido]-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
- 20 1081. N-butyl-N'-{3-benzamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
1082. N-butyl-N'-{3-phenylacetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
- 25 1083. N-ethyl-N'-{3-(2-(2-naphthalene)propionamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
1084. N-ethyl-N'-{3-(2-(6-methoxy-2-naphthalene)propionamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
- 30 1085. N-ethyl-N'-{3-(2-naphthalene)acetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
1086. N-ethyl-N'-{3-(3-methyl-butanamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
1087. N-ethyl-N'-{3-(4-fluorobenzamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
- 35

1088. N-ethyl-N'-{3-(4-phenyl)phenylacetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
1089. N-ethyl-N'-{3-[2-(4-phenyl-3-fluorophenyl)propionamido]-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
1090. N-ethyl-N'-{3-benzamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
1091. N-ethyl-N'-{3-phenylacetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
1092. N-isopropyl-N'-{3-(1-methyl-indol-3-yl)acetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
1093. N-isopropyl-N'-{3-(2-(2-naphthalene)propionamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
1094. N-isopropyl-N'-{3-(2-(6-methoxy-2-naphthalene)propionamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
1095. N-isopropyl-N'-{3-(2-phenyl-1,3-thiazol-4-yl)acetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
1096. N-isopropyl-N'-{3-(3-fluorobenzamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
1097. N-isopropyl-N'-{3-(3-methoxy-benzamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
1098. N-isopropyl-N'-{3-(4-fluoro-benzamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
1099. N-isopropyl-N'-{3-(4-phenyl)phenylacetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
1100. N-isopropyl-N'-{3-(4-tertbutyl-benzamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
1101. N-isopropyl-N'-{3-[2-(4-phenyl-3-fluorophenyl)propionamido]-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
1102. N-isopropyl-N'-{3-[4-(1-pyrrolidin-2-on)]phenylacetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;

1103. N-isopropyl-N'-{3-acetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
1104. N-isopropyl-N'-{3-benzamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
- 5 1105. N-isopropyl-N'-{3-cyclopropanecarboxamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
1106. N-isopropyl-N'-{3-phenylacetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
1107. N-phenyl-N'-{3-(2-naphthalene)acetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
- 10 1108. N-phenyl-N'-{3-(3-fluorobenzamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
1109. N-phenyl-N'-{3-(3-methyl-butanamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
- 15 1110. N-phenyl-N'-{3-(3-phenoxy-benzamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
1111. N-phenyl-N'-{3-(4-phenoxy-benzamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
1112. N-phenyl-N'-{3-(4-tertbutyl-benzamido)-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
- 20 1113. N-phenyl-N'-{3-acetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
1114. N-phenyl-N'-{3-benzamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
- 25 1115. N-phenyl-N'-{3-cyclopropanecarboxamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
1116. N-phenyl-N'-{3-phenylacetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
1117. N-propyl-N'-{3-(4-phenyl)phenylacetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea;
- 30 1118. N-butyl-N'-{3-(2-naphthalene)acetamido-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}urea;
1119. N-butyl-N'-{3-(3-bromo)benzamido-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}urea;
- 35 1120. N-butyl-N'-{3-(4-fluoro)benzamido-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-1-yl}urea;

1121. N-butyl-N' - {3- (4-tertbutyl) benzamido-6,6-dimethyl-4,6-dihydropyrrolo [3,4-c] pyrazol-1-yl }
1122. N-butyl-N' - {3-cyclopropanecarboxamido-6,6-dimethyl-4,6-dihydropyrrolo [3,4-c] pyrazol-1-yl } urea;
- 5 1123. N-butyl-N' - {3-phenylacetamido-6,6-dimethyl-4,6-dihydropyrrolo [3,4-c] pyrazol-5-yl } urea;
1124. N-ethyl-N' - {3- (2-naphthalene) acetamido-6,6-dimethyl-4,6-dihydropyrrolo [3,4-c] pyrazol-1-yl } urea;
1125. N-ethyl-N' - {3- (3-bromo) benzamido-6,6-dimethyl-4,6-dihydropyrrolo [3,4-c] pyrazol-1-yl } urea;
- 10 1126. N-ethyl-N' - {3- (4-fluoro) benzamido-6,6-dimethyl-4,6-dihydropyrrolo [3,4-c] pyrazol-1-yl } urea;
1127. N-ethyl-N' - {3- (4-tertbutyl) benzamido-6,6-dimethyl-4,6-dihydropyrrolo [3,4-c] pyrazol-1-yl }
- 15 1128. N-ethyl-N' - {3-cyclopropanecarboxamido-6,6-dimethyl-4,6-dihydropyrrolo [3,4-c] pyrazol-1-yl } urea;
1129. N-ethyl-N' - {3-phenylacetamido-6,6-dimethyl-4,6-dihydropyrrolo [3,4-c] pyrazol-5-yl } urea;
1130. N- {5- (2-thienyl-acetyl) -6,6-dimethyl-4,6-dihydropyrrolo [3,4-c] pyrazol-1-yl } - (3-bromo) benzamide;
- 20 1131. N- {5- (2-thienyl-acetyl) -6,6-dimethyl-4,6-dihydropyrrolo [3,4-c] pyrazol-3-yl } - (2-naphthalene) acetamide;
1132. N- {5- (2-thienyl-acetyl) -6,6-dimethyl-4,6-dihydropyrrolo [3,4-c] pyrazol-3-yl } - (4-fluoro) benzamide;
- 25 1133. N- {5- (2-thienyl-acetyl) -6,6-dimethyl-4,6-dihydropyrrolo [3,4-c] pyrazol-3-yl } - (4-tertbutyl) benzamide;
1134. N- {5- (2-thienyl-acetyl) -6,6-dimethyl-4,6-dihydropyrrolo [3,4-c] pyrazol-3-yl } cyclopropanecarboxamide;
- 30 1135. N- {5- (2-thienyl-acetyl) -6,6-dimethyl-4,6-dihydropyrrolo [3,4-c] pyrazol-3-yl } phenylacetamide;
1136. N- {5- (4-fluorobenzoyl) -6,6-dimethyl-4,6-dihydropyrrolo [3,4-c] pyrazol-1-yl } - (3-bromo) benzamide;
1137. N- {5- (4-fluorobenzoyl) -6,6-dimethyl-4,6-dihydropyrrolo [3,4-c] pyrazol-1-yl } - (4-fluoro) benzamide;
- 35

1138. N-{5-(4-fluorobenzoyl)-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-(2-naphthalene)acetamide;
1139. N-{5-(4-fluorobenzoyl)-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-(4-tertbutyl)benzamide;
- 5 1140. N-{5-(4-fluorobenzoyl)-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}cyclopropanecarboxamide;
1141. N-{5-(4-fluorobenzoyl)-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}phenylacetamide;
- 10 1142. N-{5-acetyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-(2-naphthalene)acetamide;
1143. N-{5-acetyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-(3-bromo)benzamide;
1144. N-{5-acetyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-(4-fluoro)benzamide;
- 15 1145. N-{5-acetyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-(4-tertbutyl)benzamide;
1146. N-{5-acetyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}cyclopropanecarboxamide;
- 20 1147. N-{5-acetyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}phenylacetamide;
1148. N-{5-phenylacetyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-(2-naphthalene)acetamide;
- 25 1149. N-{5-phenylacetyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-(3-bromo)benzamide;
1150. N-{5-phenylacetyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-(4-fluoro)benzamide;
1151. N-{5-phenylacetyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-(4-tertbutyl)benzamide;
- 30 1152. N-{5-phenylacetyl-6,6-dimethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}cyclopropanecarboxamide;
1153. N-isopropyl-N'-(3-(4-tertbutyl-benzamido)-4,5,6,7-tetrahydropyridine[3,4-c]pyrazol-6-yl}urea;

1154. N-{6-(2-thienyl)acetyl-4,5,6,7-tetrahydropyridine[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
1155. N-{6-acetyl-4,5,6,7-tetrahydropyridine[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
1156. N-{6-methansulfonyl-4,5,6,7-tetrahydropyridine[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
1157. N-ethyl-N'-{3-(4-tertbutylbenzamido)-4,5,6,7-tetrahydropyridine[3,4-c]pyrazol-6-yl}urea;
1158. N-{6-(3-methyl)butyryl-4,5,6,7-tetrahydropyridine[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
1159. N-{6-(2-furoyl)-4,5,6,7-tetrahydropyridine[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
1160. N-{6-phenylacetyl-4,5,6,7-tetrahydropyridine[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
1161. N-{6-phenylsulfonyl-4,5,6,7-tetrahydropyridine[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
1162. N-{6-(quinoline-8-sulfonyl)-4,5,6,7-tetrahydropyridine[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
1163. N-{5-isopentyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
1164. N-{5-phenylethyl-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-4-tertbutylbenzamide;
1165. N-[5-(2-thien-2-ylethyl)-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl]-4-tertbutylbenzamide;
1166. N,N-dimethyl-N'-{3-(2-naphthalen-2-yl-propionamido)-4,6-dihydropyrrolo[3,4-c]pyrazol-5-yl}urea;
1167. N-{5-(piperidin-1-yl)carbamoyl}-4,6-dihydropyrrolo[3,4-c]pyrazol-3-yl}-3-(2-naphthalen-2-yl)-propionamide; and
1168. N,N-dimethyl-N'-{3-(2-phenyl-thiazol-4-yl)acetamido-4,5,6,7-tetrahydropyridine[4,3-c]pyrazol-5-yl}urea; or a pharmaceutically acceptable salt thereof.

10. A pharmaceutical composition comprising a compound of formula (I), as defined in claim 1, or a pharmaceutically acceptable salt thereof and a pharmaceutically acceptable carrier and/or diluent.

5


11. A compound of formula (I) or a pharmaceutically acceptable salt thereof, as defined in claim 1, for use as a medicament.

10 12. The use of a compound of formula (I) or a pharmaceutically acceptable salt thereof, as defined in claim 1, in the manufacture of a medicament for treating a patient suffering from a disease caused by and/or associated with an altered protein kinase activity.

15

13. The use of a compound of formula (I), or a pharmaceutically acceptable salt thereof, in the manufacture of a medicament for treating a disease caused by and/or associated with an altered protein kinase activity, in a patient undergoing a simultaneous, separate or sequential anticancer treatments.


14. A process for preparing a compound of formula (I), as defined in claim 1, which comprises:
25 a) reacting a compound of formula (II)



wherein, R_1 , being as defined in claim 1, is not hydrogen, and R_a , R_b , R_c , R_d , m and n are as defined claim 1, with hydrazine or hydrazine salt, so as to obtain a compound of


formula (I) wherein R is hydrogen and R_1 , being as defined claim 1, is not hydrogen;

a') reacting a thus obtained compound of formula (I) with an isocyanate polystyrenic resin of formula (III)




5

so as to obtain a polystyrenemethyl urea; of formula (IV)



wherein Ra, Rb, Rc, Rd, m and n are as defined claim 1 and R_1 , being as defined claim 1, is not hydrogen;

10 b) converting a thus obtained compound of formula (IV) into a compound of formula (V)



wherein R, being as defined in claims 1, is other than hydrogen and R₁, Ra, Rb, Rc, Rd, m and n are as defined claim 1; and

c) cleaving under alkaline conditions a compound of formula (V) so as to eliminate the resin and to obtain the desired compound of formula (I) and, optionally, converting a compound of formula (I) into another compound of formula (I) and/or into a pharmaceutically acceptable salt thereof.

10 15. A process according to claim 14 wherein, in step a), the reaction between a compound of formula (II) and hydrazine or hydrazine salt is carried out in the presence of catalytic amounts of an acid selected from hydrochloric, acetic or sulphuric acid.

15

16. A process according to claim 14 for the preparation of a compound of formula (I) or (V) wherein R is selected from R' other than hydrogen, -COR', -COOR', -SO₂R', -SO₂NHR' or -SO₂NR'R'', wherein R' and R'' are as defined in claim 1; R₁ is not hydrogen and Ra, Rb, Rc, Rd, m and n are as defined in claim 1, wherein in step b) a compound of formula (I), or a compound of formula (IV), having R equal to hydrogen, is reacted with a compound of formula (VI)



25 wherein R is as defined in claim 1 except hydrogen and X is a leaving group.


17. A process according to claim 14 for the preparation of a compound of formula (I) or (V) wherein R is a -CONHR' group, R' being as defined in claim 1 is other than hydrogen, R₁ is not hydrogen and Ra, Rb, Rc, Rd, m and n are as defined in claim 1, wherein in step b) a compound of formula (I) or a compound of formula (IV) having R equal to hydrogen, is reacted with a compound of formula (VII)



35

wherein R' being as defined in claim 1 is other than hydrogen.

18. A process according to claim 14 for the preparation of
5 a compound of formula (I) or (V) wherein R is a -CONHR'R'' group, in which R' and R'' being as defined above are other than hydrogen, wherein in step b) a compound of formula (I) or (V) is reacted with a compound of formula (VIII)



10 wherein R'' being as defined in claim 1, is other than hydrogen and X is a suitable leaving group.

19. A process according to claim 14 for the preparation of
a compound of formula (I) or (V) wherein R is a -CONR'R'' group, in which R' and R'' being as defined above are other
15 than hydrogen, R₁ is not hydrogen and Ra, Rb, Rc, Rd, m and n are as defined in claim 1, wherein in step b) a compound of formula (I) or (IV), having R equal to hydrogen is reacted with 4-nitrophenylchloroformate and subsequently
20 with a compound of formula (IX)




wherein R' and R'', being as defined in claim 1 are not hydrogen.

25 20. A process according to claim 14 for the preparation of a compound of formula (I) or (V), wherein R is a R'CH₂- group, in which R' being as defined above is not hydrogen, wherein in step b) a compound of formula (I) or (V), having R equal to hydrogen is reacted under reductive conditions
30 with a compound of formula (X)



wherein R', being as defined above is not hydrogen.

21. A combinatorial chemical library comprising a plurality
35 of members of formula (V)



wherein


R and R₁, being the same or different, are independently a hydrogen atom or an optionally substituted group selected from R', -COR', -COOR', -CONHR', -CONR'R'', -NH-C(=NH)NHR', -C(=NH)NHR', -SO₂R', -SO₂NHR' or -SO₂NR'R''; wherein R' and R'', the same or different, are independently selected from hydrogen or optionally further substituted straight or branched C₁-C₆ alkyl, aryl, C₃-C₆ cycloalkyl or aryl C₁-C₆ alkyl or R' and R'' taken together form a C₄-C₆ alkylene chain;

Ra, Rb, Rc and Rd, the same or different, are selected among hydrogen, optionally further substituted straight or branched C₁-C₆ alkyl, aryl, aryl C₁-C₆ alkyl or -CH₂OR' groups, wherein R' is as above defined or, Ra and Rb and/or Rc and Rd taken together with the carbon atom to which they are bonded, form an optionally substituted C₃-C₆ cycloalkyl group;

m and n, each independently, represent 0 or an integer from 1 to 2, provided that m + n is lower than, or equal to, 2 (m + n ≤ 2).

22. A combinatorial chemical library according to claim 21, wherein the polystyrenic resin is methyloisocyanate polystyrene resin.

23. A method for treating a mammal, including humans, suffering from a disease caused by and/or associated with an altered protein kinase activity, by administering to said mammal in need thereof a therapeutically effective amount of a bicyclo-pyrazole compound of formula (I):



wherein

R and R₁, being the same or different, are independently a hydrogen atom or an optionally substituted group selected from R', -COR', -COOR', -CONHR', -CONR'R'', -NH-C(=NH)NHR', -C(=NH)NHR', -SO₂R', -SO₂NHR' or -SO₂NR'R''; wherein R' and R'', the same or different, are independently selected from hydrogen or optionally further substituted straight or branched C₁-C₆ alkyl, aryl, C₃-C₆ cycloalkyl or aryl C₁-C₆ alkyl or R' and R'' taken together form a C₄-C₆ alkylene chain;

Ra, Rb, Rc and Rd, being the same or different, are independently selected among hydrogen, optionally further substituted straight or branched C₁-C₆ alkyl, aryl, aryl C₁-C₆ alkyl or -CH₂OR' groups, wherein R' is as above defined, or Ra and Rb and/or Rc and Rd, taken together with the carbon atom to which they are bonded, form an optionally substituted C₃-C₆ cycloalkyl group;

m and n, each independently, represents 0 or an integer from 1 to 2, provided that m + n is lower than, or equal to, 2 (m + n ≤ 2);

or a pharmaceutically acceptable salt thereof.

24. The method of claim 23 wherein the disease caused by and/or associated with an altered protein kinase activity is selected from the group consisting of cancer, cell proliferative disorders, Alzheimer's disease, viral
5 infections, auto-immune diseases and neurodegenerative disorders.

25. The method of claim 24 wherein the cancer is selected from the group consisting of carcinoma, squamous cell
10 carcinoma, hematopoietic tumors of myeloid or lymphoid lineage, tumors of mesenchymal origin, tumors of the central and peripheral nervous system, melanoma, seminoma, teratocarcinoma, osteosarcoma, xeroderma pigmentosum, keratocanthomas, thyroid follicular cancer and Kaposi's
15 sarcoma.

26. The method of claim 23 wherein the cell proliferative disorder is selected from the group consisting of benign prostate hyperplasia, familial adenomatosis polyposis,
20 neuro-fibromatosis, psoriasis, vascular smooth cell proliferation associated with atherosclerosis, pulmonary fibrosis, arthritis glomerulonephritis and post-surgical stenosis and restenosis.

25 27. The method of claim 23 which provides tumor angiogenesis and metastasis inhibition.

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
14 February 2002 (14.02.2002)

PCT

(10) International Publication Number
WO 02/12242 A3

(51) International Patent Classification⁷: C07D 487/04, 471/04, A61K 31/4162, 31/437, A61P 35/00, 25/00, 31/12 // (C07D 487/04, 231:00, 209:00) (C07D 471/04, 231:00, 221:00)

(21) International Application Number: PCT/EP01/08639

(22) International Filing Date: 25 July 2001 (25.07.2001)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
09/635,914 10 August 2000 (10.08.2000) US

(71) Applicant (for all designated States except US): PHARMACIA ITALIA S.P.A. [IT/IT]; Via Robert Koch, 1.2, I-20152 Milan (IT).

(72) Inventors; and

(75) Inventors/Applicants (for US only): FANCELLI, Daniele [IT/IT]; Via Montecuccoli, 8, I-20147 Milan (IT). PITTALA', Valeria [IT/IT]; Via Delfico 24/2, I-20155 Milan (IT). VARASI, Mario [IT/IT]; Via Moncucco, 24/A, I-20142 Milan (IT).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU,

CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:


- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

(88) Date of publication of the international search report:
6 June 2002

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: BICYCLO-PYRAZOLES ACTIVE AS KINASE INHIBITORS, PROCESS FOR THEIR PREPARATION AND PHARMACEUTICAL COMPOSITIONS COMPRISING THEM

WO 02/12242 A3



(57) Abstract: Bicyclo-pyrazole compounds of formula (I), as herein defined, are useful for treating diseases linked to dysregulated protein kinases.

INTERNATIONAL SEARCH REPORT

International Application No

PCT/EP 01/08639

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 C07D487/04 C07D471/04 A61K31/4162 A61K31/437 A61P35/00
A61P25/00 A61P31/12 //(C07D487/04, 231:00, 209:00),
(C07D471/04, 231:00, 221:00)

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 C07D A61K A61P

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

CHEM ABS Data, EPO-Internal, WPI Data

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	DATABASE CA 'Online! CHEMICAL ABSTRACTS SERVICE, COLUMBUS, OHIO, US; NAKANISHI, MICHIO ET AL: "4,5,6,7-Tetrahydro-1(or 2)H-pyrazolo-4,3-C-pyridine derivatives" retrieved from STN Database accession no. 78:159597 XP002194365 abstract and RNs 41270-17-1; 41270-19-3; 41270-19-3; 41270-20-6; 41270-21-7 & JP 48 003639 B (YOSHITOMI PHARMACEUTICAL INDUSTRIES, LTD.) 1 February 1973 (1973-02-01)	1,10
A	WO 99 32455 A (BAYER AG) 1 July 1999 (1999-07-01) claims 1,15	1,10,12
	--- -/--	



Further documents are listed in the continuation of box C.



Patent family members are listed in annex.

* Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- *G* document member of the same patent family

Date of the actual completion of the international search

26 March 2002

Date of mailing of the international search report

12/04/2002

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Alfaro Faus, I

INTERNATIONAL SEARCH REPORT

International Application No

PCT/EP 01/08639

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	<p>WO 97 40019 A (CELLTECH THERAPEUTICS LTD ;DAVIS PETER DAVID (GB); DAVIS JEREMY MA) 30 October 1997 (1997-10-30) page 8, line 34 -page 9, line 15; claim 1 -----</p>	1,10,12

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/EP 01/08639

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
JP 48003639	B	NONE	
WO 9932455	A	01-07-1999	
		AU 1905599 A	12-07-1999
		BG 104598 A	28-02-2001
		BR 9814361 A	27-11-2001
		CA 2315713 A1	01-07-1999
		CN 1283192 T	07-02-2001
		DE 1056725 T1	07-06-2001
		EP 1056725 A1	06-12-2000
		ES 2155045 T1	01-05-2001
		HU 0004426 A2	28-05-2001
		JP 2001526269 T	18-12-2001
		NO 20003231 A	22-08-2000
		PL 341356 A1	09-04-2001
		SK 9622000 A3	18-01-2001
		TR 200002617 T2	21-11-2000
		WO 9932455 A1	01-07-1999
WO 9740019	A	30-10-1997	
		AU 2396897 A	12-11-1997
		EP 0906286 A1	07-04-1999
		WO 9740019 A1	30-10-1997
		JP 2000509035 T	18-07-2000
		US 5922741 A	13-07-1999